



## MT-10 Moisture Meter

Measure moisture content for wall board, wood or other building materials to determine places of harmful mold growth or unseen water damage.

Typical application also include checking moisture of concrete slab and wood before installation of floors, determining wood moisture content during drying process, and checking wood moisture before material is used for woodworking applications.

- Checks for moisture content in wood, paper or cardboard and building materials such as sheetrock, concrete, mortar, plaster etc...
- Measurement Ranges:
  - Wood/ Paper: 8 ~ 60%
  - Building Material: 0.3 - 2.0%
  - Temperature: 0°C ~ 40°C or 32°F ~ 99°F
- Used in indoor air quality applications for detecting moisture in the walls, floors and ceilings stimulating mold growth
- LCD Display provides moisture or temperature measurement
- Three color LED provides quick moisture indication:
  - Green - "air-dry" conditions
  - Yellow - increased moisture
  - Red - excess moisture
- Backlight for operation in dark areas
- Low battery indication
- Auto power off

### No hassle warranty

*No waiting.*

*No shipping  
charges.*



Our commitment to high-quality products and customer service is demonstrated by our industry exclusive "No Hassle" warranty. In the unlikely event that an Amprobe Test Tool requires warranty service, any of our local dealers are authorized to replace it, on the spot.

(note: \$500 MSLP limit)

## MT-10 Mini-vane Anemometer

## Data Sheet

### Specifications

<b>Measurement Range</b>	
Wood	8 ~ 60%
Building Material	0.3-2.0%
Temperature	0 ~ 40°C or 32 ~ 99°F
<b>Resolution</b>	
Wood	0.1%
Building Material	0.01%
Temperature	0.1°C / 0.2°F
<b>Accuracy</b>	
Wood	±2%
Building Material	±0.1%
Temperature	±1°C / ±2°F
<b>Low Battery Indication</b>	Symbol " " shown on the display (Automatic Power-Off)
<b>Battery</b>	9V, 6F22
<b>Operating Environment</b>	Temperature 0°C ~ 40°C (32°F to 104°F) Relative Humidity < 85%
<b>Storage Environment</b>	Temperature -10°C ~ -50°C (14°F to -58°F) Relative Humidity < 85%
<b>Dimensions</b>	145(L) × 60(W) × 31(H)mm ( 5.73 x 2.37 x 1.21 in)
<b>Weight</b>	Approx. 95g (0.37 lb)

### Amprobe® Test Tools

website: [www.Amprobe.com](http://www.Amprobe.com)  
email: [info@amprobe.com](mailto:info@amprobe.com)  
Everett, WA 98203  
Tel: 877-AMPROBE

### Amprobe® Test Tools Europe

In den Engematten 14  
79286 Glottertal, Germany  
Tel.: +49 (0) 7684 8009 - 0



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.