



Main

Range of product	Altivar
Accessory / separate part category	Protection accessory
Accessory / separate part type	IP21 protection kit
Product compatibility	<p>Variable speed drive ATV630 motor at 55 kW, normal duty 200...240 V</p> <p>Variable speed drive ATV630 motor at 75 kW, normal duty 200...240 V</p> <p>Variable speed drive ATV630 motor at 110 kW, normal duty 380...480 V</p> <p>Variable speed drive ATV630 motor at 132 kW, normal duty 380...480 V</p> <p>Variable speed drive ATV630 motor at 160 kW, normal duty 380...480 V</p> <p>Variable speed drive ATV630 motor at 90 kW, heavy duty 380...480 V</p> <p>Variable speed drive ATV630 motor at 110 kW, heavy duty 380...480 V</p> <p>Variable speed drive ATV630 motor at 132 kW, heavy duty 380...480 V</p> <p>Variable speed drive ATV610 motor at 110 kW 380...480 V</p> <p>Variable speed drive ATV610 motor at 132 kW 380...480 V</p> <p>Variable speed drive ATV610 motor at 160 kW 380...480 V</p> <p>Variable speed drive ATV930 motor at 55 kW, normal duty 200...240 V</p> <p>Variable speed drive ATV930 motor at 75 kW, normal duty 200...240 V</p> <p>Variable speed drive ATV930 motor at 110 kW, normal duty 380...480 V</p> <p>Variable speed drive ATV930 motor at 132 kW, normal duty 380...480 V</p> <p>Variable speed drive ATV930 motor at 160 kW, normal duty 380...480 V</p> <p>Variable speed drive ATV930 motor at 45 kW, heavy duty 200...240 V</p> <p>Variable speed drive ATV930 motor at 55 kW, heavy duty 200...240 V</p> <p>Variable speed drive ATV930 motor at 90 kW, heavy duty 380...480 V</p> <p>Variable speed drive ATV930 motor at 110 kW, heavy duty 380...480 V</p> <p>Variable speed drive ATV930 motor at 132 kW, heavy duty 380...480 V</p>
Accessory / separate part destination	Variable speed drive
Range compatibility	<p>Altivar Easy 610</p> <p>Altivar Process ATV600</p> <p>Altivar Process ATV900</p>

Complementary

Kit composition	<p>Fixing accessories</p> <p>All the mechanical parts including a pre-cut plate for fixing the cable glands</p> <p>Instruction sheet</p>
Product weight	19.84 lb(US) (9 kg)

Environment

Offer Sustainability

Not Green Premium product	Not Green Premium product
---------------------------	---------------------------

The information provided in this documentation contains general descriptions and/or technical characteristics of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.