





PRODUCT NUMBER
89006-XYX
89006-XYXLF



Copyright FCI.

spec ref *		dr Terran Huang		2010/07/08		projection		size A4		scale 2:1	
tolerance std		eng Michael Song		2014/12/02		mm		ecn no		ELX-DG-19567-1	
ISO 406 ISO 1101		chr Tian-Zhao Lin		2014/12/03				rel level		Released	
surface 3.2		appr Collins Lu		2014/12/03		product family		METRAL		rev	
ISO 1302		www.fci.com		title		METRAL SIGNAL HEADER		dwg no		89006	
linear		cat. no.		I MOD, 5 ROW PRESS-FIT		Product - Customer Drw		sheet 1 of 9		BF	
angular											
0.X ±0.3											
0.XX ±0.13											
0.XXX ±.050											
0° ±2°											

PrdE File - REV C - 2009-06-09



REQUIRED PC BOARD LAYOUT
COMPONENT SIDE
SEE PRINT 58351 FOR
ADDITIONAL PCB INFORMATION

KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
1	5.00	4.30
2	5.75	4.30
3	6.50	4.30
4	7.25	4.30
5	5.00	13.60
6	5.75	13.60
7	6.50	13.60
8	7.25	13.60
9	5.00	17.00
10	5.75	17.00
11	6.50	17.00
12	7.25	17.00
13	8.25	4.30
14	8.25	13.60
15	8.25	17.00
16	7.00	4.30
17	7.00	13.60
18	7.00	17.00
19	8.00	4.30
20	8.00	13.60
21	8.00	17.00
59	5.00	11.80

spec ref	*	dr	Terran Huang	2010/07/08	projection 	mm 	size	A4	scale	2:1
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Michael Song	2014/12/02			ecn no	ELX-DG-19567-1		
ISO 406 ISO 1101		chr	Tian-Zhao Lin	2014/12/03			rel level	Released		
surface	3.200 linear	appr	Collins Lu	2014/12/03	product family	METRAL				
	0.X ±0.3		title	METRAL SIGNAL HEADER	dwg no	89006	rev	BF		
	0.XX ±0.13									
	0.XXX ±0.050									
ISO 1302	angular 0° ±2°	www.fci.com	cat. no.	-	Product - Customer Drw	sheet 2 of 9				

PrdE File - REV C - 2009-06-09



Copyright FCI.

METRAL P/N	ROW	CONTACT CODE MOD. I						METRAL P/N	ROW	CONTACT CODE MOD. I						METRAL P/N	ROW	CONTACT CODE MOD. I						METRAL P/N	ROW	CONTACT CODE MOD. I						METRAL P/N	ROW	CONTACT CODE MOD. I													
		1	2	3	4	5	6			1	2	3	4	5	6			1	2	3	4	5	6			1	2	3	4	5	6			1	2	3	4	5	6								
89006-X10 SEE NOTE 10 LEAD FREE OPTION	E	1	1	1	1	1	1	89006-X14 SEE NOTE 10 LEAD FREE OPTION	E	4	4	4	4	4	4	89006-X19 SEE NOTE 10 LEAD FREE OPTION	E	4	4	4	4	4	4	89006-X23 SEE NOTE 10 LEAD FREE OPTION	E	8	8	8	8	8	8	89006-X27 SEE NOTE 10 LEAD FREE OPTION	E	6	6	6	6	6	6	89006-X32 SEE NOTE 10 LEAD FREE OPTION	E	12	12	12	12	12	12
	D	1	1	1	1	1	1		D	3	3	3	3	3	3		D	4	4	4	4	4	4		D	20	20	20	20	20	20		D	6	6	6	6	6	6		D	11	11	11	11	11	11
	C	1	1	1	1	1	1		C	4	4	4	4	4	4		C	4	4	4	4	4	4		C	8	8	8	8	8	8		C	6	6	6	6	6	6		C	11	11	11	11	11	11
	B	1	1	1	1	1	1		B	4	4	4	4	4	4		B	4	4	4	4	4	4		B	8	8	8	8	8	8		B	6	6	6	6	6	6		B	9	9	9	9	9	9
	A	1	1	1	1	1	1		A	4	4	4	4	4	4		A	4	4	4	4	4	4		A	8	8	8	8	8	8		A	20	20	20	20	20	20		A	9	9	9	9	9	9

spec ref	*	dr	Terran Huang	2010/07/08	projection	mm	size	A4	scale	1:1		
tolerance std	ISO 406 ISO 1101	eng	Michael Song	2014/12/02			ecn no	ELX-DG-19567-1				
	TOLERANCES UNLESS OTHERWISE SPECIFIED	chr	Tian-Zhao Lin	2014/12/03				product family	METRAL	rel level	Released	
surface	3.200 ISO 1302	appr	Collins Lu	2014/12/03	product family			METRAL	rel level	Released		
	near	0.X	±0.3		title			METRAL SIGNAL HEADER	dwg no	89006	rev	BF
		0.XX	±0.13		1 MOD, 5 ROW PRESS-FIT							
	angular	0°	±2°		www.fci.com			cat. no.		-		Product - Customer Drw

ProjE File - REV C - 2009-06-09

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89006-X36 SEE NOTE 10 LEAD FREE OPTION	E	10	10	10	10	10	10
	D	10	10	10	10	10	10
	C	10	10	10	10	10	10
	B	10	10	10	10	10	10
	A	10	10	10	10	10	10

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89006-X41 SEE NOTE 10 LEAD FREE OPTION	E	2	2	2	2	2	2
	D	1	1	1	1	1	1
	C	2	2	2	2	2	2
	B	2	2	2	2	2	2
	A	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89006-X45 SEE NOTE 10 LEAD FREE OPTION	E	1	1	1	1	1	1
	D	19	19	19	19	19	19
	C	1	1	1	1	1	1
	B	19	19	19	19	19	19
	A	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89006-X49 SEE NOTE 10 LEAD FREE OPTION	E	4	4	4	4	4	4
	D	3	3	3	3	3	3
	C	3	3	3	3	3	3
	B	3	3	3	3	3	3
	A	19	19	19	19	19	19

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89006-X53 SEE NOTE 10 LEAD FREE OPTION	E	6	6	6	6	6	6
	D	6	6	6	6	6	6
	C	6	6	6	6	6	6
	B	6	6	6	6	6	6
	A	8	8	8	8	8	8

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89006-X57 SEE NOTE 10 LEAD FREE OPTION	E	6	6	6	6	6	6
	D	7	7	7	7	7	7
	C	6	6	6	6	6	6
	B	6	6	6	6	6	6
	A	7	7	7	7	7	7

A

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89006-X37 SEE NOTE 10 LEAD FREE OPTION	E	10	10	10	10	10	10
	D	10	10	10	10	10	10
	C	10	10	10	10	10	10
	B	10	10	10	10	10	10
	A	21	21	21	21	21	21

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89006-X42 SEE NOTE 10 LEAD FREE OPTION	E	2	2	2	2	2	2
	D	4	4	4	4	4	4
	C	4	4	4	4	4	4
	B	3	3	3	3	3	3
	A	4	4	4	4	4	4

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89006-X46 SEE NOTE 10 LEAD FREE OPTION	E	2	2	2	2	2	2
	D	2	2	2	2	2	2
	C	4	4	4	4	4	4
	B	2	2	2	2	2	2
	A	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89006-X50 SEE NOTE 10 LEAD FREE OPTION	E	6	6	6	6	6	6
	D	6	6	6	6	6	6
	C	6	6	6	6	6	6
	B	8	8	8	8	8	8
	A	6	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89006-X54 SEE NOTE 10 LEAD FREE OPTION	E	5	5	5	5	5	5
	D	7	7	7	7	7	7
	C	8	8	8	8	8	8
	B	7	7	7	7	7	7
	A	5	5	5	5	5	5

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89006-X58 SEE NOTE 10 LEAD FREE OPTION	E	20	20	20	20	20	20
	D	20	20	20	20	20	20
	C	20	20	20	20	20	20
	B	20	20	20	20	20	20
	A	20	20	20	20	20	20

B

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89006-X39 SEE NOTE 10 LEAD FREE OPTION	E	12	12	12	12	12	12
	D	12	12	12	12	12	12
	C	12	12	12	12	12	12
	B	12	12	12	12	12	12
	A	12	12	12	12	12	12

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89006-X43 SEE NOTE 10 LEAD FREE OPTION	E	2	2	2	2	2	2
	D	2	2	2	2	2	2
	C	2	2	2	2	2	2
	B	2	2	2	2	2	2
	A	4	4	4	4	4	4

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89006-X47 SEE NOTE 10 LEAD FREE OPTION	E	2	2	2	2	2	2
	D	3	3	3	3	3	3
	C	2	2	2	2	2	2
	B	2	2	2	2	2	2
	A	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89006-X51 SEE NOTE 10 LEAD FREE OPTION	E	6	6	6	6	6	6
	D	5	5	5	5	5	5
	C	6	6	6	6	6	6
	B	6	6	6	6	6	6
	A	7	7	7	7	7	7

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89006-X55 SEE NOTE 10 LEAD FREE OPTION	E	5	5	5	5	5	5
	D	20	20	20	20	20	20
	C	5	5	5	5	5	5
	B	20	20	20	20	20	20
	A	5	5	5	5	5	5

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89006-X59 SEE NOTE 10 LEAD FREE OPTION	E	8	8	8	8	8	8
	D	7	7	7	7	7	7
	C	7	7	7	7	7	7
	B	7	7	7	7	7	7
	A	20	20	20	20	20	20

C

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89006-X40 SEE NOTE 10 LEAD FREE OPTION	E	2	2	2	2	2	2
	D	2	2	2	2	2	2
	C	2	2	2	2	2	2
	B	4	4	4	4	4	4
	A	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89006-X44 SEE NOTE 10 LEAD FREE OPTION	E	1	1	1	1	1	1
	D	3	3	3	3	3	3
	C	4	4	4	4	4	4
	B	3	3	3	3	3	3
	A	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89006-X48 SEE NOTE 10 LEAD FREE OPTION	E	19	19	19	19	19	19
	D	19	19	19	19	19	19
	C	19	19	19	19	19	19
	B	19	19	19	19	19	19
	A	19	19	19	19	19	19

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89006-X52 SEE NOTE 10 LEAD FREE OPTION	E	6	6	6	6	6	6
	D	8	8	8	8	8	8
	C	8	8	8	8	8	8
	B	7	7	7	7	7	7
	A	8	8	8	8	8	8

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89006-X56 SEE NOTE 10 LEAD FREE OPTION	E	6	6	6	6	6	6
	D	6	6	6	6	6	6
	C	8	8	8	8	8	8
	B	6	6	6	6	6	6
	A	6	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89006-X60 SEE NOTE 10 LEAD FREE OPTION	E	10	10	10	10	10	10
	D	10	10	10	10	10	10
	C	10	10	10	10	10	10
	B	12	12	12	12	12	12
	A	10	10	10	10	10	10

D

spec ref	*	dr	Terran Huang	2010/07/08	projection	mm	size	A4	scale	1:1
tolerance std		eng	Michael Song	2014/12/02			ecn no	ELX-DG-19567-1	rel level	Released
ISO 406	TOLERANCES UNLESS OTHERWISE SPECIFIED	chr	Tian-Zhao Lin	2014/12/03						
ISO 1101		appr	Collins Lu	2014/12/03	product family	METRAL				
surface	3.200 linear		title	METRAL SIGNAL HEADER	dwg no	89006	rev	BF	cat. no.	-
ISO 1302	angular									
www.fci.com			Product - Customer Drw			sheet 4 of 9				



Copyright FCI.



Copyright FCI.

METRAL P/N	ROW	CONTACT CODE MOD. I						METRAL P/N	ROW	CONTACT CODE MOD. I						METRAL P/N	ROW	CONTACT CODE MOD. I						METRAL P/N	ROW	CONTACT CODE MOD. I						METRAL P/N	ROW	CONTACT CODE MOD. I													
		1	2	3	4	5	6			1	2	3	4	5	6			1	2	3	4	5	6			1	2	3	4	5	6			1	2	3	4	5	6								
89006-X61 SEE NOTE 10 LEAD FREE OPTION	E	10	10	10	10	10	10	89006-X65 SEE NOTE 10 LEAD FREE OPTION	E	9	9	9	9	9	9	89006-X69 SEE NOTE 10 LEAD FREE OPTION	E	12	12	12	12	12	12	89006-X73 SEE NOTE 10 LEAD FREE OPTION	E	4	4	4	4	4	4	89006-X77 SEE NOTE 10 LEAD FREE OPTION	E	3	3	3	3	3	3	89006-X81 SEE NOTE 10 LEAD FREE OPTION	E	7	7	7	7	7	7
	D	9	9	9	9	9	9		D	21	21	21	21	21	D		11	11	11	11	11	D	4		4	4	4	4	D	19	19		19	19	19	D	20	20	20		20	20					
	C	10	10	10	10	10	10		C	9	9	9	9	9	C		11	11	11	11	11	C	4		4	4	4	4	C	4	4		4	4	4	C	7	7	7		7	7					
	B	10	10	10	10	10	10		B	21	21	21	21	21	B		11	11	11	11	11	B	4		4	4	4	4	B	3	3		3	3	3	B	20	20	20		20	20					
	A	11	11	11	11	11	11		A	9	9	9	9	9	A		21	21	21	21	21	A	13		13	13	13	13	A	3	3		3	3	3	A	7	7	7		7	7					

spec ref	*	dr	Terran Huang	2010/07/08	projection	mm	size	A4	scale	1:1	
tolerance std	ISO 406 ISO 1101	eng	Michael Song	2014/12/02			ecn no	ELX-DG-19567-1			
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Tian-Zhao Lin	2014/12/03				product family	METRAL	rel level	Released
surface	3.2	appr	Collins Lu	2014/12/03	METRAL			rel level	Released		
near	0.X	FCI		METRAL SIGNAL HEADER			dwg no	89006			
angular	0°	www.fci.com		1 MOD, 5 ROW PRESS-FIT			rev	BF			
angular	±0.3	cat. no.		-			Product - Customer Drw			sheet 5 of 9	
angular	±0.13										
angular	±0.050										
angular	±2°										

PreE File - REV C - 2009-06-09



Copyright FCI.

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89006-X85 SEE NOTE 10 LEAD FREE OPTION	E	7	7	7	7	7	7
	D	7	7	7	7	7	7
	C	6	6	6	6	6	6
	B	7	7	7	7	7	7
	A	7	7	7	7	7	7

spec ref	*	dr	Terran Huang	2010/07/08	projection	mm	size	A4	scale	1:1	
tolerance std	ISO 406 ISO 1101	eng	Michael Song	2014/12/02			ecn no	ELX-DG-19567-1			
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Tian-Zhao Lin	2014/12/03				product family	METRAL	rel level	Released
surface	3.2	appr	Collins Lu	2014/12/03	product family			METRAL	rel level	Released	
ISO 1302	angular	0°	±2°		title			METRAL SIGNAL HEADER		rev	BF
	0.X	±0.3		www.fci.com	cat. no.			-	Product - Customer Drw	sheet 6 of 9	
	0.XX	±0.13			dwg no			89006			
	0.XXX	±0.050									

Part File - REV C - 2009-06-09



Copyright FCI.

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89006-X109 SEE NOTE 10 LEAD FREE OPTION	E	59	59	59	59	59	59
	D	59	59	59	59	59	59
	C	59	59	59	59	59	59
	B	59	59	59	59	59	59
	A	77	77	77	77	77	77

spec ref	*	dr	Terran Huang	2010/07/08			size	A4	scale	1:1
tolerance std	ISO 406 ISO 1101	eng	Michael Song	2014/12/02			ecn no	ELX-DG-19567-1		
surface	3.2	near	0.X	±0.3			product family	METRAL	rel level	Released
			0.XX	±0.13						
ISO 1302	angular	0°	±2°	www.fci.com	cat. no.	-	Product - Customer Drw	sheet 7 of 9		

89006-X110 SEE NOTE 10 LEAD FREE OPTION	89006-X114 SEE NOTE 10 LEAD FREE OPTION	89006-X118 SEE NOTE 10 LEAD FREE OPTION	89006-X122 SEE NOTE 10 LEAD FREE OPTION	89006-X126 SEE NOTE 10 LEAD FREE OPTION	89006-X130 SEE NOTE 10 LEAD FREE OPTION
89006-X111 SEE NOTE 10 LEAD FREE OPTION	89006-X115 SEE NOTE 10 LEAD FREE OPTION	89006-X119 SEE NOTE 10 LEAD FREE OPTION	89006-X123 SEE NOTE 10 LEAD FREE OPTION	89006-X127 SEE NOTE 10 LEAD FREE OPTION	89006-X131 SEE NOTE 10 LEAD FREE OPTION
89006-X112 SEE NOTE 10 LEAD FREE OPTION	89006-X116 SEE NOTE 10 LEAD FREE OPTION	89006-X120 SEE NOTE 10 LEAD FREE OPTION	89006-X124 SEE NOTE 10 LEAD FREE OPTION	89006-X128 SEE NOTE 10 LEAD FREE OPTION	89006-X132 SEE NOTE 10 LEAD FREE OPTION



Copyright FCI.

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89006-X133 SEE NOTE 10 LEAD FREE OPTION	E	2	2	2	2	2	2
	D	2	2	2	2	2	2
	C	2	2	2	2	2	2
	B	2	2	2	2	2	2
	A	2	2	1	2	2	2
89006-X134 SEE NOTE 10 LEAD FREE OPTION	E	2	2	2	2	2	2
	D	2	2	2	2	2	2
	C	2	2	3	3	2	2
	B	2	2	2	2	2	2
	A	2	2	2	2	2	2
89006-X135 SEE NOTE 10 LEAD FREE OPTION	E	2	3	2	2	2	2
	D	2	3	2	2	2	2
	C	2	3	2	2	2	2
	B	2	3	2	2	2	2
	A	2	2	2	2	2	2
89006-X136 SEE NOTE 10 LEAD FREE OPTION	E	2	3	2	3	2	2
	D	2	3	2	3	2	2
	C	2	3	2	3	2	2
	B	2	3	2	3	2	2
	A	2	3	2	3	2	2
89006-X137 SEE NOTE 10 LEAD FREE OPTION	E	2	2	2	3	3	2
	D	2	2	2	3	3	2
	C	2	2	2	3	3	2
	B	2	2	2	3	3	2
	A	2	2	2	3	3	2
89006-X138 SEE NOTE 10 LEAD FREE OPTION	E	2	3	2	2	2	2
	D	2	3	2	2	2	2
	C	2	3	2	2	2	2
	B	2	3	2	2	2	2
	A	2	2	2	2	2	3
89006-X139 SEE NOTE 10 LEAD FREE OPTION	E	59	59	11	6	6	11
	D	59	59	11	6	6	11
	C	59	59	11	6	6	11
	B	59	59	11	6	6	11
	A	59	59	11	6	6	11
89006-X140 SEE NOTE 10 LEAD FREE OPTION	E	1	1	1	1	1	1
	D	1	1	1	1	3	1
	C	1	1	1	1	1	1
	B	1	1	1	1	1	1
	A	1	1	1	1	1	1
89006-X141 SEE NOTE 10 LEAD FREE OPTION	E	1	1	1	1	3	3
	D	1	1	1	1	3	3
	C	3	3	3	3	3	3
	B	1	1	1	1	3	1
	A	1	1	1	1	3	1
89006-X142 SEE NOTE 10 LEAD FREE OPTION	E	2	2	2	3	3	3
	D	2	2	2	3	3	3
	C	2	2	2	3	3	3
	B	2	2	2	3	3	3
	A	2	2	2	3	3	3
89006-X143 SEE NOTE 10 LEAD FREE OPTION	E	3	1	3	1	3	3
	D	3	1	3	1	3	3
	C	3	3	3	1	3	3
	B	3	1	3	1	3	3
	A	3	1	3	1	3	3
89006-X144 SEE NOTE 10 LEAD FREE OPTION	E	7	5	5	5	5	5
	D	7	5	5	5	5	5
	C	7	5	5	5	5	5
	B	7	5	5	5	5	5
	A	7	5	5	5	5	5
89006-X145 SEE NOTE 10 LEAD FREE OPTION	E	5	5	1	1	7	5
	D	5	5	1	1	7	5
	C	5	5	1	1	7	7
	B	5	5	1	1	7	5
	A	5	5	1	1	7	5

spec ref	*	dr	Terran Huang	2010/07/08	projection	mm	size	A4	scale	1:1
tolerance std	ISO 406 ISO 1101	eng	Michael Song	2014/12/02			ecn no		ELX-DG-19567-1	
surface	3.200 linear	chr	Tian-Zhao Lin	2014/12/03			rel level		Released	
		appr	Collins Lu	2014/12/03	product family			METRAL		
					title			METRAL SIGNAL HEADER		
					1 MOD, 5 ROW PRESS-FIT			dwg no		
					cat. no.			89006		
					Product - Customer Drw			sheet 8 of 9		
					rev			BF		

ProjE File - REV C - 2009-06-09


PRODUCT NUMBER

89006-XYX

89006-XYXLF

NOTES:




- 1. FOR DIM A AND B SEE SHEET 2 AND UP.
- 2. BODY MATERIAL: LIQUID CRYSTAL
POLYMER 30 % GLASS.
FLAME RETARDANT ACC. UL 94-V0.
- 3. PIN MATERIAL:
PHOSPHOR BRONZE.
- 4. PLATING ON PRESS-FIT TAIL:
73931-XYX IS SnPb
73931-XYXLF IS SN (LEAD FREE)
PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE
LEVEL SHOWN IN TABLE BELOW.
- 5. PRODUCT MARKING:
PART NUMBER DESIGNATION & BATCH I.D.
- 6. ALL PRODUCTS WITH PART NUMBERS SHOWN IN
SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES.
IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P"
WILL BE ADDED TO THE END OF THE PART NUMBER.
EXAMPLE: XXXXX-XXXP
- 7. PRODUCT SPECIFICATION GS-12-180
APPLICATION SPECIFICATION BUS-20-073
- 8. AFTER INSERTION INTO CIRCUIT BOARD WITH
QUALIFIED TOOL.
- 9. THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE
EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS
AS DESCRIBED IN GS-22-008.

ALL PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING
(DRAWING NO.)-N1--- OR (DRAWING NO.)-N5---WILL WITHSTAND EXPOSURE
TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR
VAPOR PHASE REFLOW OVEN. PART NUMBERS (DRAWING NO.)-N1---
AND (DRAWINGS NO.)-N5---WILL NOT WITHSTAND REFLOW AND Au CONTACT
SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM 140°C FOR
NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.
- 10. FOR LEAD FREE PART NUMBERS, ADD "LF" SUFFIX.
EXAMPLE:89006-X01LF
- 11. -A PLATING HAS Au FLASH IN PRESS FIT AREA (LEAD FREE)
- 12. A  SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE
WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.

PLATING IN CONTACT AREA		
DASH NUMBER	PERFORMANCE LEVEL	NOTES
-AYY	TELCORDIA CO	SEE NOTE 11
-PYY	0.25 um GOLD MIN.	-
-N1YY	TELCORDIA CO (NXT)	-
-N5YY	TELCORDIA UE (NXT)	-
-1YY	TELCORDIA CO	-
-2YY	TELECOM CLASS	-
-3YY	IEC CLASS 1	-
-5YY	TELCORDIA UE	-
-N1YY	TELCORDIA CO (NXT) IEC CLASS 1	SEE NOTE 9
-N5YYLF	TELCORDIA UE (NXT)	SEE NOTE 9
-1YYLF	TELCORDIA CO IEC CLASS 1	SEE NOTE 9
-2YYLF	TELECOM CLASS	SEE NOTE 9
-5YYLF	TELCORDIA UE	SEE NOTE 9



Copyright FCI.

spec ref	*	dr	Terran Huang	2010/07/08	projection		size	A4	scale	1:1
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Michael Song	2014/12/02		mm	ecn no		ELX-DG-19567-1	
ISO 406		chr	Tian-Zhao Lin	2014/12/03			rel level		Released	
ISO 1101		appr	Collins Lu	2014/12/03	product family		METRAL			
surface	3.2 linear			title		METRAL SIGNAL HEADER		dwg no		89006
	0.X ±0.3	www.fci.com		1 MOD, 5 ROW PRESS-FIT		rev		BF		
	0.XX ±0.13	cat. no.		-		Product - Customer Drw		sheet 9 of 9		
	0.XXX ±.050									
	angular 0° ±2°									



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.