





Copyright FCI.

A



B

C

D



SECTION B-B







- NOTE:
1. PRODUCT SPEC: GS-12-195.
 2. PACKAGE SPEC: GS-14-786.
 3. MATERIAL
HOUSING: LCP, UL94V-0, BLACK COLOR.
CONTACT: COPPER ALLOY
HOLDDOWN: BRASS
 4. FINISH
TERMINAL :SEE TABLE
HOLDDOWN: SEE TABLE
 5. COPLANARITY: 0.1MAX. (INCLUDING HOLDDOWN)
 6. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
 7. THE HOUSING WILL WITHSTAND EXPOSE TO 260° PEAK TEMPERATURE FOR 10 SECONDS IN WAVE SOLDER APPLICATION.
 8. A Δ SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.

rev	ecn no	dr	date
A	DG08-0107	J W	05/05/08
B	DG08-0204	B L	09/09/08

www.fciconnect.com			surface 		tolerance std		projection 		MM 	
			TOLERANCES UNLESS OTHERWISE SPECIFIED							
Dr	JULIA WANG	05/05/08	ANGULAR	LINEAR	0.X	± 0.3	size A4	Scale 1.000		
Eng	JULIA WANG	05/05/08			0.XX	± 0.10				
Chr	GARY HSIEH	05/05/08			0.XXX	± 0.05		ECN DG08-0204		
Appr	JOSEPH HSIA	05/05/08	Product family					Spec ref		*
		title DDR2 0.6mm PITCH 200 POS. REVERSE TYPE ASS'Y			dwg no 10086891		Rev. B			
		catalog no *			CUSTOMER			sheet 1 of 4		




Copyright FCI.




	title	DDR2 0.6mm PITCH 200 POS. REVERSE TYPE ASS'Y	dwg no	10086891	Rev.	B
	catalog no	*	CUSTOMER	sheet 2 of 4		



Copyright FCI.



RECOMMENDED MOUNTING P.C.B LAYOUT

www.fciconnect.com			surface 		tolerance std		projection 				
			TOLERANCES UNLESS OTHERWISE SPECIFIED								
Dr			ANGULAR	LINEAR	0.X	±	size A4	Scale 1.000			
Eng	JULIA WANG				0.XX	±					
Chr					0.XXX	±					
Appr			Product family					ECN DG08-0204			
								Spec ref		*	
		title				dwg no				Rev.	
		DDR2 0.6mm PITCH 200 POS. REVERSE TYPE ASS'Y				10086891				B	
		catalog no				*				CUSTOMER	
								sheet 3 of 4			



Copyright FCI.

PRODUCT NO.	LOCATION PEG	TERMINAL CONTACT AREA FINISH	HOLD DOWN FINISH	SOLDER TAIL FINISH
10086891-052FSLF	YES	Au FLASH	PURE Sn PLATING	Au FLASH
10086891-152FSLF	NO			
10086891-052TSLF	YES	Au 0.3um MIN.		
10086891-052TSRLF	 YES			
10086891-152TSLF	NO	Au 0.76um MIN.		
10086891-052ASLF	YES			
10086891-052ASRLF	 YES	Au 0.76um MIN.		
10086891-152ASLF	NO			
10086891-052FB	YES	Au FLASH	Sn-Pb PLATING	
10086891-152FB	NO			
10086891-052TB	YES	Au 0.3um MIN.		
10086891-152TB	NO			
10086891-052AB	YES	Au 0.76um MIN.		
10086891-152AB	NO			
10086891-252FSLF	YES	Au FLASH	PURE Sn PLATING	
10086891-352FSLF	NO			
10086891-252TSLF	YES	Au 0.3um MIN.		
10086891-352TSLF	NO			
10086891-252ASLF	YES	Au 0.76um MIN.		
10086891-352ASLF	NO			
10086891-252FB	YES	Au FLASH	Sn-Pb PLATING	
10086891-352FB	NO			
10086891-252TB	YES	Au 0.3um MIN.		
10086891-352TB	NO			
10086891-252AB	YES	Au 0.76um MIN.		
10086891-352AB	NO			
10086891-452FS	YES	Au FLASH	PURE Sn PLATING	
10086891-552FS	NO			
10086891-452TS	YES	Au 0.3um MIN.		
10086891-552TS	NO			
10086891-452AS	YES	Au 0.76um MIN.		
10086891-552AS	NO			
10086891-452FB	YES	Au FLASH	Sn-Pb PLATING	
10086891-552FB	NO			
10086891-452TB	YES	Au 0.3um MIN.		
10086891-552TB	NO			
10086891-452AB	YES	Au 0.76um MIN.		
10086891-552AB	NO			

10086891-X XX X X X LF

FOR Rohs OPTIONS: TAIL PLATING CODE MUST BE 0~3. HOLD DOWN PLATING CODE MUST BE "S". "LF" CODE IS EXIST IN THE END. EX: 10086891-252TSLF FOR NOT Rohs COMPATIBEL: THIS "LF" CODE IS "BLANK". EX: 10086891-452TS

<PACKING METHOD>
R : TAPE REEL
DEFAULT: TRAY 

<HOLDDOWN FINISH>
S:PURE Sn
B:Sn-Pb

<CONTACT FINISH>
F:Au FLASH
T:Au 0.3um MIN.
A:Au 0.76um MIN.

<TOTAL HEIGHT>
52: 5.2mm

<LOCATION PEG, SOLDER TAIL FINISH>
0: YES,Au FLASH
1: NO,Au FLASH
2: YES,PURE Sn PLATING
3: NO,PURE Sn PLATING
4: YES,Sn-Pb PLATING
5: NO,Sn-Pb PLATING



title
DDR2 0.6mm PITCH 200 POS.
REVERSE TYPE ASS'Y
catalog no

dwg no
10086891

Rev.
B

CUSTOMER sheet 4 of 4



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.