

1470-19 (3/11)

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR


DESCRIPTION

DATE

DWN



APVD

SEE SHEET 1



2129260-2; AS SHOWN

WITHOUT NUT




I	SHELL	③
40	CONTACT	②
I	HOUSING	①
Q'TY	NAME	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±	±0.25
1 PLC	±	±0.25
2 PLC	±	±0.25
3 PLC	±	±0.25
4 PLC	±	±0.25
ANGLES	±	±
FINISH	-	-

MATERIAL

-

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

0.87g

CUSTOMER DRAWING

STE

TE Connectivity

NAME

RECEPTACLE ASSY, 0.6mm PITCH
CHAMP DOCKING CONNECTOR, 40POS

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C-2129260

SCALE 5:1

SHEET 2 OF 6

REV B

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR


DESCRIPTION

DATE

DWN


APVD

SEE SHEET 1



VIEW A

2129260-2 IS SAME AS 2129260-1




MATING CONDITION

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±
FINISH ±

MATERIAL

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING



TE Connectivity

NAME

RECEPTACLE ASSY, 0.6mm PITCH
CHAMP DOCKING CONNECTOR, 40POS

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C-2129260

SCALE 5:1

SHEET 3 OF 6

REV B

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC
DWDIST
-

REVISIONS

P

LTR

DESCRIPTION


DATE

DWN


APVD

SEE SHEET 1

2129260-2 IS SAME AS 2129260-1

RECOMMENDED P.C. BOARD LAYOUT
(TOP VIEW)5 CONNECTOR OUTLINE
6 SUPPORT BOARD EDGE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC	$\pm$	
1 PLC	$\pm$	
2 PLC	$\pm$	± 0.05
3 PLC	$\pm$	$\pm 3^\circ$
4 PLC	$\pm$	
ANGLES	$\pm$	
FINISH	$\pm$	

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

TE

TE Connectivity

NAME

RECEPTACLE ASSY, 0.6mm PITCH
CHAMP DOCKING CONNECTOR, 40POS

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A300779

C-2129260

SCALE 8:1

SHEET 4 OF 6

REV B

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC
DW

DIST

REVISIONS

P

LTR




DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1



7. PACKING MATERIAL:
 CARRY TAPE: PS; COLOR: BLACK.
 COVER TAPE: PET; COLOR: CLEAR.
 PEELING STRENGTH OF COVER TAPE: 0.2N~1.2N

2129260-1	600	3	1800
P/N	PCS/ TAPE	REELS/ CARTON	TOTAL QUANTITY

TE TE Connectivity

NAME
 RECEPTACLE ASSY, 0.6mm PITCH
 CHAMP DOCKING CONNECTOR, 40POS

SIZE CAGE CODE DRAWING NO RESTRICTED TO

A300779 C-2129260

CUSTOMER DRAWING

SCALE 5:1

SHEET 5 OF 6

REV B

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC $\pm$
 1 PLC $\pm$
 2 PLC $\pm$ ± 0.5
 3 PLC $\pm$ $\pm 3^\circ$
 4 PLC $\pm$
 ANGLES $\pm$
 FINISH $\pm$

MATERIAL




4

3

2

1

LOC	DIST	REVISIONS					
DW		P	LTR	DESCRIPTION	DATE	DWN	APVD
				SEE SHEET 1			



2129260-2	600	2	1200
P/N	PCS/TAPE	REELS/CARTON	TOTAL QUANTITY

TE TE Connectivity

NAME
RECEPTACLE ASSY, 0.6mm PITCH
CHAMP DOCKING CONNECTOR, 40POS

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-2129260	-

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	-
		CHK	-
		APVD	-
		PRODUCT SPEC	-
		APPLICATION SPEC	-
		WEIGHT	-
		CUSTOMER DRAWING	-
DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:		
mm			
	0 PLC	±	±0.5
	1 PLC	±	±0.5
	2 PLC	±	±0.5
	3 PLC	±	±0.5
	4 PLC	±	±0.5
	ANGLES	±	±3°
MATERIAL	FINISH		



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.