

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR


DESCRIPTION

DATE

DWN



APVD

SEE SHEET 1



2129260-2; AS SHOWN

WITHOUT NUT




I	SHELL	③
40	CONTACT	②
I	HOUSING	①
Q'TY	NAME	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm



MATERIAL

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±0.25
1 PLC ±0.25
2 PLC ±0.25
3 PLC ±0.25
4 PLC ±0.25
ANGLES ±
FINISH

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

0.87g

CUSTOMER DRAWING

TE

TE Connectivity

NAME

RECEPTACLE ASSY, 0.6mm PITCH
CHAMP DOCKING CONNECTOR, 40POS

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A300779

C-2129260

SCALE 5:1

SHEET 2 OF 6

REV B

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

DW

P

LTR


DESCRIPTION

DATE

DWN


APVD

SEE SHEET 1



VIEW A

2129260-2 IS SAME AS 2129260-1




MATING CONDITION

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm



MATERIAL

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±
FINISH ±

±0.25

±3°

±

±

±

±

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING



TE Connectivity

NAME

RECEPTACLE ASSY, 0.6mm PITCH
CHAMP DOCKING CONNECTOR, 40POS

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A300779C-2129260

SCALE 5:1

SHEET 3 OF 6

REV B



- 19.95 REF

— 18.9 —

$$0.6 \times 19 = 11.4$$

0.6

5.4

- 0.35

0.45

	0.05	X	Y	Z
---	------	---	---	---

TYP(20)

—P 38

—P 4 C

— $\varnothing 0.7 \pm 0.03$
(NPTH)

1.35

1.215

0.445

- Y -

5.35

0.685

-SUPPORT BOARD EDGE

PROHIBITION AREA

- Z -



$\Rightarrow 29.8 \text{ REF}$

RECOMMENDED P.C. BOARD LAYOUT (TOP VIEW)

CONNECTOR OUTLINE
SUPPORT BOARD EDGE

CUSTOMER DRAWING

mm

OTHERWISE SPECIFIED:

0	PLC	$\pm$	± 0.05 $\pm 3^\circ$
1	PLC	$\pm$	
2	PLC	$\pm$	
3	PLC	$\pm$	
4	PLC	$\pm$	

	MATERIAL
--	----------

ANGLES
FINISH



TE Connectivity

RESTRICTED TO


RECEPTACLE ASSY, 0.6mm PITCH
CHAMP DOCKING CONNECTOR, 40POS

A.300779C-2129260


SCALE 8, 1

SHEET 4 OF 6

REV	B
-----	---



2129260-1	600	3	1800
P/N	PCS/ TAPE	REELS/ CARTON	TOTAL QUANTITY



DWN	-
CHK	-
APVD	-
PRODUCT SPEC	-
APPLICATION SPEC	-
WEIGHT	-
CUSTOMER DRAWING	



TE Connectivity

NAME	RECEPTACLE ASSY, 0.6mm PITCH CHAMP DOCKING CONNECTOR, 40POS
------	--

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO		
A3	00779	C-2129260	-		
			SCALE	SHEET	REV
			5.1	5 OF 6	B

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC
DW

DIST

REVISIONS

P

LTR






DESCRIPTION

DATE

DWN


APVD

SEE SHEET 1



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



MATERIAL

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±
2 PLC ±0.5
3 PLC ±3°
4 PLC ±
ANGLES ±
FINISH -

DWN -
CHK -
APVD -
PRODUCT SPEC -
APPLICATION SPEC -
WEIGHT -

CUSTOMER DRAWING

TE Connectivity

RECEPTACLE ASSY, 0.6mm PITCH
CHAMP DOCKING CONNECTOR, 40POS

SIZE A3 CAGE CODE 00779 DRAWING NO. C-2129260

SCALE 5:1

SHEET 6 OF 6

REV B



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.