

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0010011114

Status:

Active

Overview:

kk

Description:

5.08mm (.200") Pitch KK® Crimp Terminal Housing, 11 Circuits

Documents:

3D Model

Drawing (PDF)

Product Specification PS-99020-0087 (PDF)

RoHS Certificate of Compliance (PDF)

General

Product Family

Series

Overview

Product Name

Crimp Housings

3001

kk

KK®

Physical

Circuits (maximum)

Color - Resin

Gender

Glow-Wire Compliant

Material - Resin

Number of Rows

Packaging Type

Panel Mount

Pitch - Mating Interface (in)

Pitch - Mating Interface (mm)

Temperature Range - Operating

11

Natural

Female

No

Nylon

1

Bag

No

0.200 In

5.08 mm

-40°C to +105°C

Solder Process Data

Lead-free Process Capability

Wave Capable (TH only)

Material Info

Old Part Number

3001-11


Reference - Drawing Numbers

Product Specification

Sales Drawing

PS-99020-0087

SDE-3001-N-*



EU RoHS

ELV and RoHS Compliant

REACH SVHC

Not Reviewed

Halogen-Free Status

Not Reviewed

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com

For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

3001Series


Mates With

3061 , 3003 , 3008

Use With

2478 Crimp Terminals for 18-24 AWG, 2578 Crimp Terminals for 22-26 AWG, 2878

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION



B

C

A

A

FOR DIMENSIONS SEE SHEET No.1

REDRAWN ON CAD EC NO. E90109 DRWN: P.MOORE 98/09/99 CHK: / / / APPR: / / /	DESCRIPTION MAJOR =  CRITICAL = 	QUALITY SYMBOLS	GENERAL TOLERANCES: (UNLESS SPECIFIED)	SCALE : ☐ mm ☐ INCH	DESIGN UNITS ☐ mm ☐ INCH	 THIRD ANGLE PROJECTION ☒ mm INCH ☐ INCH mm ☐ mm ONLY	REVISE ON CAD ONLY																
			<table><tr><td></td><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>±0.</td><td>±.</td></tr><tr><td>3 PLACES</td><td>±0.</td><td>±.</td></tr><tr><td>2 PLACES</td><td>±0.</td><td>±.</td></tr><tr><td>1 PLACE</td><td>±0.</td><td>±.</td></tr></table>		mm	INCH	4 PLACES	±0.	±.	3 PLACES	±0.	±.	2 PLACES	±0.	±.	1 PLACE	±0.	±.	DRAWN BY & DATE P.MOORE 98/09/99	TITLE: HOUSING, CONNECTOR, KK (5.08)/.200 CRIMP STYLE TERM.			
			mm	INCH																			
		4 PLACES	±0.	±.																			
3 PLACES	±0.	±.																					
2 PLACES	±0.	±.																					
1 PLACE	±0.	±.																					
	ANGULAR: ± 1/2 °	CAD FILENAME PM19.DGN	 MOLEX INCORPORATED	MATERIAL NO. SEE CHART	DRAWING NO. SDE-3001 -N-*	SHEET NO. 2 OF																	
K	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.				SIZE B															



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.