







3M™ BOX HEADER, 957 SERIES

2MM X 2MM, STRAIGHT, RIGHT ANGLE AND SURFACE MOUNT, SOLDER TAIL



RECOMMENDED PC BOARD LAYOUT
(VIEWED FROM CONNECTOR SIDE)



ORDERING INFORMATION (STRAIGHT & RIGHT ANGLE ONLY)

9572XX-X002-AR

CONTACT QTY: 06-64





- MOUNTING STYLE:
5 = RIGHT ANGLE
6 = STRAIGHT

	TABLE 1 mm
DIM. "A"	2.00 X (N/2+7.40)
DIM. "B"	2.00 X (N/2-1)
DIM. "C"	2.00 X (N/2+6)
	SEE NOTE 3

C	78557	APR 05, 2018	SBO	FR
B	74628	UPDATE TABLE 1 TO REMOVE (IN) VALUES JUL 06, 2017	LDS	SC
A	72044	△ WAS: - 40C TO 105C FEB 02, 2017	JNC	TS
DESIGN REFERENCE		NEXT ASSEMBLY		
REV	ECO	ISSUE DATE AND DESCRIPTION	DRFT	CHKD
DEF	CASTIGLIONE	DATE	MFG	DATE
CHD		DATE	APPROV.	DATE
DIVISION		T. SUNIGA		MAY 14, 2015
DO NOT SCALE DRAWING		© 3M COPYRIGHT 2018 This document and the information it contains are 3M property and may not be reproduced or further distributed without 3M permission, or used or disclosed other than for 3M authorized purposes. All rights reserved.		
THIRD ANGLE PROJECTION		3M St. Paul, MN 55144		
INTERPRET PER ASME Y14.5 - 2009		TITLE BOX HEADER, 2MM, STRAIGHT, RIGHT ANGLE AND SMT		
MAY SURFACE ROUGHNESS		CAGE NUMBER D 78-5100-2656-6		
ALL SURFACES		DRAWING NO. 78-5100-2656-6		
✓ ☐ MARKED ONLY		REV. C		
ANGLE		MODEL 9572		
		DET. YES ☒ NO ☐ SHT 2 OF 4		

Imaged: C.1 Central Standard Time4/5/2018UTC Offset

3M™ BOX HEADER, 957 SERIES
2MM X 2MM, STRAIGHT, RIGHT ANGLE AND SURFACE MOUNT, SOLDER TAIL



RECOMMENDED PC BOARD LAYOUT
(VIEWED FROM CONNECTOR SIDE)

ORDERING INFORMATION
(SURFACE MOUNT ONLY)

9572XX-20X0-AR-XX

CONTACT QTY:
06-64

LOCATING POST:
0 = NONE

PACKAGING:
TP = TUBE WITHOUT PAD
PT = TUBE WITH PAD
PR = TAPE & REEL WITH PAD
SEE TABLE 2

TABLE 2					
TAPE & REEL OPTIONS					
CONTACT QTY.	10-12	14-24	26-34	40-50	60-68
TAPE WIDTH [MM]	32	44	56	72	88

TABLE 1 mm	
DIM. "A"	2.00 X (N/2+7.40)
DIM. "B"	2.00 X (N/2-1)
DIM. "C"	2.00 X (N/2+6)
SEE NOTE 3	

DESIGN REFERENCE	NEXT ASSEMBLY	REV	ECO	ISSUE DATE AND DESCRIPTION	DRFT	CHKD	
XXXXXX		DRP	CAST	GLIONE	MAY 14, 2015	MFG	DATE
CHGD		CHGD	DATE	APPR	T. SUNIGA	DATE	MAY 14, 2015
DIVISION	DIVISION CODE	EMSD					
DO NOT SCALE DRAWING	SCALE 4/1	TOLERANCES EXCEPT AS NOTED					
THIRD ANGLE PROJECTION		INCHES					
		MILLIMETERS					
INTERPRET PER ASME Y14.5 - 2009		MAX SURFACE ROUGHNESS					
		MARKED SURFACES					
		MARKED ONLY					
TITLE		BOX HEADER, 2MM, STRAIGHT, RIGHT ANGLE AND SMT					
CAGE NUMBER	SIZE	DRAWING NO.	REV.				
D	78-5100-2656-6	C					
MODEL	9572	DET	LISTS	YES	NO	SHT	3 OF 4

Technical Information: The technical information, recommendations and other statements contained in this document are based upon tests or experience that 3M believes are reliable, but the accuracy or completeness of such information is not guaranteed.

Product Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. Given the variety of factors that can affect the use and performance of a 3M product, user is solely responsible for evaluating the 3M product and determining whether it is fit for a particular purpose and suitable for user's method of application.

Warranty, Limited Remedy, and Disclaimer: Unless an additional warranty is specifically stated on the applicable 3M product packaging or product literature, 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. If the 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liability: Except where prohibited by law, 3M will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.

C	78557	APR 05 2018	SBO	FR
B	74628	UPDATE TABLE 1 TO REMOVE (IN) VALUES		
A	72044	JUL 06, 2017 △ WAS: - 40C TO 105C	LDS	SC
REV	ECO	ISSUE DATE AND DESCRIPTION	DRFT	CHKD
REV	C	CASTIGLIONE	DATE MAY 14, 2015	DATE
CHKD		DATE	APPROV. T. SUNIGA	DATE MAY 14, 2015
DIVISION		DIVISION CODE		
DO NOT SCALE DRAWING	SCALE 1/1	TOLERANCES EXCEPT AS NOTED		
THIRD ANGLE PROJECTION	INTERPRET PER ASME Y14.5 - 2009	INCHES 0.0 0.00 0.000 0.0000 ±	MILLIMETERS 0 0.0 0.00 ± 0.000 ±	
MAX. SURFACE ROUGHNESS ✓ ☐ ALL SURFACES ☐ MARKED ONLY		ANGLES	CAGE NUMBER D 78-5100-2656-6	REV. C
		MODEL 9572	DET. LISTS ☒ YES ☒ NO	SHT 4 OF 4



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.