




LOC	DIST	REVISIONS						
		P	LTR	DESCRIPTION	DATE	DWN	APVD	
GP	00	A		REVISED PER ECO-15-000199	13JAN2015	AP	DG	
		B		REVISED PER ECO-17-008190	03MAR2017	JY	SH	
		C		REVISED PER ECO-17-013690	04AUG2017	JY	SH	

- 1 MATERIALS
HOUSINGS AND CHICKLETS: LCP, BLACK, UL94V-O RATED
CONTACTS: COPPER ALLOY
- 2 CONTACT FINISH: CONFORMS TO THE REQUIREMENTS
OF TE PRODUCT SPECIFICATION, 108-32038 BASED ON
EIA/ECA-364-1000.01A. (CONTROLLED ENVIRONMENT APPLICATIONS)
ON MATING END. TIN PLATED ON PCB TAIL

3. MATES WITH TE PLUG 2227603-1

- 4 MOUNTING HARDWARE M2x1.35 SELF-THREADING SCREW
SCREW LENGTH OF FASTENER = PCB THICKNESS + 3.0mm MAX (1.75mm MIN)
MOUNTING HARDWARE NOT INCLUDED
- 5 RECOMMENDED COMPONENT KEEP OUT ZONE.
- 6 PART NUMBER AND DATE CODE MARKED IN APPROXIMATE
AREA SHOWN ON OPPOSITE SIDE.
- 7 MOUNTING HARDWARE M2x0.635 SELF-THREADING SCREW
SCREW LENGTH OF FASTENER = PCB THICKNESS + 3.0mm MAX (1.75mm MIN)
MOUNTING HARDWARE NOT INCLUDED
- 8 MOUNTING HARDWARE M2x1.35 SELF-THREADING SCREW
SCREW LENGTH OF FASTENER = PCB THICKNESS + 5.0mm MAX (1.75mm MIN)
MOUNTING HARDWARE NOT INCLUDED






SCALE 6:1

8	Ø1.80	2227580-3
7	Ø1.60	2227580-2
4	Ø1.80	2227580-1
SCREW APPLICATION	DIAMETER A OF HOLE	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. TREA 13DEC2012	NAME RECEPTACLE ASSEMBLY, 1X1, RIGHT ANGLE, INTERNAL MINI SAS HD	
DIMENSIONS: mm		CHK R. HENRY 13DEC2012		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC 108-32038	SIZE A1	
0 PLC ±		APPLICATION SPEC 114-32101		
1 PLC ±0.13		WEIGHT -	SCALE 8:1	
2 PLC ±		CUSTOMER DRAWING		
3 PLC ±			SHEET 1 OF 2	
4 PLC ±				
ANGLES			REV C	
FINISH				

LOC		DIST		REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD		
		-		SEE SHEET 1	-	-	-		



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. TREA 13DEC2012	TE Connectivity	
DIMENSIONS:		CHK R. HENRY 13DEC2012		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD -	NAME	
	0 PLC $\pm$	PRODUCT SPEC	RECEPTACLE ASSEMBLY, 1X1, RIGHT ANGLE, INTERNAL MINI SAS HD	
	1 PLC $\pm$	108-32038		
	2 PLC ± 0.13	APPLICATION SPEC		
	3 PLC $\pm$	114-32101		
MATERIAL		WEIGHT	SIZE A 1	CAGE CODE -
FINISH		CUSTOMER DRAWING	SCALE 8:1	SHEET 2 OF 2
			REV C	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.