



CAGE ASSEMBLY



2057833-1
FINISHED ASSEMBLY

EMI GASKET




GASKET RETENTION
PLATE

CAGE ASSEMBLY

PC BOARD

CAGE ASSEMBLY



2057833-1
MOUNTED BELLY TO BELLY ON PCB
SCALE 5:1

1

MATERIAL:
CAGE ASSEMBLY: NICKEL SILVER ALLOY
GASKET RETENTION PLATE: STAINLESS STEEL
GASKET: PLATED FILLED SILICONE

2

MINIMUM PC BOARD THICKNESS:
SINGLE SIDED = 1.50
DOUBLE SIDED = 3.00

3

PADS AND VIAS CHASSIS GROUND.

4

DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.

5

MATES WITH SFP MSA COMPLIANT TRANSCEIVERS.

6

INTERPRETATION OF DATUM REFERENCE FRAME IN ACCORDANCE WITH SECT 4.4.1.1 OF ASME
Y14.5M-1994.

7


REFERENCE APPLICATION SPEC. 114-13120, HOLE A, FOR RECOMMENDED DRILL HOLE
DIAMETER AND PLATING THICKNESS.

8

REFERENCE APPLICATION SPEC. 114-13120, HOLE B, FOR RECOMMENDED DRILL HOLE
DIAMETER AND PLATING THICKNESS.


9

HOLE PATTERN REPEATS FOR EACH PORT. SPACING BETWEEN PORTS IS 14.25mm.




THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN J. POLIGNONE 21NOV08	TE Connectivity	
DIMENSIONS:		CHK M. SCHMITT 21NOV08	NAME	
mm		APVD M. SCHMITT 21NOV08	1x4 SFP+ ENHANCED, CAGE ASSEMBLY PRESS FIT, BELLY TO BELLY	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	SIZE	
9 PLC ±0.1		108-2364	CAGE CODE	
3 PLC ±0.1		APPLICATION SPEC	DRAWING NO	
5 PLC ±0.1		114-13120	RESTRICTED TO	
4 PLC ±0.1		WEIGHT	A100779C=2057833	
ANGLES ±0.1		CUSTOMER DRAWING	SCALE 4:1 SHEET 1 OF 4 REV A	
FINISH				


LOC		DIST		REVISIONS					
GP	00	P	LTR	DESCRIPTION			DATE	DWN	APVD
			-	SEE SHEET I			-	-	-




RECOMMENDED BEZEL CUT-OUT
SINGLE SIDED APPLICATIONS
SCALE 5:1



RECOMMENDED BEZEL CUT-OUT
BELLY TO BELLY APPLICATIONS
SCALE 5:1




2057833-1
MOUNTED ON PC BOARD
SHOWN THRU RECOMMENDED BEZEL
SECTION






2057833-1
MOUNTED BELLY TO BELLY ON PC BOARD
SHOWN THRU RECOMMENDED BEZEL
SCALE 5:1

THIS PRINT IS
PRELIMINARY
UNQUALIFIED PRODUCT
CONTACT PRODUCT ENGINEERING
BEFORE USING THIS PRINT


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. POLIGNONE	21NOV08	TE Connectivity	
DIMENSIONS:		CHK M. SCHMITT	21NOV08	NAME	
mm		APVD M. SCHMITT	21NOV08	1x4 SFP+ ENHANCED, CAGE ASSEMBLY PRESS FIT, BELLY TO BELLY	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC		SIZE	
9 PLC ±0.1		108-2364		CAGE CODE	
3 PLC ±0.1		APPLICATION SPEC		DRAWING NO	
5 PLC ±0.1		114-13120		RESTRICTED TO	
4 PLC ±0.1		WEIGHT		A100779C=2057833	
ANGLES ±0.1		CUSTOMER DRAWING		SCALE 4:1	
FINISH		SHEET 2 OF 4		REV A	



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. POLIGNONE 21NOV08	 TE Connectivity	
DIMENSIONS: mm		CHK M. SCHMITT 21NOV08		
		APVD M. SCHMITT 21NOV08	NAME 1x4 SFP+ ENHANCED, CAGE ASSEMBLY PRESS FIT, BELLY TO BELLY	
		PRODUCT SPEC 108-2364	SIZE CAGE CODE DRAWING NO. A100779C=2057833	
MATERIAL 		APPLICATION SPEC 114-13120	RESTRICTED TO	
FINISH		WEIGHT	SCALE 4:1 SHEET 3 OF 4 REV A	
		CUSTOMER DRAWING		



RECOMMENDED PCB CONFIGURATION
WITH KEEP-OUT AREAS
BELLY TO BELLY APPLICATIONS 
SCALE 5:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN J. POLIGNONE	21NOV08	 TE Connectivity	
DIMENSIONS:		CHW M. SCHMITT	21NOV08		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD M. SCHMITT	21NOV08	NAME 1x4 SFP+ ENHANCED, CAGE ASSEMBLY PRESS FIT, BELLY TO BELLY	
mm		PRODUCT SPEC		108-2364	
		APPLICATION SPEC		114-13120	
MATERIAL		FINISH		SIZE	CAGE CODE
-		-		DRAWING NO	RESTRICTED TO
		WEIGHT		A 100779 ©-2057833	
		CUSTOMER DRAWING		SCALE	SHEET
				OF	REV



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.