

2019



wiha 

Tools that work for you

# PROFESSIONAL QUALITY BITS




## COMPLETE BITS PROGRAM










Slotted • Phillips • TORX® • Security TORX® • Hex Inch/Metric • Ball End Hex  
MagicRing Hex • Security Hex • Nut Driver • Pozidriv® • Square • Tri-Wing  
Spanner • Torq Set • TORXPlus® • Security TORXPlus® • Xeno Phillips























## Terminator Impact Insert & Power Bits

| DESCRIPTION  | Page |
|--|------|
|  Terminator Impact Bits | 4-9  |



## Standard Contractor Bits

| DESCRIPTION   | Page    |
|---|---------|
|  Torx® Insert/Power Bits             | 9-11    |
|  Phillips Insert/Power Bits          | 9,18-19 |
|  Hex Metric & Inch Insert/Power Bits | 9,21-22 |
|  Square Insert/Power Bits           | 9,26    |
|  Slotted Insert/Power Bits         | 26-27   |
|  Pozidriv® Insert/Power Bits       | 28      |
|  Nut Setters                       | 50      |




## Specialty Bits

| DESCRIPTION  | Page |
|--|------|
|   Xeno Phillips Terminal Block           | 20   |
|   Torx® Align Bits                       | 13   |
|   Security Torx® Insert/Power Bits       | 14   |
|   TorxPlus® Insert/Power Bits            | 16   |
|   Ball End Torx®                         | 17   |
|   Security Pentalobe                     | 17   |
|   Security Hex Triple Square Insert Bits | 23   |
|   XZN Insert                             | 30   |
|   Tri-Wing Insert/Power Bits             | 29   |
|   Torq Set Insert/Power Bits             | 29   |
|   Spanner                                | 30   |









## Cutting Tools

| DESCRIPTION  | Page |
|--|------|
|  Counter Sink | 30   |
|  Drill Bit    | 30   |



## High Performance Bits

| DESCRIPTION   | Page |
|---|------|
|  Dura Bits<br>Slotted, Phillips, Pozidriv®, Torx®<br>Insert/Power Bits - Tungsten Carbide Coated | 31   |
|  Diamond Bits<br>Slotted, Phillips, Pozidriv®, Torx®<br>Insert/Power Bits                        | 31   |
|  TiN Coated Bits<br>Phillips & Torx® - Titanium<br>Insert/Power Bits                             | 32   |

## Insert & Power Bit Sets

| DESCRIPTION  | Page  |
|--|-------|
|  Security Bits Collector | 38    |
|  26inOne Ultra Drivers   | 35-37 |
|  Insert Bit Selectors    | 39    |
|  XSelector/XLSelectors   | 39    |
|  6-in-1 Multi-Bit Sets   | 40    |
|  Stubby Bit Holder Sets  | 34    |
|  Pop-Up Bit Holder Sets  | 34    |
|  Power Bit Belt Packs    | 41    |


## Power Blades & Sets

| DESCRIPTION  | Page        |
|--|-------------|
|  Power Blades<br>Slotted/Phillips/Security Torx® & Hex<br>TriWing/Square/Spanner/Pozidriv® | 15,20,25,33 |
|  Power Blade Sets  | 15,20,25,33 |


**ESD 1/4" Quick Release Bit Holder Blade Set**

|  | DESCRIPTION        | Page |
|---|--------------------|------|
|   | 1/4" Quick Release | 43   |


**TorqueControl Insert & Micro Bit Sets**

|  | DESCRIPTION            | Page |
|---|------------------------|------|
|   | TorqueControl Bit Sets | 41   |


**ESD Safe Micro Bit Handles/Bits & Sets**

|  | DESCRIPTION             | Page  |
|---|-------------------------|-------|
|   | Micro Bits              | 44-49 |
|   | ESD Safe Micro Bit Sets | 49    |

**Bit Holders**

|  | DESCRIPTION                | Page |
|--|----------------------------|------|
|  | ESD Safe Bit Holders       | 43   |
|  | SoftFinish® Cushion Grip   | 42   |
|  | MicroFinish Non-Slip Grip  | 42   |
|  | T-handle                   | 42   |
|  | SoftGrip Stubby Bit Holder | 42   |
|  | Flexible Shaft Bit Holder  | 42   |
|  | Drive-Loc VI Bit Holder    | 42   |
|  | Protturn Precision         | 42   |
|  | Multi-Bit Holders          | 42   |

**Bit Holders**

|  | DESCRIPTION                                      | Page |
|--|--|------|
|  | Micro Bit Power Tool Adapte                      | 46   |
|  | ClicFix Quick Release Insert Bits                | 43   |
|  | CentroFix Quick Release All 1/4" Drive Tools     | 43   |
|  | Protturn Quick Release 1/4" Drive                | 42   |
|  | Stainless Steel Bit Holder                       | 43   |
|  | Magnetic Bit Holders & Retaining Ring Bit Holder | 43   |
|  | "SlimFix" Impact Bit Holder Quick Release        | 43   |

**Bit Sockets**

|  | DESCRIPTION                      | Page  |
|---|----------------------------------|-------|
|   | Torx® 1/4" Drive                 | 51    |
|   | Torx® 3/8" Drive                 | 51    |
|   | Torx® 3/8" - 5/16" Bits          | 51    |
|   | Security Torx® 3/8"              | 51    |
|   | Slotted Bit Sockets 1/2" Drive   | 51    |
|   | Phillips Bit Socket 1/2" Drive   | 51    |
|   | Hex Bit Sockets 1/4" Drive       | 52    |
|   | Hex Bit Sockets 3/8" Drive       | 52    |
|   | Ball End Hex Sockets             | 52    |
|   | Socket Adapters                  | 52    |
|   | Impact Bit Holding Sockets       | 53    |
|   | 6" Bit Sockets 1/4" & 3/8" Drive | 53    |
|   | Socket Sets                      | 54-55 |

## Wiha Terminator Impact Bits

# Impact Bits

Ready For Sudden Impact!

## 1/4" Drive Insert & Power Bits



### 765 TORX® Terminator Impact Bits,

#### 1/4" Insert - 10 Bit Pack

| Item  | +    | □  | +    |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 76510 | T10  | 29 | 10   |
| 76511 | T15  | 29 | 10   |
| 76512 | T20  | 29 | 10   |
| 76513 | T25  | 29 | 10   |
| 76514 | T27  | 29 | 10   |
| 76516 | T30  | 29 | 10   |
| 76517 | T40  | 29 | 10   |

### 768 TORX® Terminator Impact Bits,

#### 1/4" Insert - 2 Bit Pack

| Item  | +    | □  | +    |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 76810 | T10  | 29 | 2    |
| 76811 | T15  | 29 | 2    |
| 76812 | T20  | 29 | 2    |
| 76813 | T25  | 29 | 2    |
| 76814 | T27  | 29 | 2    |
| 76816 | T30  | 29 | 2    |
| 76817 | T40  | 29 | 2    |



### 765 Phillips Terminator Impact Bits,

#### 1/4" Insert - 10 Bit Pack

| Item  | +    | □  | +    |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 76501 | 1    | 29 | 10   |
| 76502 | 2    | 29 | 10   |
| 76503 | 3    | 29 | 10   |

### 768 Phillips Terminator Impact Bits,

#### 1/4" Insert - 2 Bit Pack

| Item  | +    | □  | +    |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 76801 | 1    | 29 | 2    |
| 76802 | 2    | 29 | 2    |
| 76803 | 3    | 29 | 2    |



### 765 Square Terminator Impact Bits,

#### 1/4" Insert - 10 Bit Pack

| Item  | □    | □  | +    |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 76538 | 1    | 29 | 10   |
| 76539 | 2    | 29 | 10   |
| 76540 | 3    | 29 | 10   |

### 768 Square Terminator Impact Bits,

#### 1/4" Insert - 2 Bit Pack

| Item  | □    | □  | +    |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 76838 | 1    | 29 | 2    |
| 76839 | 2    | 29 | 2    |
| 76840 | 3    | 29 | 2    |



### 765 Pozidriv® Terminator Impact Bits,

#### 1/4" Insert - 10 Bit Pack


| Item  | +    | □  | +    |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 76506 | 1    | 29 | 10   |
| 76507 | 2    | 29 | 10   |
| 76508 | 3    | 29 | 10   |

### 768 Pozidriv® Terminator Impact Bits,

#### 1/4" Insert - 2 Bit Pack

| Item  | +    | □  | +    |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 76806 | 1    | 29 | 2    |
| 76807 | 2    | 29 | 2    |
| 76808 | 3    | 29 | 2    |

Up To 30X Performance Over Standard Screwdriver Bits



Special energy absorbing dual material design

Tough impact absorbing torsional zone

Up to 30 times performance over standard bits





Precision heat treated & premium CVM tool steel

No special bit holder required





Standard 1/4" drive



**765 Hex Inch Terminator Impact Bits, 1/4" Insert - 10 Bit Pack**





| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Inch  | mm  | pkg.  |   |
| 76530 | 1/8   | 29  | 10  |   |
| 76531 | 9/64  | 29  | 10  |   |
| 76532 | 5/32  | 29  | 10  |   |
| 76533 | 3/16  | 29  | 10  |   |
| 76534 | 7/32  | 29  | 10  |   |
| 76535 | 1/4   | 29  | 10  |   |

**768 Hex Inch Terminator Impact Bits, 1/4" Insert - 2 Bit Pack**





| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Inch  | mm  | pkg.  |   |
| 76830 | 1/8   | 29  | 2   |   |
| 76831 | 9/64  | 29  | 2   |   |
| 76832 | 5/32  | 29  | 2   |   |
| 76833 | 3/16  | 29  | 2   |   |
| 76834 | 7/32  | 29  | 2   |   |
| 76835 | 1/4   | 29  | 2   |   |



**765 Hex Metric Terminator Impact Bits, 1/4" Insert - 10 Bit Pack**

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | mm  | mm  | pkg.  |   |
| 76523 | 3.0   | 29  | 10  |   |
| 76524 | 4.0   | 29  | 10  |   |
| 76525 | 5.0   | 29  | 10  |   |
| 76526 | 6.0   | 29  | 10  |   |


**768 Hex Metric Terminator Impact Bits, 1/4" Insert - 2 Bit Pack**

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | mm  | mm  | pkg.  |   |
| 76823 | 3.0   | 29  | 2   |   |
| 76824 | 4.0   | 29  | 2   |   |
| 76825 | 5.0   | 29  | 2   |   |
| 76826 | 6.0   | 29  | 2   |   |





**76897 28 Pc. Terminator Impact Insert Bit Set With SlimFix 1/4" Locking Bit Holder**

**Item No. Set includes the following bits:**


|  |   |
|--|---|
| 76897  | Phillips: #1, 2 (2), 3                      |
|  | Sq: #1, 2, 3 & Pozidriv®: #1, 2, 3          |
| lbs. .47   | Hex Metric: 3.0, 4.0, 5.0, 6.0mm            |
|  | Hex Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" |
|  | Torx®: T10, T15, T20, T25(2), T30, T40      |

**Wiha Insert Terminator Impact Bit Sets**






**76876 10 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm**  
**76876 Set includes the following bits:**  
 Hex In: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"  
 Hex Metric: 3.0, 4.0, 5.0, 6.0mm



**76877 10 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm**  
**76877 Set includes the following bits:**  
 Torx®: T10, T15, T20 (2), T25 (2), T27, T30 (2), T40




**76881 10 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm**  
**76881 Set includes the following bits:**  
 Phillips: #1, 2, 3  
 Square: #1, 2, 3  
 Torx®: T20, T25, T30, T40






**76899 34 Pc. Terminator Impact Insert Bit Set With 3K Bit Holder Handle & SlimFix 1/4" Locking Bit Holder**

**Item No. Set includes the following bits:**




|   |   |
|---|---|
| 76899   | 2 Phillips: #1, 2, 3                            |
|  | Square: #1, 2 (2), 3                            |
| lbs.  | Pozidriv®: #1, 2, 3                             |
| 1.12  | Torx®: T10, T15, T20 (2), T25 (2), T30 (2), T40 |
|   | Hex Metric: 3.0, 4.0, 5.0, 6.0mm                |
|   | Hex Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"     |





Includes magnetic bit holder

**76890 8 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm**  
**76890 Set includes the following bits:**  
 3 Phillips: #2  
 Square: #2  
 Torx®: T15, T20, T25  
 Includes magnetic bit holder




**76891 8 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm**  
**76891 Set includes the following bits:**  
 Phillips: #2, 3  
 Square: #2, 3  
 Torx®: T20, T25, T30  
 Includes magnetic bit holder



**76893 8 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm**  
**76893 Set includes the following bits:**  
 Hex Inch: 5/32, 3/16, 7/32, 1/4"  
 Hex Metric: 4, 5, 6mm  
 Includes magnetic bit holder



**76895 8 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm**  
**76895 Set includes the following bits:**  
 Torx®: T10, T15, T20, T25, T27, T30, T40  
 Includes magnetic bit holder

## Wiha Power Terminator Impact Bits & Power Terminator Impact Bit Sets



### 765 Phillips Terminator Impact Bits, 1/4" Power - 10 Bit Pack

| Item  | +    | —  | —    |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 76543 | 1    | 49 | 10   |
| 76544 | 2    | 49 | 10   |
| 76545 | 3    | 49 | 10   |

### 768 Phillips Terminator Impact Bits, 1/4" Power - 2 Bit Pack

| Item  | +    | —  | —    |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 76843 | 1    | 49 | 2    |
| 76844 | 2    | 49 | 2    |
| 76845 | 3    | 49 | 2    |



### 765 Pozidriv® Terminator Impact Bits, 1/4" Power - 10 Bit Pack

| Item  | +    | —  | —    |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 76548 | 1    | 49 | 10   |
| 76549 | 2    | 49 | 10   |
| 76550 | 3    | 49 | 10   |

### 768 Pozidriv® Terminator Impact Bits, 1/4" Power - 2 Bit Pack

| Item  | +    | —  | —    |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 76848 | 1    | 49 | 2    |
| 76849 | 2    | 49 | 2    |
| 76850 | 3    | 49 | 2    |



### 765 Square Terminator Impact Bits, 1/4" Power - 10 Bit Pack

| Item  | □    | —  | —    |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 76578 | 1    | 49 | 10   |
| 76579 | 2    | 49 | 10   |
| 76580 | 3    | 49 | 10   |

### 768 Square Terminator Impact Bits, 1/4" Power - 2 Bit Pack

| Item  | □    | —  | —    |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 76878 | 1    | 49 | 2    |
| 76879 | 2    | 49 | 2    |
| 76880 | 3    | 49 | 2    |



### 765 TORX® Terminator Impact Bits, 1/4" Power - 10 Bit Pack

| Item  | ⊕    | —  | —    |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 76553 | T10  | 49 | 10   |
| 76554 | T15  | 49 | 10   |
| 76555 | T20  | 49 | 10   |
| 76556 | T25  | 49 | 10   |
| 76557 | T27  | 49 | 10   |
| 76558 | T30  | 49 | 10   |
| 76559 | T40  | 49 | 10   |

### 768 TORX® Terminator Impact Bits, 1/4" Power - 2 Bit Pack

| Item  | ⊕    | —  | —    |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 76853 | T10  | 49 | 2    |
| 76854 | T15  | 49 | 2    |
| 76855 | T20  | 49 | 2    |
| 76856 | T25  | 49 | 2    |
| 76857 | T27  | 49 | 2    |
| 76858 | T30  | 49 | 2    |
| 76859 | T40  | 49 | 2    |



### 765 Hex Inch Terminator Impact Bits, 1/4" Power - 10 Bit Pack

| Item  | ⬡    | —  | —    |
|-------|------|----|------|
| No.   | Inch | mm | pkg. |
| 76570 | 1/8  | 49 | 10   |
| 76571 | 9/64 | 49 | 10   |
| 76572 | 5/32 | 49 | 10   |
| 76573 | 3/16 | 49 | 10   |
| 76574 | 7/32 | 49 | 10   |
| 76575 | 1/4  | 49 | 10   |

### 768 Hex Inch Terminator Impact Bits, 1/4" Power - 2 Bit Pack

| Item  | ⬡    | —  | —    |
|-------|------|----|------|
| No.   | Inch | mm | pkg. |
| 76870 | 1/8  | 49 | 2    |
| 76871 | 9/64 | 49 | 2    |
| 76872 | 5/32 | 49 | 2    |
| 76873 | 3/16 | 49 | 2    |
| 76874 | 7/32 | 49 | 2    |
| 76875 | 1/4  | 49 | 2    |



### 765 Hex Metric Terminator Impact Bits, 1/4" Power - 10 Bit Pack

| Item  | ⬡   | —  | —    |
|-------|-----|----|------|
| No.   | mm  | mm | pkg. |
| 76563 | 3.0 | 49 | 10   |
| 76564 | 4.0 | 49 | 10   |
| 76565 | 5.0 | 49 | 10   |
| 76566 | 6.0 | 49 | 10   |

### 768 Hex Metric Terminator Impact Bits, 1/4" Power - 2 Bit Pack

| Item  | ⬡   | —  | —    |
|-------|-----|----|------|
| No.   | mm  | mm | pkg. |
| 76863 | 3.0 | 49 | 2    |
| 76864 | 4.0 | 49 | 2    |
| 76865 | 5.0 | 49 | 2    |
| 76866 | 6.0 | 49 | 2    |



### 76892 7 Pc. Bit Buddy Set With Terminator Impact Power Bits - 49mm

76892 Set includes the following bits:

- ⊕ Phillips: #2, 3
- Square: #2, 3
- ⊕ Torx®: T20, T25, T30



### 76896 7 Pc. Bit Buddy Set With Terminator Impact Power Bits - 49mm

76896 Set includes the following bits:

- ⊕ Torx®: T10, T15, T20, T25, T27, T30, T40



### 76894 7 Pc. Bit Buddy Set With Terminator Impact Power Bits - 49mm

76894 Set includes the following bits:

- ⬡ Hex Inch: 5/32, 3/16, 7/32, 1/4"
- ⬡ Hex Metric: 4, 5, 6mm

**Wiha Terminator Impact Bit Box Packs**



**766 Phillips Terminator Impact Bits, 1/4" Insert - 25 Bit Box Pack**

| Item  |      |    |      |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 76601 | 1    | 29 | 25   |
| 76602 | 2    | 29 | 25   |
| 76603 | 3    | 29 | 25   |



**766 Phillips Terminator Impact Bits, 1/4" Power - 15 Bit Box Pack**

| Item  |      |    |      |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 76641 | 1    | 49 | 15   |
| 76642 | 2    | 49 | 15   |
| 76643 | 2    | 49 | 15   |



**766 Hex Inch Terminator Impact Bits, 1/4" Power - 15 Bit Box Pack**

| Item  |      |    |      |
|-------|------|----|------|
| No.   | Inch | mm | pkg. |
| 76670 | 1/8  | 49 | 15   |
| 76671 | 9/64 | 49 | 15   |
| 76672 | 5/32 | 49 | 15   |
| 76673 | 3/16 | 49 | 15   |
| 76674 | 7/32 | 49 | 15   |
| 76675 | 1/4  | 49 | 15   |



**766 Square Terminator Impact Bits, 1/4" Insert - 25 Bit Box Pack**

| Item  |      |    |      |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 76605 | 2    | 29 | 25   |



**766 Square Terminator Impact Bits, 1/4" Power - 15 Bit Box Pack**

| Item  |      |    |      |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 76645 | 2    | 49 | 15   |



**766 Hex Metric Terminator Impact Bits, 1/4" Power - 15 Bit Box Pack**

| Item  |     |    |      |
|-------|-----|----|------|
| No.   | mm  | mm | pkg. |
| 76663 | 3.0 | 49 | 15   |
| 76664 | 4.0 | 49 | 15   |
| 76665 | 5.0 | 49 | 15   |
| 76666 | 6.0 | 49 | 15   |



**766 TORX® Terminator Impact Bits, 1/4" Insert - 25 Bit Box Pack**

| Item  |      |    |      |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 76610 | T10  | 29 | 25   |
| 76611 | T15  | 29 | 25   |
| 76612 | T20  | 29 | 25   |
| 76613 | T25  | 29 | 25   |
| 76614 | T27  | 29 | 25   |
| 76615 | T30  | 29 | 25   |
| 76616 | T40  | 29 | 25   |



**766 TORX® Terminator Impact Bits, 1/4" Power - 15 Bit Box Pack**

| Item  |      |    |      |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 76650 | T10  | 49 | 15   |
| 76651 | T15  | 49 | 15   |
| 76652 | T20  | 49 | 15   |
| 76653 | T25  | 49 | 15   |
| 76654 | T27  | 49 | 15   |
| 76655 | T30  | 49 | 15   |
| 76656 | T40  | 49 | 15   |

Case Pack of 10 Bit Boxes Includes Counter Top Display



Identification on bits allows quick bit selection



**766 Pozidriv® Terminator Impact Bits, 1/4" Power - 15 Bit Box Pack**

| Item  |      |    |      |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 76647 | 1    | 49 | 15   |
| 76648 | 2    | 49 | 15   |
| 76649 | 3    | 49 | 15   |

## Wiha Power Terminator Impact Bits 100 Bit Packs



**735 Phillips Terminator Impact Bits, 1/4" Insert - 100 Bit Pack**

| Item  | +    | —  | ■    |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 73501 | 1    | 29 | 100  |
| 73502 | 2    | 29 | 100  |



**735 TORX® Terminator Impact Bits, 1/4" Insert - 100 Bit Pack**

| Item  | ✳    | —  | ■    |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 73507 | T15  | 29 | 100  |
| 73508 | T20  | 29 | 100  |
| 73509 | T25  | 29 | 100  |
| 73510 | T27  | 29 | 100  |
| 73511 | T30  | 29 | 100  |



**735 Square Terminator Impact Bits, 1/4" Power - 100 Bit Pack**

| Item  | □    | —  | ■    |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 73546 | 1    | 49 | 100  |
| 73547 | 2    | 49 | 100  |



**735 Square Terminator Impact Bits, 1/4" Insert - 100 Bit Pack**

| Item  | □    | —  | ■    |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 73522 | 1    | 29 | 100  |
| 73523 | 2    | 29 | 100  |



**735 Phillips Terminator Impact Bits, 1/4" Power - 100 Bit Pack**

| Item  | +    | —  | ■    |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 73525 | 1    | 49 | 100  |
| 73526 | 2    | 49 | 100  |



**735 TORX® Terminator Impact Bits, 1/4" Power - 100 Bit Pack**

| Item  | ✳    | —  | ■    |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 73531 | T15  | 49 | 100  |
| 73532 | T20  | 49 | 100  |
| 73533 | T25  | 49 | 100  |
| 73534 | T27  | 49 | 100  |
| 73535 | T30  | 49 | 100  |

## Wiha Power Terminator Impact Bits 250 Bit Packs



**765 Phillips Terminator Impact Bits, 1/4" Insert - 250 Bit Pack**

| Item  | +    | —  | ■    |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 76581 | 1    | 29 | 250  |
| 76582 | 2    | 29 | 250  |



**765 TORX® Terminator Impact Bits, 1/4" Insert - 250 Bit Pack**

| Item  | ✳    | —  | ■    |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 76585 | T15  | 29 | 250  |
| 76586 | T20  | 29 | 250  |
| 76587 | T25  | 29 | 250  |
| 76588 | T27  | 29 | 250  |
| 76589 | T30  | 29 | 250  |



**765 Square Terminator Impact Bits, 1/4" Power - 250 Bit Pack**

| Item  | □    | —  | ■    |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 76592 | 1    | 49 | 250  |
| 76593 | 2    | 49 | 250  |



**765 Square Terminator Impact Bits, 1/4" Insert - 250 Bit Pack**

| Item  | □    | —  | ■    |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 76583 | 1    | 29 | 250  |
| 76584 | 2    | 29 | 250  |



**765 Phillips Terminator Impact Bits, 1/4" Power - 250 Bit Pack**

| Item  | +    | —  | ■    |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 76590 | 1    | 49 | 250  |
| 76591 | 2    | 49 | 250  |



**765 TORX® Terminator Impact Bits, 1/4" Power - 250 Bit Pack**

| Item  | ✳    | —  | ■    |
|-------|------|----|------|
| No.   | Size | mm | pkg. |
| 76594 | T15  | 49 | 250  |
| 76595 | T20  | 49 | 250  |
| 76596 | T25  | 49 | 250  |
| 76597 | T27  | 49 | 250  |
| 76598 | T30  | 49 | 250  |



**Impact Bits**

Longest life impact bit available, 30X performance increase over standard bits.

Available in 1 1/29mm Insert or 2 7/49mm Power bits.

Precision tuned torsion zones are individually matched to bit profile reducing stress on the tip when used in an impact driver.

German formulated MoV tool steel combined with precision hardening & heat treating.

Hardest working tip selection in 15ct or 25ct bit box, 100ct or 250ct bulk packs.

**Contractor Bits**

Available in 1 1/25mm Insert or 2 7/50mm Power bits.

Suitable for all machine and manual screw driving applications.

German formulated CRV tool steel combined with precision hardening and heat treating.

Widest selection of bit offering in 15ct or 30ct bit box, 100ct or 250ct bulk packs.






**250 Count Bulk Packs**  
Includes Bit Bowl

**Wiha Terminator Impact Bits 250-piece Bit Bowls**






**768 Phillips Terminator Impact Bits, 1/4" Insert - 250-piece Bit Bowl**

| Item  |  |  |  |
|-------|--|---|---|
| No.   | Size   | mm  | pkg.  |
| 76841 | 2  | 29  | 250   |






**768 Phillips Terminator Impact Bits, 1/4" Power - 250-piece Bit Bowl**

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Size  | mm  | pkg.  |
| 76851 | 2   | 49  | 250   |






**768 Square Terminator Impact Bits, 1/4" Insert - 250-piece Bit Bowl**

| Item  |  |  |  |
|-------|--|---|---|
| No.   | Size   | mm  | pkg.  |
| 76847 | 2  | 29  | 250   |






**768 Square Terminator Impact Bits, 1/4" Power - 250-piece Bit Bowl**

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Size  | mm  | pkg.  |
| 76861 | 2   | 49  | 250   |






**768 TORX Terminator Impact Bits, 1/4" Insert - 250-piece Bit Bowl**

| Item  |  |  |  |
|-------|--|---|---|
| No.   | Size   | mm  | pkg.  |
| 76842 | T25  | 29  | 250   |






**768 TORX Terminator Impact Bits, 1/4" Power - 250-piece Bit Bowl**

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Size  | mm  | pkg.  |
| 76852 | T25   | 49  | 250   |






**768 Hex Inch Terminator Impact Bits, 1/4" Insert - 250-piece Bit Bowl**

| Item  |  |  |  |
|-------|--|---|---|
| No.   | Inch   | mm  | pkg.  |
| 76846 | 5/32   | 29  | 250   |






**768 Hex Inch Terminator Impact Bits, 1/4" Power - 250-piece Bit Bowl**

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Inch  | mm  | pkg.  |
| 76860 | 3/16  | 49  | 250   |

**Wiha Contractor Bits 250-piece Bit Bowls**







**723 Phillips Insert Bits, 1/4"**

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Size  | mm  | pkg.  |
| 72304 | 2   | 25  | 250   |





**723 Square Insert Bits, 1/4"**

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  |   |
| 72347 | 2   | 25  | 250   |   |






**723 TORX Bits, 1/4"**

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Size  | mm  | pkg.  |
| 72343 | T25   | 25  | 250   |







**723 Hex Inch Insert Bits, 1/4"**

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Inch  | mm  | pkg.  |
| 72328 | 5/32  | 25  | 250   |







**723 Phillips Power Bits 1/4" Hex Drive, Length 2.0"/50mm**

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  |   |
| 72351 | 2   | 50  | 250   |   |






**723 Square Power Bits. 1/4" Hex Drive, Length 2.0"/50mm**

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  |   |
| 72391 | 2   | 50  | 250   |   |






**723 TORX Power Bits 1/4" Hex Drive, Length 2.0"/50mm**

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Size  | mm  | pkg.  |
| 72378 | T25   | 50  | 250   |



**723 Hex Inch Power Bits. 1/4" Hex Drive, Length 2.0"/50mm**

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Inch  | mm  | pkg.  |
| 72354 | 3/16  | 50  | 10  |

## TORX® Bits

The ideal multi-purpose bits for all around quality and performance

Made by Wiha - Production Quality

Suitable for all applications for both manual and machine  
Hardness HRC 59-61

Highly resistant to wear and tear for a long tool life

Impact resistant modified CVM, tool steel, hardened



### Wiha TORX® Bit Packs



**71571 TORX® Insert Bit Packs, 1" CVM S2**  
modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

**71571 Set includes the following bits:**



T15, T20, T25, T27,  
wt. .08 T30, T40 x 1" (25mm)



**71570 TORX® Insert Bit Packs, 1" CVM S2**  
modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc bit pack.

**71570 Set includes the following bits:**



T5, T6, T7, T8, T9,  
wt. .07 T10 x 1" (25mm)

### Wiha TORX® Insert Bit



10 bit pack

#### 715 TORX® Bits, 1/4"

| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 71523    | T3   | 25 | 10   | .12  |
| 71524    | T4   | 25 | 10   | .12  |
| 71505    | T5   | 25 | 10   | .12  |
| 71506    | T6   | 25 | 10   | .12  |
| 71507    | T7   | 25 | 10   | .12  |
| 71508    | T8   | 25 | 10   | .12  |
| 71509    | T9   | 25 | 10   | .12  |
| 71510    | T10  | 25 | 10   | .12  |
| 71515    | T15  | 25 | 10   | .12  |
| 71520    | T20  | 25 | 10   | .12  |
| 71525    | T25  | 25 | 10   | .12  |
| 71527    | T27  | 25 | 10   | .13  |
| 71530    | T30  | 25 | 10   | .14  |
| 71540    | T40  | 25 | 10   | .15  |

#### 30 Piece Contractor Grade Bits

#### 725 TORX® Insert Bit Packs, 30 Pcs., 1/4"

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 72572    | T7   | 25 | .36  |
| 72573    | T8   | 25 | .36  |
| 72574    | T9   | 25 | .36  |
| 72575    | T10  | 25 | .36  |
| 72576    | T15  | 25 | .36  |
| 72577    | T20  | 25 | .36  |
| 72578    | T25  | 25 | .36  |
| 72579    | T27  | 25 | .36  |
| 72580    | T30  | 25 | .36  |
| 72581    | T40  | 25 | .36  |

### Wiha TORX® Bit Packs

2 bit pack



#### 715 TORX® Insert Bit Packs, 1"

CVM S2 modified tool steel.

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 71548    | T3   | 25 | .03  |
| 71549    | T4   | 25 | .03  |
| 71550    | T5   | 25 | .03  |
| 71551    | T6   | 25 | .03  |
| 71552    | T7   | 25 | .03  |
| 71553    | T8   | 25 | .03  |
| 71554    | T9   | 25 | .03  |
| 71555    | T10  | 25 | .03  |
| 71556    | T15  | 25 | .03  |
| 71557    | T20  | 25 | .03  |
| 71558    | T25  | 25 | .03  |
| 71559    | T27  | 25 | .04  |
| 71560    | T30  | 25 | .04  |
| 71561    | T40  | 25 | .04  |

2 bit pack



#### 777 TORX® Double End Insert Bit Packs, 1/4" CVM S2 modified tool steel

| Item No. | Size    | mm |
|----------|---------|----|
| 77701    | T6+T7   | 30 |
| 77702    | T8+T9   | 30 |
| 77703    | T10+T15 | 30 |
| 77704    | T20+T25 | 30 |
| 77705    | T27+T30 | 30 |

### Wiha TORX® 5/16" Bits



10 bit pack

#### 725 TORX® Bits, 5/16"

| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 72525    | T25  | 35 | 10   | .27  |
| 72527    | T27  | 35 | 10   | .27  |
| 72530    | T30  | 35 | 10   | .27  |
| 72540    | T40  | 35 | 10   | .28  |
| 72545    | T45  | 35 | 10   | .31  |
| 72550    | T50  | 35 | 10   | .32  |
| 72555    | T55  | 35 | 10   | .52  |
| 72570    | T60  | 35 | 10   | .52  |

2 bit pack



5/16" Insert Bits

#### 725 TORX® Insert Bit Packs, 5/16"

CVM S2 modified tool steel

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 72531    | T30  | 35 | .28  |
| 72551    | T50  | 35 | .32  |
| 72569    | T60  | 35 | .52  |

### Wiha TORX® Power Bits



#### 745 TORX® Power Bits 1/4" Hex Drive, Length 2.0"/50mm


| Item | No.   | Size | mm | pkg. | lbs. |
|------|-------|------|----|------|------|
|      | 74511 | T6   | 50 | 10   | .18  |
|      | 74512 | T7   | 50 | 10   | .18  |
|      | 74513 | T8   | 50 | 10   | .18  |
|      | 74517 | T9   | 50 | 10   | .19  |
|      | 74519 | T10  | 50 | 10   | .20  |
|      | 74521 | T15  | 50 | 10   | .20  |
|      | 74523 | T20  | 50 | 10   | .20  |
|      | 74529 | T25  | 50 | 10   | .20  |
|      | 74531 | T27  | 50 | 10   | .20  |
|      | 74533 | T30  | 50 | 10   | .20  |
|      | 74535 | T40  | 50 | 10   | .25  |



#### 745 TORX® Power Bit Packs, 2"

CVM S2 modified tool steel.

| Item | No.   | Size | mm | lbs. |
|------|-------|------|----|------|
|      | 74525 | T1   | 50 | .05  |
|      | 74527 | T2   | 50 | .05  |
|      | 74530 | T3   | 50 | .05  |
|      | 74540 | T4   | 50 | .05  |
|      | 74559 | T5   | 50 | .05  |
|      | 74501 | T6   | 50 | .05  |
|      | 74502 | T7   | 50 | .05  |
|      | 74503 | T8   | 50 | .05  |
|      | 74504 | T9   | 50 | .05  |
|      | 74506 | T10  | 50 | .05  |
|      | 74508 | T15  | 50 | .05  |
|      | 74510 | T20  | 50 | .05  |
|      | 74514 | T25  | 50 | .06  |
|      | 74515 | T27  | 50 | .06  |
|      | 74516 | T30  | 50 | .06  |
|      | 74518 | T40  | 50 | .08  |



#### 745 TORX® Power Bits. 1/4" Hex Drive, Length 2.75"/70mm

| Item | No.   | Size | mm | pkg. | lbs. |
|------|-------|------|----|------|------|
|      | 74536 | T6   | 70 | 10   | .02  |
|      | 74538 | T7   | 70 | 10   | .02  |
|      | 74542 | T8   | 70 | 10   | .02  |
|      | 74544 | T9   | 70 | 10   | .02  |
|      | 74546 | T10  | 70 | 10   | .02  |
|      | 74548 | T15  | 70 | 10   | .02  |
|      | 74551 | T20  | 70 | 10   | .03  |
|      | 74553 | T25  | 70 | 10   | .03  |
|      | 74556 | T27  | 70 | 10   | .04  |
|      | 74558 | T30  | 70 | 10   | .04  |
|      | 74561 | T40  | 70 | 10   | .04  |



#### 739 TORX® Power Bits. 1/4" Hex Drive, Length 2.75"/70mm 2 bit pack

| Item | No.   | Size | mm | pkg. | lbs. |
|------|-------|------|----|------|------|
|      | 73936 | T6   | 70 | 1    | .02  |
|      | 73937 | T7   | 70 | 1    | .02  |
|      | 73938 | T8   | 70 | 1    | .02  |
|      | 73939 | T9   | 70 | 1    | .02  |
|      | 73940 | T10  | 70 | 1    | .02  |
|      | 73941 | T15  | 70 | 1    | .02  |
|      | 73942 | T20  | 70 | 1    | .03  |
|      | 73943 | T25  | 70 | 1    | .03  |
|      | 73944 | T27  | 70 | 1    | .04  |
|      | 73945 | T30  | 70 | 1    | .04  |
|      | 73946 | T40  | 70 | 1    | .04  |



#### 745 TORX® Power Bits 1/4" Hex Drive, Length 3.5"/90mm


| Item | No.   | Size | mm | pkg. | lbs. |
|------|-------|------|----|------|------|
|      | 74563 | T6   | 90 | 1    | .03  |
|      | 74565 | T7   | 90 | 1    | .03  |
|      | 74567 | T8   | 90 | 1    | .03  |
|      | 74569 | T9   | 90 | 1    | .03  |
|      | 74571 | T10  | 90 | 1    | .03  |
|      | 74573 | T15  | 90 | 1    | .03  |
|      | 74575 | T20  | 90 | 1    | .04  |
|      | 74577 | T25  | 90 | 1    | .04  |
|      | 74579 | T27  | 90 | 1    | .04  |
|      | 74581 | T30  | 90 | 1    | .04  |
|      | 74583 | T40  | 90 | 1    | .04  |



#### 745 TORX® Power Bits 1/4" Hex Drive, Length 6.0"/150mm


| Item | No.   | Size | mm  | pkg. | lbs. |
|------|-------|------|-----|------|------|
|      | 74580 | T6   | 150 | 1    | .04  |
|      | 74582 | T7   | 150 | 1    | .04  |
|      | 74584 | T8   | 150 | 1    | .04  |
|      | 74585 | T9   | 150 | 1    | .04  |
|      | 74586 | T10  | 150 | 1    | .04  |
|      | 74587 | T15  | 150 | 1    | .04  |
|      | 74588 | T20  | 150 | 1    | .04  |
|      | 74589 | T25  | 150 | 1    | .04  |
|      | 74590 | T27  | 150 | 1    | .04  |
|      | 74591 | T30  | 150 | 1    | .04  |

### Wiha TORX® Double End Bits



#### 744 TORX® Double End Bits 1/4" Hex Drive, Length 2.56"/65mm

| Item | No.   | Size | Size | mm | pkg. | lbs. |
|------|-------|------|------|----|------|------|
|      | 74413 | T7   | T7   | 65 | 10   | .32  |
|      | 74415 | T8   | T8   | 65 | 10   | .32  |
|      | 74419 | T10  | T10  | 65 | 10   | .32  |
|      | 74431 | T27  | T27  | 65 | 10   | .34  |
|      | 74433 | T30  | T30  | 65 | 10   | .35  |



#### 744 TORX® Double End Bit Pack 1/4" Hex Drive, Length 2.56"/65mm

| Item | No.   | Size | Size | mm | lbs. |
|------|-------|------|------|----|------|
|      | 74461 | T7   | T7   | 65 | .05  |
|      | 74462 | T8   | T8   | 65 | .05  |
|      | 74464 | T10  | T10  | 65 | .05  |
|      | 74465 | T15  | T15  | 65 | .05  |

## Wiha Stainless Steel Power Bits



**704** Stainless Steel **TORX**® Power Bits  
1/4" Hex Drive, Length 2.0"/50mm

| Item No. | Size | mm | pkg. |
|----------|------|----|------|
| 70416    | T30  | 50 | 1    |

## Wiha Insert Bit Blister Pack



**72595** 10 Pack **TORX**® Insert Bit Pack  
CVM S2 modified tool steel.

| <b>TORX</b> ® :         | lbs. |
|-------------------------|------|
| T7, T8, T9, T10, T15    | .16  |
| T20, T25, T27, T30, T40 |      |

## Wiha Insert Bit & Socket Set



**72590** 11 Piece **TORX**® Insert Bit Pack & Socket Set CVM S2 modified tool steel.

|   |      |
|---|------|
| 1/4" to 3/8" Drive Socket               |      |
| 1/4" Bits: T10, T15, T20, T25, T27, T30 |      |
| 5/16" to 3/8" Drive Socket              | lbs. |
| 5/16" Bits: T40, T45, T50               | .36  |

## Wiha **TORX**® Insert Bit & Power Bit Sets



**79445** XSelector Bit Set With **TORX**® Bits  
Set Includes 1/4" Magnetic Bit Holder & the following 10 bits:

|      |  |
|------|--|
| lbs. | <b>TORX</b> ®: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 |
|------|--|



**71195** PokitPak - **TORX**® Insert Bits In Molded Case - Includes 6 - 1/4" Insert Bits & Magnetic Bit Holder

|      |  |
|------|--|
| lbs. | <b>TORX</b> ®: T8, T10, T15, T20, T25, T30 |
|------|--|

## Wiha **TORX**® Insert Bit Sets

Bit holder stainless steel, magnetic



**38044** **TORX**® Pop-Up Bit Screwdriver Set

Wiha Cushion Grip handle, multi-component. Compact storage for 12 bits in the handle.

|                                       |  |
|---------------------------------------|--|
| Set includes the following 1/4" bits: |  |
| lbs.                                  | <b>TORX</b> ®: T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 |
| .42                                   |  |



**38003** **TORX**® Multi-Bit Screwdriver

with Wiha Powerhandle.

Includes the following 1/4" bits:

|                 |                         |
|-----------------|-------------------------|
| <b>TORX</b> ® : | T5, T6, T7, T8, T9, T10 |
|-----------------|-------------------------|



**74985** Power Bit Belt Pack With **TORX**® Bits  
Includes the following 10 bits:

|      |   |
|------|---|
| lbs. | <b>TORX</b> ®: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30 |
| .28  |   |



**79242** Bit-Selector With **TORX**® Bits  
Includes Universal Magnetic 1/4" Bit Holder & The Following 10 Insert Bits:

|      |  |
|------|--|
| lbs. | <b>TORX</b> ®: T5, T6, T7, T8, T9, T10, T15, T20, T25, T30 |
| .32  |  |



**38045** **TORX**® SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.

|                                       |  |
|---------------------------------------|--|
| Set includes the following 1/4" bits: |  |
| lbs.                                  | <b>TORX</b> ®: T8, T10, T15, T20, T25, T30 |
| .20                                   |  |

**79245** Bit-Selector With **TORX**® Bits  
Includes Auto Lock Magnetic 1/4" Bit Holder & The Following 10 Insert Bits:

|      |  |
|------|--|
| lbs. | <b>TORX</b> ®: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 |
| .34  |  |

**Wiha TORX® Align Insert Bits and Power Bits**

**Wiha TORX® Align Coated Insert Bits PokitPak**

**Torx® Align Tapered For Snug Fit In Screw**

Highly resistant to wear and tear for a long tool life



Impact resistant modified chrome-vanadium-molybdenum, tool steel, hardened

**Made by Wiha - Production Quality**

Suitable for all applications for both manual and machine  
Hardness HRC 59-61



**79283 PokitPak - TORX® Align Insert Bits In Molded Case -**

**Set Includes 6 - 1/4" Insert Bits**

**TORX® Align:**

T10, T15, T20, T25, T30, T40

lbs. .12



10 bit pack

**715 TORX® Align Bits, 1/4"**

| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 71536    | T6   | 25 | 10   | .12  |
| 71537    | T7   | 25 | 10   | .12  |
| 71538    | T8   | 25 | 10   | .12  |
| 71541    | T10  | 25 | 10   | .12  |
| 71542    | T15  | 25 | 10   | .12  |
| 71543    | T20  | 25 | 10   | .12  |
| 71544    | T25  | 25 | 10   | .13  |
| 71545    | T27  | 25 | 10   | .13  |
| 71546    | T30  | 25 | 10   | .14  |
| 71547    | T40  | 25 | 10   | .15  |

(Also Known As Torx Wedge Fit)



10 bit pack

**747 TORX® Align Bits 1/4" Hex Drive, Length 2.0"/50mm**

| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 74711    | T6   | 50 | 10   | .18  |
| 74714    | T7   | 50 | 10   | .18  |
| 74717    | T8   | 50 | 10   | .18  |
| 74721    | T9   | 50 | 10   | .18  |
| 74724    | T10  | 50 | 10   | .18  |
| 74728    | T15  | 50 | 10   | .20  |
| 74732    | T20  | 50 | 10   | .22  |
| 74736    | T25  | 50 | 10   | .22  |
| 74739    | T27  | 50 | 10   | .22  |
| 74742    | T30  | 50 | 10   | .22  |

(Also Known As Torx Wedge Fit)



2 bit pack

**733 TORX® Align Insert Bit Packs, 1"**

CVM S2 modified tool steel

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 73310    | T6   | 25 | .03  |
| 73311    | T7   | 25 | .03  |
| 73312    | T8   | 25 | .03  |
| 73313    | T9   | 25 | .03  |
| 73314    | T10  | 25 | .03  |
| 73315    | T15  | 25 | .03  |
| 73316    | T20  | 25 | .03  |
| 73317    | T25  | 25 | .03  |
| 73318    | T27  | 25 | .03  |
| 73319    | T30  | 25 | .03  |



2 bit pack

**747 TORX® Align Power Bit Packs, 2"**

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 74760    | T6   | 50 | .05  |
| 74761    | T7   | 50 | .05  |
| 74762    | T8   | 50 | .05  |
| 74763    | T9   | 50 | .05  |
| 74764    | T10  | 50 | .05  |
| 74765    | T15  | 50 | .05  |
| 74766    | T20  | 50 | .06  |
| 74767    | T25  | 50 | .06  |
| 74768    | T27  | 50 | .06  |



**74981 Power Bit Belt Pack With TORX® Align Bits**

Set includes the following 10 bits:

**TORX® Align:** T6, T7, T8, T9, T10, T15, T20, T25, T27, T30

lbs. .28



## Wiha Security TORX® Insert Bits and Power Bits

### Security Torx®

Made by Wiha -  
Production  
Quality



Impact resistant modified  
CVM tool steel, hardened

Highly resistant  
to wear and  
tear for a  
long tool life

Suitable for all applications  
for both manual and machine  
Hardness HRC 59-61

10 bit pack



#### 701 Security TORX® Bits, 1/4"

| Item  | Icon | Size | mm | pkg. | lbs. |
|-------|------|------|----|------|------|
| 70127 | T7s  | 25   | 10 | .12  |      |
| 70128 | T8s  | 25   | 10 | .12  |      |
| 70129 | T9s  | 25   | 10 | .12  |      |
| 70135 | T10s | 25   | 10 | .12  |      |
| 70139 | T15s | 25   | 10 | .12  |      |
| 70142 | T20s | 25   | 10 | .12  |      |
| 70148 | T25s | 25   | 10 | .12  |      |
| 70160 | T27s | 25   | 10 | .13  |      |
| 70163 | T30s | 25   | 10 | .13  |      |
| 70168 | T40s | 25   | 10 | .14  |      |



#### 701 Security TORX® Insert Bit Packs, 1"

CVM S2 modified tool steel.

| Item  | Icon | Size | mm  | lbs. |
|-------|------|------|-----|------|
| 70150 | T7s  | 25   | .03 |      |
| 70151 | T8s  | 25   | .03 |      |
| 70152 | T9s  | 25   | .03 |      |
| 70153 | T10s | 25   | .03 |      |
| 70154 | T15s | 25   | .03 |      |
| 70155 | T20s | 25   | .03 |      |
| 70156 | T25s | 25   | .03 |      |
| 70157 | T27s | 25   | .03 |      |
| 70158 | T30s | 25   | .03 |      |
| 70159 | T40s | 25   | .03 |      |



#### 725 Security TORX® Bits, 5/16"

| Item  | Icon | Size | mm | pkg. | lbs. |
|-------|------|------|----|------|------|
| 72514 | T25s | 35   | 10 | .26  |      |
| 72515 | T27s | 35   | 10 | .27  |      |
| 72516 | T30s | 35   | 10 | .28  |      |
| 72542 | T40s | 35   | 10 | .28  |      |
| 72547 | T45s | 35   | 10 | .32  |      |
| 72558 | T60s | 35   | 10 | .65  |      |



#### 725 Security TORX® Bits, 5/16" 2 Bit Pk.

| Item  | Icon | Size | mm  | lbs. |
|-------|------|------|-----|------|
| 72559 | T25s | 35   | .26 |      |
| 72560 | T27s | 35   | .27 |      |
| 72561 | T30s | 35   | .28 |      |
| 72562 | T40s | 35   | .28 |      |
| 72563 | T45s | 35   | .29 |      |
| 72564 | T50s | 35   | .30 |      |
| 72567 | T55s | 35   | .32 |      |
| 72568 | T60s | 35   | .35 |      |



#### 745 Protturn Security TORX® Power Bits 1/4" Hex Drive, Length 3.0"/75mm

| Item  | Icon | Size | mm | pkg. | lbs. |
|-------|------|------|----|------|------|
| 74566 | T10s | 75   | 5  | .01  |      |
| 74568 | T15s | 75   | 5  | .01  |      |
| 74570 | T20s | 75   | 5  | .01  |      |
| 74572 | T25s | 75   | 5  | .02  |      |
| 74574 | T27s | 75   | 5  | .02  |      |
| 74576 | T30s | 75   | 5  | .03  |      |




#### 705 Security TORX® Power Bits 1/4" Hex Drive, Length 2.0"/50mm

| Item  | Icon | Size | mm | pkg. | lbs. |
|-------|------|------|----|------|------|
| 70507 | T7s  | 50   | 10 | .18  |      |
| 70508 | T8s  | 50   | 10 | .18  |      |
| 70509 | T9s  | 50   | 10 | .18  |      |
| 70510 | T10s | 50   | 10 | .19  |      |
| 70515 | T15s | 50   | 10 | .19  |      |
| 70520 | T20s | 50   | 10 | .21  |      |
| 70525 | T25s | 50   | 10 | .23  |      |
| 70527 | T27s | 50   | 10 | .23  |      |
| 70530 | T30s | 50   | 10 | .23  |      |
| 70540 | T40s | 50   | 10 | .23  |      |
| 70545 | T45s | 50   | 10 | .33  |      |
| 70550 | T50s | 50   | 10 | .37  |      |



#### 705 Security TORX® Power Bit Packs, 2"

| Item  | Icon | Size | mm  | lbs. |
|-------|------|------|-----|------|
| 70556 | T7s  | 50   | .07 |      |
| 70557 | T8s  | 50   | .07 |      |
| 70558 | T9s  | 50   | .07 |      |
| 70559 | T10s | 50   | .07 |      |
| 70560 | T15s | 50   | .07 |      |
| 70561 | T20s | 50   | .07 |      |
| 70562 | T25s | 50   | .07 |      |
| 70563 | T27s | 50   | .07 |      |
| 70564 | T30s | 50   | .07 |      |
| 70565 | T40s | 50   | .07 |      |
| 70566 | T45s | 50   | .08 |      |
| 70567 | T50s | 50   | .08 |      |
| 70568 | T55s | 50   | .09 |      |




#### 705 Security TORX® Power Bits 1/4" Hex Drive, Length 3.5"/90mm

| Item  | Icon | Size | mm | pkg. | lbs. |
|-------|------|------|----|------|------|
| 70533 | T10s | 90   | 5  | .02  |      |
| 70534 | T15s | 90   | 5  | .02  |      |
| 70535 | T20s | 90   | 5  | .02  |      |
| 70536 | T25s | 90   | 5  | .02  |      |
| 70537 | T27s | 90   | 5  | .03  |      |
| 70538 | T30s | 90   | 5  | .03  |      |
| 70539 | T40s | 90   | 5  | .03  |      |

**Wiha Security TORX® Insert Bit & Power Bit Sets**




**79247 Bit-Selector With Security TORX® Bits, Includes Magnetic 1/4" Bit Holder & The Following 10 Bits:**  lbs. .32

**Security TORX®:**  
T7s, T8s, T9s, T10s, T15s,  
T20s, T25s, T27s, T30s, T40s



**70190 Bit-Selector With Security TORX® Bits, Includes The Following 7 Insert Bits:**

|                        |   |
|------------------------|---|
| <b>Security TORX®:</b> |  |
| T7s, T8s, T9s,         | lbs.  |
| T10s, T15s, T20s, T25s | .21   |




**38009 Security TORX® Screwdriver with Wiha Powerhandle**  lbs. .36

**Includes The Following 1/4" Bits:**  
**Security TORX®:**  
T7s, T8s, T9s, T10s, T15s, T20s



**38047 Security TORX® SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.**

**Includes The Following 1/4" Bits:**  lbs. .20  
**Security TORX®:** T8s, T10s,  
T15s, T20s, T25s, T30s

Bit holder stainless steel, magnetic



**38046 Security TORX® Pop-Up Bit Screwdriver Set** Wiha Cushion Grip handle, multi-component. Compact storage for 12 bits in the handle.  lbs. .42

**Includes The Following 1/4" Bits:**  
**TORX®:** T5, T6  
**Security TORX®:** T7s, T8s, T9s, T10s,  
T15s, T20s, T25s, T27s, T30s, T40s

Bit holder stainless steel, magnetic


75mm Bits



**38042 Security TORX® Pop-Up Bit Screwdriver Set** Wiha Cushion Grip handle, multi-component. Compact storage for 6 bits in the handle.  lbs. .44


**Includes The Following 75mm 1/4" Bits:**  
**Security TORX®:**  
T10s, T15s, T20s, T25s, T27s, T30s



**79447 XSelector Bit Set With Security TORX® Bits, Includes 1/4" Magnetic Bit Holder & The Following Bits:**  lbs. .27

**Security TORX®:** T7s, T8s,  
T9s, T10s, T15s, T20s, T25s,  
T27s, T30s, T40s



**74987 Power Bit Belt Pack With Security TORX® Bits, Includes the following 10 bits:**  
**Security TORX®:**  
 lbs. T7s, T8s, T9s,  
T10s, T15s, T20s,  
.29 T25s, T27s, T30s, T40s

**Wiha Security TORX® Power Blades & Holder**



**760 Security TORX® Power Blades** S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

| Item No. | Size | lbs. | pkg. |
|----------|------|------|------|
| 76008    | T8s  | .02  | 1    |
| 76009    | T9s  | .02  | 1    |
| 76010    | T10s | .02  | 1    |
| 76015    | T15s | .02  | 1    |
| 76020    | T20s | .02  | 1    |
| 76025    | T25s | .03  | 1    |
| 76027    | T27s | .03  | 1    |
| 76030    | T30s | .04  | 1    |
| 76040    | T40s | .04  | 1    |



**76092 9 Piece Security TORX® Blade Set**

| Item No. | lbs. | Set includes:  |
|----------|------|--|
| 76092    | .30  | T8s, T9s, T10s, T15s,<br>T20s, T25s, T27s,<br>T30s, T40s |



**76000 CentroFix Cushion Grip Blade Holder** Wiha-SoftFinish® impact resistant, with roll off protection. Ergonomic cushion grip handle. Quick release bit holder with magnet.

| Item No. | mm  | mm  | Inch | mm   | Inch | lbs. |
|----------|-----|-----|------|------|------|------|
| 76000    | 6.0 | 149 | 5.9  | 34.6 | 1.36 | .26  |

## Wiha TORXPlus® Insert Bits and Power Bits

# TORXPlus®

Made by Wiha -  
Production Quality

Highly resistant  
to wear and  
tear for a  
long tool life

Impact resistant modified  
chrome-vanadium-molybdenum,  
tool steel, hardened

Suitable for all applications  
for both manual and  
machine Hardness  
HRC 59-61

 **TORXPlus®**  
 **Security Pentalobe**



10 bit  
pack

### 716 TORXPlus® Insert Bits, 1/4" Hex, 1" OAL

| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 71603    | IP3  | 25 | 10   | .12  |
| 71604    | IP4  | 25 | 10   | .12  |
| 71605    | IP5  | 25 | 10   | .12  |
| 71606    | IP6  | 25 | 10   | .12  |
| 71607    | IP7  | 25 | 10   | .12  |
| 71608    | IP8  | 25 | 10   | .12  |
| 71609    | IP9  | 25 | 10   | .12  |
| 71610    | IP10 | 25 | 10   | .12  |
| 71615    | IP15 | 25 | 10   | .12  |
| 71620    | IP20 | 25 | 10   | .12  |
| 71625    | IP25 | 25 | 10   | .12  |
| 71627    | IP27 | 25 | 10   | .13  |
| 71630    | IP30 | 25 | 10   | .13  |
| 71640    | IP40 | 25 | 10   | .15  |



2 bit  
pack

### 716 TORXPlus® Insert Bit Packs, 1"

CVM S2 modified tool steel

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 71631    | IP3  | 25 | .03  |
| 71632    | IP4  | 25 | .03  |
| 71633    | IP5  | 25 | .03  |
| 71634    | IP6  | 25 | .03  |
| 71635    | IP7  | 25 | .03  |
| 71636    | IP8  | 25 | .03  |
| 71637    | IP9  | 25 | .03  |
| 71638    | IP10 | 25 | .03  |
| 71639    | IP15 | 25 | .03  |
| 71641    | IP20 | 25 | .03  |
| 71642    | IP25 | 25 | .03  |
| 71643    | IP27 | 25 | .03  |
| 71644    | IP30 | 25 | .03  |
| 71645    | IP40 | 25 | .04  |



10 bit pack


### 746 TORXPlus® Power Bits, 1/4" Hex, 2" OAL

| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 74601    | IP5  | 50 | 10   | .18  |
| 74602    | IP6  | 50 | 10   | .18  |
| 74603    | IP7  | 50 | 10   | .18  |
| 74604    | IP8  | 50 | 10   | .18  |
| 74608    | IP9  | 50 | 10   | .18  |
| 74612    | IP10 | 50 | 10   | .20  |
| 74616    | IP15 | 50 | 10   | .20  |
| 74620    | IP20 | 50 | 10   | .20  |
| 74624    | IP25 | 50 | 10   | .20  |
| 74628    | IP27 | 50 | 10   | .25  |
| 74632    | IP30 | 50 | 10   | .25  |
| 74636    | IP40 | 50 | 10   | .25  |



### 74982 Power Bit Belt Pack With TORXPlus®

Bits Includes The Following 10 Bits:

|   |                        |
|---|------------------------|
|  | TORXPlus®: IP6, IP7,   |
| lbs.  | IP8, IP9, IP10, IP15,  |
| .28   | IP20, IP25, IP27, IP30 |

2 bit  
pack



### 746 TORXPlus® Power Bit Packs, 2"


| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 74611    | IP1  | 50 | .05  |
| 74613    | IP2  | 50 | .05  |
| 74614    | IP3  | 50 | .05  |
| 74617    | IP4  | 50 | .05  |
| 74659    | IP5  | 50 | .05  |
| 74660    | IP6  | 50 | .05  |
| 74661    | IP7  | 50 | .05  |
| 74662    | IP8  | 50 | .05  |
| 74663    | IP9  | 50 | .05  |
| 74664    | IP10 | 50 | .05  |
| 74665    | IP15 | 50 | .05  |
| 74666    | IP20 | 50 | .06  |
| 74667    | IP25 | 50 | .06  |
| 74668    | IP27 | 50 | .06  |
| 74669    | IP30 | 50 | .06  |
| 74670    | IP40 | 50 | .06  |

## Wiha TORXPlus® Insert Bit Selectors




### 71690 Bit-Selector With TORXPlus® Bits Set Includes Magnetic 1/4" Bit Holder

& The Following 10 Bits:

|   |                           |
|---|---------------------------|
|  | TORXPlus®: IP7, IP8, IP9, |
| lbs.  | IP10, IP15, IP20, IP25    |
| .31   | IP27, IP30, IP40          |

### 71692 Bit-Selector With TORXPlus® Bits Set Includes Magnetic 1/4" Bit Holder

& The Following 10 Bits:





|   |                          |
|---|--------------------------|
|  | TORXPlus®: IP3, IP4,     |
| lbs.  | IP5, IP6, IP7, IP8, IP9, |
| .31   | IP10, IP15, IP20         |



**Wiha Security Pentalobe 5 Point Insert Bit**







**716 Security Pentalobe 5 Point Insert Bits, 1/4" Hex, 1" OAL**

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  | lbs.  |
| 71648 | PLS8  | 25  | 1   | .11   |
| 71650 | PLS10   | 25  | 1   | .11   |
| 71652 | PLS15   | 25  | 1   | .11   |
| 71654 | PLS20   | 25  | 1   | .12   |
| 71656 | PLS25   | 25  | 1   | .13   |
| 71657 | PLS27   | 25  | 1   | .13   |
| 71658 | PLS30   | 25  | 1   | .14   |
| 71660 | PLS40   | 35  | 1   | .14   |


**Wiha Ball End TORX® Bits**







**745 Ball End TORX® Bits. 1/4" Hex Drive, Length 2.0"/50mm**

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  | lbs.  |
| 74524 | T9  | 50  | 10  | .18   |
| 74526 | T10   | 50  | 10  | .18   |
| 74528 | T15   | 50  | 10  | .18   |
| 74532 | T20   | 50  | 10  | .18   |
| 74534 | T25   | 50  | 10  | .18   |
| 74537 | T27   | 50  | 10  | .18   |
| 74539 | T30   | 50  | 10  | .18   |
| 74541 | T40   | 50  | 10  | .18   |

**Wiha TORX® MagicSpring Screw Holding Power Bits**




**745 TORX® MagicSpring Screw Holding Power Bits, 1/4" Hex Drive, Length 2.0"/50mm**

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  | lbs.  |
| 74552 | T10   | 50  | 2   | .05   |
| 74554 | T15   | 50  | 2   | .05   |
| 74555 | T20   | 50  | 2   | .05   |
| 74557 | T25   | 50  | 2   | .05   |
| 74564 | T40   | 50  | 2   | .05   |

**Wiha Insert Security Pentalobe 5 Point XSelector**







**79450 XSelector Bit Set With Security Pentalobe 5 Point Bits Includes Magnetic Bit Holder & The Following 7 Bits:**

|   |  |
|---|--|
|  | Security Pentalobe: PLS8, PLS10, PLS15, PLS20, PLS25, PLS27, PLS30 |
| lbs.  |  |
| .24   |  |



**745 Ball End TORX® Power Bit Packs, 1"**

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | lbs.  |   |
| 74520 | T10   | 50  | .05   |   |
| 74522 | T15   | 50  | .05   |   |
| 74543 | T20   | 50  | .05   |   |
| 74545 | T25   | 50  | .06   |   |
| 74547 | T27   | 50  | .06   |   |
| 74549 | T30   | 50  | .08   |   |
| 74550 | T40   | 50  | .08   |   |

NOTES:

Blank lines for notes.

**Torx® Profiles**



Torx®



Ball End Torx®



Security Torx®



TorxPlus®



Security Pentalobe 5 Point

## Wiha Phillips Insert Bits



### 711 Phillips Insert Bits, 1/4" - 10 Bit Packs

| Item  | +    | ≡  | ↔    | ↔    |
|-------|------|----|------|------|
| No.   | Size | mm | pkg. | lbs. |
| 71100 | 0    | 25 | 10   | .10  |
| 71101 | 1    | 25 | 10   | .11  |
| 71102 | 2    | 25 | 10   | .11  |
| 71103 | 3    | 25 | 10   | .11  |

### 711 Phillips Insert Bit Bulk Packs, 1/4"

| No.   | Size | mm | pkg.   | lbs. |
|-------|------|----|--------|------|
| 71125 | 2    | 25 | 25 pc  | .30  |
| 71150 | 2    | 25 | 50 pc  | .62  |
| 71199 | 2    | 25 | 100 pc | 1.20 |

### 725 Phillips Insert Contractor Grade, 1/4"

| No.   | Size | mm | pkg.  | lbs. |
|-------|------|----|-------|------|
| 72519 | 0    | 25 | 30 pc | .85  |
| 72521 | 1    | 25 | 30 pc | .85  |
| 72522 | 2    | 25 | 30 pc | .85  |
| 72523 | 3    | 25 | 30 pc | .85  |

# Phillips Bits

*The ideal multi-purpose bits for all around quality & performance*

**Made by Wiha - Production Quality**

Suitable for all applications for both manual and machine  
Hardness HRC 59-61



Impact resistant modified CVM, tool steel, hardened

Highly resistant to wear and tear for a long tool life



High grade CVM steel, hardened torsion zone to prevent uneven torque distribution DIN 3126 ISO 1173 with anti-camout ribs

## Wiha Phillips Insert Bit Packs

2 bit pack



### 711 Phillips Insert Bit Packs, 1"

CVM S2 modified tool steel

| Item  | +    | ≡  | ↔    |
|-------|------|----|------|
| No.   | Size | mm | lbs. |
| 71149 | 0    | 25 | .03  |
| 71151 | 1    | 25 | .03  |
| 71152 | 2    | 25 | .03  |
| 71153 | 3    | 25 | .04  |



### 71155 Phillips Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

71155 Set includes the following bits:

| ↔       | +        | Phillips:     |
|---------|----------|---------------|
| wt. .08 | 6 pieces | 2 x 1" (25mm) |

2 bit pack



### 777 Phillips Double End Insert Bit Packs, 1/4" CVM S2 modified tool steel

| Item  | +       | ≡  |
|-------|---------|----|
| No.   | Size    | mm |
| 77707 | #1 + #2 | 30 |
| 77708 | #0 + #3 | 30 |



### 71056 Slotted/Phillips Insert Bit Packs, 1"

CVM S2 modified tool steel. Extra hard with natural finish, exact fit machined tips. 6 pc. bit pk.

71056 Set includes the following bits:

| ●                  | +      | ↔   | lbs. |
|--------------------|--------|-----|------|
| 4.5, 5.5, 6.5 x 1" | (25mm) |     |      |
| 1, 2, 3 x 1"       | (25mm) | .08 |      |




10 bit pack



### 71132 Phillips Drywall Stop Bit

High grade Chrome-vanadium steel, through hardened. Ideal bit for drywall constructors. Blue ring prevents the screw from being recessed too deeply into the plasterboard.

| Item  | +    | ≡  | ↔    | ↔    |
|-------|------|----|------|------|
| No.   | Size | mm | lbs. | Pkg. |
| 71132 | 2    | 25 | .20  | 10   |



### Wiha Phillips 5/16" Insert Bits

2 bit pack



#### 721 Phillips Insert Bit Packs, 1"

CVM S2 modified tool steel. 5/16" Hex Drive.

| Item  | +    | —  | —    | ↵ |
|-------|------|----|------|---|
| No.   | Size | mm | lbs. |   |
| 72102 | 2    | 32 | .05  |   |
| 72103 | 3    | 32 | .06  |   |
| 72104 | 4    | 32 | .07  |   |

### Wiha Phillips ACR Insert Bits



#### 711 Phillips ACR Insert Bits, 1/4"

| Item  | +    | —  | —    | ↵    |
|-------|------|----|------|------|
| No.   | Size | mm | pkg. | lbs. |
| 71126 | 1    | 25 | 10   | .11  |

### Wiha Phillips Long Insert Bits



#### 711 Phillips Long Insert Bits. 1/4" Hex Drive, Length 2.0"/50mm

| Item  | +    | —  | —    | ↵    |
|-------|------|----|------|------|
| No.   | Size | mm | pkg. | lbs. |
| 71107 | 3    | 50 | 10   | .27  |

### Wiha Phillips Power Bits



10 bit pack

#### 741 Phillips Power Bits 1/4" Hex Drive, Length 2.0"/50mm

| Item  | +    | —  | —    | ↵    |
|-------|------|----|------|------|
| No.   | Size | mm | pkg. | lbs. |
| 74102 | 0    | 50 | 10   | .23  |
| 74103 | 1    | 50 | 10   | .24  |
| 74112 | 2    | 50 | 10   | .25  |
| 74124 | 3    | 50 | 10   | .26  |



2 bit pack

#### 741 Phillips Power Bit Packs, 2"

CVM S2 modified tool steel.

| Item  | +    | —  | ↵    |
|-------|------|----|------|
| No.   | Size | mm | lbs. |
| 74157 | 00   | 50 | .06  |
| 74158 | 0    | 50 | .06  |
| 74164 | 1    | 50 | .06  |
| 74165 | 2    | 50 | .06  |
| 74166 | 3    | 50 | .06  |



#### 74150 Phillips Power Bit Packs, 2" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

74150 Set includes the following bits:

| ↵   | +   | Phillips Sizes:     |
|-----|-----|---------------------|
| wt. | .09 | 1, 2, 3 x 2" (50mm) |

10 bit pack



#### 741 Phillips Power Bits. 1/4" Hex Drive, Length 2.75"/70mm

| Item  | +    | —  | —    | ↵    |
|-------|------|----|------|------|
| No.   | Size | mm | pkg. | lbs. |
| 74167 | 00   | 70 | 10   | .29  |
| 74168 | 0    | 70 | 10   | .29  |
| 74106 | 1    | 70 | 10   | .29  |
| 74115 | 2    | 70 | 10   | .37  |
| 74127 | 3    | 70 | 10   | .41  |



2 bit pack

#### 739 Phillips Power Bits. 1/4" Hex Drive, Length 2.75"/70mm 2 bit pack

| Item  | +    | —  | —    | ↵    |
|-------|------|----|------|------|
| No.   | Size | mm | pkg. | lbs. |
| 73912 | 00   | 70 | 1    | .29  |
| 73913 | 0    | 70 | 1    | .29  |
| 73914 | 1    | 70 | 1    | .29  |
| 73915 | 2    | 70 | 1    | .37  |
| 73916 | 3    | 70 | 1    | .41  |



#### 741 Phillips Power Bits 1/4" Hex Drive, Length 3.5"/90mm

| Item  | +    | —  | —    | ↵    |
|-------|------|----|------|------|
| No.   | Size | mm | pkg. | lbs. |
| 74104 | 00   | 90 | 1    | .32  |
| 74107 | 0    | 90 | 1    | .32  |
| 74109 | 1    | 90 | 1    | .34  |
| 74118 | 2    | 90 | 1    | .47  |
| 74130 | 3    | 90 | 1    | .53  |



#### 741 Phillips Power Bits 1/4" Hex Drive, Length 4.33"/110mm

| Item  | +    | —   | —    | ↵    |
|-------|------|-----|------|------|
| No.   | Size | mm  | pkg. | lbs. |
| 74111 | 1    | 110 | 1    | .40  |
| 74121 | 2    | 110 | 1    | .56  |
| 74131 | 3    | 110 | 1    | .65  |



#### 741 Phillips Power Bits 1/4" Hex Drive, Length 127mm/5"


| Item  | +    | —   | —    | ↵    |
|-------|------|-----|------|------|
| No.   | Size | mm  | pkg. | lbs. |
| 74113 | 1    | 127 | 1    | .04  |
| 74123 | 2    | 127 | 1    | .06  |
| 74133 | 3    | 127 | 1    | .07  |



#### 741 Phillips Power Bits 1/4" Hex Drive, Length 150mm/5.9"

| Item  | +    | —   | —    | ↵    |
|-------|------|-----|------|------|
| No.   | Size | mm  | pkg. | lbs. |
| 74116 | 1    | 150 | 1    | .05  |
| 74126 | 2    | 150 | 1    | .07  |
| 74136 | 3    | 150 | 1    | .09  |

### Wiha PokitPak Bit Set



#### 71198 PokitPak - Slotted & Phillips Insert Bits In Molded Case -

↵ Set Includes 6 - 1/4" Insert Bits & lbs. Magnetic Bit Holder

.16 Ⓛ Slotted: 4.5, 6.0mm

⊕ Phillips: 0, 1, 2, 3

## Wiha Phillips Power Bit Packs



### 743 Slotted & Phillips Double

End Bits. 1/4" Hex Drive, Length 2.36"/60mm

| Item  | Icons                |
|-------|----------------------|
| No.   | mm Size mm pkg. lbs. |
| 74303 | 4.5 x 1 60 10 .22    |
| 74306 | 5.5 x 2 60 10 .30    |



2 bit pack

### 714 Phillips Double End

Power Bit Packs, 60mm OAL

| Item  | Icons             |
|-------|-------------------|
| No.   | Size Size mm lbs. |
| 71464 | 1 + 1 60 .07      |
| 71465 | 2 + 2 60 .07      |
| 71466 | 3 + 3 60 .07      |



2 bit pack

### 743 Slotted/Phillips Double

End Power Bit Packs, 60mm OAL

| Item  | Icons           |
|-------|-----------------|
| No.   | mm Size mm lbs. |
| 74304 | 4.5 + 1 60 .07  |
| 74308 | 5.5 + 2 60 .07  |
| 74310 | 7.0 + 3 60 .07  |

## Terminal Block Xeno Bits



10 bit pack



### 714 Xeno Combination Terminal Block

Power Bits. 1/4" Hex Drive, OAL 2.0"/50mm

| Item  | Icons             |
|-------|-------------------|
| No.   | Size mm pkg. lbs. |
| 71452 | 1 50 10 .24       |
| 71453 | 2 50 10 .25       |

2 bit pack



### 714 Xeno Combination Terminal Block

Power Bit Packs, 2" CVM S2 modified tool steel

| Item  | Icons        |
|-------|--------------|
| No.   | Size mm lbs. |
| 71455 | 1 50 .06     |
| 71456 | 2 50 .06     |

## Wiha Phillips Power Blades & Power Blade Holder



### 760 Phillips Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

| Item  | Icons          |
|-------|----------------|
| No.   | Size lbs. pkg. |
| 76041 | 0 .01 1        |
| 76042 | 1 .02 1        |
| 76043 | 2 .03 1        |
| 76044 | 3 .04 1        |



### 76094 4 Piece Phillips Blade Set

| Item  | Icons | Set includes:       |
|-------|-------|---------------------|
| No.   | lbs.  | Phillips: #0, 1, 2, |
| 76094 | .17   | 3 x 90mm            |



### 76000 CentroFix Cushion Grip Blade Holder

Wiha-SoftFinish® impact resistant, with roll off protection. Ergonomic cushion grip handle. Quick release bit holder with magnet.

| Item  | Icons                     |
|-------|---------------------------|
| No.   | mm mm Inch mm Inch lbs.   |
| 76000 | 6.0 149 5.9 34.6 1.36 .26 |

# Hex Bits

*The ideal multi-purpose bits for all around quality & performance*


Made by Wiha - Production Quality

Impact resistant modified CVM, tool steel, hardened

Suitable for all applications for both manual and machine  
Hardness HRC 59-61



Highly resistant to wear and tear for a long tool life



## Hex Inch & Metric Insert Bits

2 bit pack



### 713 Hex Inch Insert Bit Packs, 1"

CVM S2 modified tool steel.

| Item  |      |    |      |  |
|-------|------|----|------|--|
| No.   | Inch | mm | lbs. |  |
| 71359 | .050 | 25 | .03  |  |
| 71360 | 1/16 | 25 | .03  |  |
| 71361 | 5/64 | 25 | .03  |  |
| 71362 | 3/32 | 25 | .03  |  |
| 71363 | 7/64 | 25 | .03  |  |
| 71364 | 1/8  | 25 | .03  |  |
| 71365 | 9/64 | 25 | .03  |  |
| 71366 | 5/32 | 25 | .04  |  |
| 71367 | 3/16 | 25 | .04  |  |
| 71368 | 7/32 | 25 | .04  |  |
| 71369 | 1/4  | 25 | .04  |  |
| 71373 | 5/16 | 25 | .05  |  |
| 71387 | 3/8  | 25 | .06  |  |

### 733 Hex Metric Insert Bit Packs, 1"

CVM S2 modified tool steel.

| Item  |      |    |      |  |
|-------|------|----|------|--|
| No.   | mm   | mm | lbs. |  |
| 73302 | 2.0  | 25 | .03  |  |
| 73303 | 2.5  | 25 | .03  |  |
| 73304 | 3.0  | 25 | .03  |  |
| 73305 | 4.0  | 25 | .03  |  |
| 73306 | 5.0  | 25 | .03  |  |
| 73307 | 6.0  | 25 | .04  |  |
| 73308 | 8.0  | 25 | .05  |  |
| 73309 | 10.0 | 25 | .06  |  |

## Wiha Hex Inch & Metric Insert Bits



10 bit pack

### 713 Hex Inch Insert Bits, 1/4"

| Item  |      |    |      |      |
|-------|------|----|------|------|
| No.   | Inch | mm | pkg. | lbs. |
| 71329 | .050 | 25 | 10   | .12  |
| 71326 | 1/16 | 25 | 10   | .12  |
| 71328 | 5/64 | 25 | 10   | .12  |
| 71330 | 3/32 | 25 | 10   | .12  |
| 71333 | 7/64 | 25 | 10   | .12  |
| 71336 | 1/8  | 25 | 10   | .12  |
| 71339 | 9/64 | 25 | 10   | .12  |
| 71342 | 5/32 | 25 | 10   | .12  |
| 71345 | 3/16 | 25 | 10   | .13  |
| 71348 | 7/32 | 25 | 10   | .13  |
| 71351 | 1/4  | 25 | 10   | .13  |
| 71353 | 5/16 | 25 | 10   | .20  |
| 71356 | 3/8  | 25 | 10   | .25  |

### 725 Hex Inch Insert Contractor Grade, 1/4"

| Item  |      |    |       |      |
|-------|------|----|-------|------|
| No.   | Size | mm | pkg.  | lbs. |
| 72502 | 1/16 | 25 | 30 pc | .85  |
| 72503 | 5/64 | 25 | 30 pc | .85  |
| 72504 | 3/32 | 25 | 30 pc | .85  |
| 72506 | 7/64 | 25 | 30 pc | .85  |
| 72507 | 1/8  | 25 | 30 pc | .85  |
| 72508 | 9/64 | 25 | 30 pc | .85  |
| 72509 | 5/32 | 25 | 30 pc | .85  |
| 72511 | 3/16 | 25 | 30 pc | .85  |
| 72512 | 7/32 | 25 | 30 pc | .85  |
| 72513 | 1/4  | 25 | 30 pc | .85  |



### 713 Hex Metric Insert Bits, 1/4"

| Item  |      |    |      |      |
|-------|------|----|------|------|
| No.   | mm   | mm | pkg. | lbs. |
| 71303 | 1.5  | 25 | 10   | .12  |
| 71306 | 2.0  | 25 | 10   | .12  |
| 71308 | 2.5  | 25 | 10   | .12  |
| 71309 | 3.0  | 25 | 10   | .12  |
| 71312 | 4.0  | 25 | 10   | .12  |
| 71315 | 5.0  | 25 | 10   | .14  |
| 71318 | 6.0  | 25 | 10   | .14  |
| 71321 | 8.0  | 25 | 10   | .20  |
| 71324 | 10.0 | 25 | 10   | .27  |

### 725 Hex Metric Insert Contractor Grade, 1/4"

| Item  |      |    |       |      |
|-------|------|----|-------|------|
| No.   | Size | mm | pkg.  | lbs. |
| 72582 | 2.0  | 25 | 30 pc | .85  |
| 72583 | 2.5  | 25 | 30 pc | .85  |
| 72584 | 3.0  | 25 | 30 pc | .85  |
| 72585 | 4.0  | 25 | 30 pc | .85  |
| 72586 | 5.0  | 25 | 30 pc | .85  |
| 72587 | 6.0  | 25 | 30 pc | .85  |



### 71397 Hex Metric Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

71397 Set includes the following bits:

|         | Hex Metric:                  |
|---------|------------------------------|
| wt. .21 | 2.0, 2.5, 3.0, 4.0, 5.0, 6.0 |

### Hex Metric Long Insert Bit On 5/16"



### 72388 Hex Metric Bit On 5/16" Stock

| Item  |      |    |      |      |
|-------|------|----|------|------|
| No.   | mm   | mm | pkg. | lbs. |
| 72388 | 12.0 | 75 | 10   | .14  |



### 71396 Hex Inch Insert Bit Packs, 1"

6 pc. bit pack.

71396 Set includes the following bits:

|         | Hex Inch:                                       |
|---------|---|
| wt. .13 | 1/16, 3/32, 1/8, 5/32<br>3/16, 1/4" x 1" (25mm) |

2 bit pack



### 777 Hex Inch Double End Insert Bit Packs, 1/4" CVM S2 modified tool steel

| Item  |              |    |    |  |
|-------|--------------|----|----|--|
| No.   | Inch         | mm |    |  |
| 77723 | 3/32 + 7/64" |    | 30 |  |
| 77724 | 1/8 + 9/64"  |    | 30 |  |
| 77725 | 5/32 + 3/16" |    | 30 |  |
| 77726 | 7/32 + 1/4"  |    | 30 |  |

### 777 Hex Metric Double End Insert Bit Packs, 1/4" CVM S2 modified tool steel

| Item  |             |    |    |  |
|-------|-------------|----|----|--|
| No.   | Metric      | mm |    |  |
| 77719 | 2.0 + 2.5mm |    | 30 |  |
| 77720 | 3.0 + 4.0mm |    | 30 |  |
| 77721 | 5.0 + 6.0mm |    | 30 |  |

## Wiha Hex Inch & Metric Power Bits



**743 Hex Inch Power Bits. 1/4" Hex Drive, Length 2.0"/50mm**

| Item  | No.  | Inch | mm | pkg. | lbs. |
|-------|------|------|----|------|------|
| 74311 | 3/32 | 50   | 10 | .30  |      |
| 74312 | 7/64 | 50   | 10 | .30  |      |
| 74313 | 1/8  | 50   | 10 | .30  |      |
| 74314 | 9/64 | 50   | 10 | .30  |      |
| 74315 | 5/32 | 50   | 10 | .30  |      |
| 74316 | 3/16 | 50   | 10 | .30  |      |
| 74317 | 7/32 | 50   | 10 | .30  |      |
| 74318 | 1/4  | 50   | 10 | .30  |      |




**743 Hex Inch Power Bit Packs, 2"**

| Item  | No.  | Inch | mm  | lbs. |
|-------|------|------|-----|------|
| 74381 | 3/32 | 50   | .07 |      |
| 74382 | 7/64 | 50   | .07 |      |
| 74383 | 1/8  | 50   | .07 |      |
| 74384 | 9/64 | 50   | .07 |      |
| 74385 | 5/32 | 50   | .07 |      |
| 74386 | 3/16 | 50   | .07 |      |
| 74387 | 7/32 | 50   | .07 |      |
| 74388 | 1/4  | 50   | .07 |      |



**743 Hex Metric Power Bits. 1/4" Hex Drive, Length 2.0"/50mm**

| Item  | No. | mm | mm | pkg. | lbs. |
|-------|-----|----|----|------|------|
| 74325 | 2.5 | 50 | 10 | .25  |      |
| 74330 | 3.0 | 50 | 10 | .25  |      |
| 74340 | 4.0 | 50 | 10 | .25  |      |
| 74350 | 5.0 | 50 | 10 | .25  |      |
| 74360 | 6.0 | 50 | 10 | .25  |      |
| 74380 | 8.0 | 50 | 10 | .38  |      |



**743 Hex Metric Power Bit Packs, 2"**

| Item  | No. | mm | mm  | lbs. |
|-------|-----|----|-----|------|
| 74361 | 2.5 | 50 | .07 |      |
| 74362 | 3.0 | 50 | .07 |      |
| 74363 | 4.0 | 50 | .07 |      |
| 74364 | 5.0 | 50 | .07 |      |
| 74365 | 6.0 | 50 | .07 |      |
| 74366 | 8.0 | 50 | .09 |      |



**743 Hex Inch Power Bits 1/4" Hex Drive, Length 2.75"/70mm**

| Item  | No.  | Inch | mm | pkg. | lbs. |
|-------|------|------|----|------|------|
| 74343 | 7/64 | 70   | 10 | .36  |      |
| 74344 | 1/8  | 70   | 10 | .36  |      |
| 74345 | 9/64 | 70   | 10 | .36  |      |
| 74346 | 5/32 | 70   | 10 | .36  |      |
| 74348 | 7/32 | 70   | 10 | .36  |      |
| 74349 | 1/4  | 70   | 10 | .36  |      |



**739 Hex Inch Power Bits 1/4" Hex Drive, Length 2.75"/70mm**

| Item  | No.  | Inch | mm | pkg. | lbs. |
|-------|------|------|----|------|------|
| 73920 | 7/64 | 70   | 1  | .36  |      |
| 73921 | 1/8  | 70   | 1  | .36  |      |
| 73922 | 9/64 | 70   | 1  | .36  |      |
| 73923 | 5/32 | 70   | 1  | .36  |      |
| 73924 | 3/16 | 70   | 1  | .36  |      |
| 73925 | 7/32 | 70   | 1  | .36  |      |
| 73926 | 1/4  | 70   | 1  | .36  |      |



**743 Hex Metric Power Bits 1/4" Hex Drive, Length 2.75"/70mm**

| Item  | No. | mm | mm | pkg. | lbs. |
|-------|-----|----|----|------|------|
| 74351 | 2.0 | 70 | 10 | .36  |      |
| 74352 | 2.5 | 70 | 10 | .36  |      |
| 74353 | 3.0 | 70 | 10 | .36  |      |
| 74354 | 4.0 | 70 | 10 | .36  |      |
| 74355 | 5.0 | 70 | 10 | .36  |      |
| 74356 | 6.0 | 70 | 10 | .36  |      |
| 74357 | 8.0 | 70 | 10 | .36  |      |



**739 Hex Metric Power Bits 1/4" Hex Drive, Length 2.75"/70mm**

| Item  | No. | mm | mm | pkg. | lbs. |
|-------|-----|----|----|------|------|
| 73928 | 2.0 | 70 | 1  | .36  |      |
| 73929 | 2.5 | 70 | 1  | .36  |      |
| 73930 | 3.0 | 70 | 1  | .36  |      |
| 73931 | 4.0 | 70 | 1  | .36  |      |
| 73932 | 5.0 | 70 | 1  | .36  |      |
| 73933 | 6.0 | 70 | 1  | .36  |      |
| 73934 | 8.0 | 70 | 1  | .36  |      |



**743 Hex Metric Power Bits 1/4" Hex Drive, Length 3.5"/90mm**

| Item  | No. | mm | mm | pkg. | lbs. |
|-------|-----|----|----|------|------|
| 74332 | 2.0 | 90 | 1  | .40  |      |
| 74333 | 2.5 | 90 | 1  | .40  |      |
| 74334 | 3.0 | 90 | 1  | .40  |      |
| 74335 | 4.0 | 90 | 1  | .40  |      |
| 74336 | 5.0 | 90 | 1  | .40  |      |
| 74337 | 6.0 | 90 | 1  | .40  |      |

## Wiha Ball End Hex Inch Insert Bits



**717 Ball End Hex Inch Insert Bits, 1/4"**

| Item  | No.  | Inch | mm | pkg. | lbs. |
|-------|------|------|----|------|------|
| 71701 | 3/32 | 25   | 10 | .12  |      |
| 71702 | 7/64 | 25   | 10 | .12  |      |
| 71703 | 1/8  | 25   | 10 | .12  |      |
| 71704 | 9/64 | 25   | 10 | .12  |      |
| 71705 | 5/32 | 25   | 10 | .12  |      |
| 71706 | 3/16 | 25   | 10 | .13  |      |
| 71707 | 7/32 | 25   | 10 | .14  |      |
| 71708 | 1/4  | 25   | 10 | .15  |      |



**717 Ball End Hex Inch Insert Bit Packs, 1"**

| Item  | No.  | Inch | mm  | lbs. |
|-------|------|------|-----|------|
| 71711 | 3/32 | 25   | .03 |      |
| 71712 | 7/64 | 25   | .03 |      |
| 71713 | 1/8  | 25   | .03 |      |
| 71714 | 9/64 | 25   | .03 |      |
| 71715 | 5/32 | 25   | .04 |      |
| 71716 | 3/16 | 25   | .04 |      |
| 71717 | 7/32 | 25   | .04 |      |
| 71718 | 1/4  | 25   | .04 |      |








**717 Ball End Hex Metric Insert Bits 1/4" Hex Drive, Length 1.5"/38mm**

| Item  | No. | mm | mm | pkg. |
|-------|-----|----|----|------|
| 71719 | 1.5 | 38 | 2  |      |
| 71720 | 2.0 | 38 | 2  |      |
| 71721 | 2.5 | 38 | 2  |      |
| 71722 | 3.0 | 38 | 2  |      |
| 71723 | 4.0 | 38 | 2  |      |
| 71724 | 5.0 | 38 | 2  |      |
| 71725 | 6.0 | 38 | 2  |      |

**Wiha Security Hex Insert Bits**







**719 Security Hex Inch Insert Bits, 1/4"**

| Item  |  |  |  |  |  |
|-------|---|---|---|---|---|
| No.   | Inch  | mm  | pkg.  | lbs.  |   |
| 71930 | 5/64  | 25  | 10  | .12   |   |
| 71932 | 3/32  | 25  | 10  | .12   |   |
| 71934 | 7/64  | 25  | 10  | .12   |   |
| 71936 | 1/8   | 25  | 10  | .12   |   |
| 71938 | 9/64  | 25  | 10  | .12   |   |
| 71940 | 5/32  | 25  | 10  | .12   |   |
| 71955 | 3/16  | 25  | 10  | .13   |   |
| 71956 | 7/32  | 25  | 10  | .14   |   |
| 71960 | 1/4   | 25  | 10  | .15   |   |








**719 Security Hex Inch Insert Bit Packs, 1"**


CVM S2 modified tool steel.

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Inch  | mm  | lbs.  |   |
| 71970 | 5/64  | 25  | .03   |   |
| 71971 | 3/32  | 25  | .03   |   |
| 71972 | 7/64  | 25  | .03   |   |
| 71973 | 1/8   | 25  | .03   |   |
| 71974 | 9/64  | 25  | .03   |   |
| 71975 | 5/32  | 25  | .03   |   |
| 71976 | 3/16  | 25  | .04   |   |
| 71977 | 7/32  | 25  | .04   |   |
| 71978 | 1/4   | 25  | .04   |   |







**719 Security Hex Metric Insert Bits, 1/4"**

| Item  |  |  |  |  |  |
|-------|---|---|---|---|---|
| No.   | mm  | mm  | pkg.  | lbs.  |   |
| 71939 | 2.0   | 25  | 10  | .12   |   |
| 71941 | 2.5   | 25  | 10  | .12   |   |
| 71942 | 3.0   | 25  | 10  | .12   |   |
| 71943 | 4.0   | 25  | 10  | .12   |   |
| 71944 | 5.0   | 25  | 10  | .15   |   |
| 71945 | 6.0   | 25  | 10  | .15   |   |
| 71946 | 8.0   | 25  | 10  | .20   |   |



**719 Security Hex Metric Insert Bit Packs, 1"**






CVM S2 modified tool steel.

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | mm  | mm  | lbs.  |   |
| 71979 | 2.0   | 25  | .03   |   |
| 71980 | 2.5   | 25  | .03   |   |
| 71981 | 3.0   | 25  | .03   |   |
| 71982 | 4.0   | 25  | .03   |   |
| 71983 | 5.0   | 25  | .04   |   |
| 71984 | 6.0   | 25  | .04   |   |
| 71985 | 8.0   | 25  | .05   |   |

**MagicRing Insert & Power Bits**








**713 MagicRing Metric Insert Bits, 1/4"**

| Item  |  |  |  |  |  |
|-------|---|---|---|---|---|
| No.   | mm  | mm  | pkg.  | lbs.  |   |
| 71304 | 3.0   | 25  | 1   | .01   |   |
| 71307 | 4.0   | 25  | 1   | .01   |   |
| 71310 | 5.0   | 25  | 1   | .01   |   |
| 71311 | 6.0   | 25  | 1   | .01   |   |








**743 MagicRing Metric Power Bits, 1/4"**

| Item  |  |  |  |  |  |
|-------|---|---|---|---|---|
| No.   | mm  | mm  | pkg.  | lbs.  |   |
| 74301 | 3.0   | 50  | 1   | .02   |   |
| 74305 | 4.0   | 50  | 1   | .02   |   |
| 74307 | 5.0   | 50  | 1   | .03   |   |
| 74319 | 6.0   | 50  | 1   | .03   |   |








**713 MagicRing Inch Insert Bits, 1/4"**

| Item  |  |  |  |  |  |
|-------|---|---|---|---|---|
| No.   | Inch  | mm  | pkg.  | lbs.  |   |
| 71343 | 1/8   | 25  | 1   | .01   |   |
| 71346 | 9/64  | 25  | 1   | .01   |   |
| 71349 | 5/32  | 25  | 1   | .01   |   |
| 71352 | 3/16  | 25  | 1   | .01   |   |
| 71354 | 7/32  | 25  | 1   | .01   |   |







**743 MagicRing Inch Power Bits, 1/4"**

| Item  |  |  |  |  |  |
|-------|---|---|---|---|---|
| No.   | Inch  | mm  | pkg.  | lbs.  |   |
| 74369 | 1/8   | 50  | 1   | .02   |   |
| 74371 | 9/64  | 50  | 1   | .02   |   |
| 74373 | 5/32  | 50  | 1   | .02   |   |
| 74375 | 3/16  | 50  | 1   | .03   |   |
| 74379 | 1/4   | 50  | 1   | .03   |   |


**Wiha Stainless Steel Hex Metric Insert Bits**








**701 Stainless Steel Hex MM Insert Bits, 1/4"**

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | mm  | mm  | pkg.  |   |
| 70175 | 5.0   | 25  | 1   |   |

**1/4" Ball End MagicRing Bits**








**717 MagicRing Metric Power Ball End Bits**

| Item  |  |  |  |  |  |
|-------|---|---|---|---|---|
| No.   | mm  | mm  | pkg.  | lbs.  |   |
| 71730 | 3.0   | 50  | 1   | .02   |   |
| 71740 | 4.0   | 50  | 1   | .02   |   |
| 71750 | 5.0   | 50  | 1   | .03   |   |
| 71760 | 6.0   | 50  | 1   | .03   |   |



**717 MagicRing Inch Power Ball End Bits**

| Item  |  |  |  |  |  |
|-------|---|---|---|---|---|
| No.   | Inch  | mm  | pkg.  | lbs.  |   |
| 71726 | 1/8   | 50  | 1   | .02   |   |
| 71728 | 9/64  | 50  | 1   | .02   |   |
| 71732 | 5/32  | 50  | 1   | .02   |   |
| 71734 | 3/16  | 50  | 1   | .03   |   |
| 71736 | 7/32  | 50  | 1   | .03   |   |
| 71738 | 1/4   | 50  | 1   | .03   |   |

**Screw Holding Hex Bits**



## Wiha Hex Inch & Metric Bit Sets



**79246 Bit-Selector With Hex Inch Bits Set Includes Magnetic 1/4" Bit Holder & The Following 10 Bits:** lbs. .32

**Hex Inch:** 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

**79256 Bit-Selector With Hex Metric Bits Set Includes Magnetic 1/4" Bit Holder & The Following 8 Bits:** lbs. .30

**Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm



**38058 Hex Inch SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.** lbs. .22  
**Includes the following 1/4" bits:**

**Hex Inch:** 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"



**38057 Hex Metric SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.** lbs. .21

**Includes The Following 1/4" Bits:**  
**Hex Metric:** 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm



**79446 XSelector Bit Set With Hex Inch Bits Set Includes Magnetic Bit Holder & The Following 10 Bits:** lbs. .27

**Hex Inch:** 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Bit holder stainless steel, magnetic



**38049 Hex Inch & Metric Pop-Up Bit Screwdriver Set Cushion Grip handle, multi-component. Compact storage holds 12 bits.**

**Includes The Following 1/4" Bits:**

**Hex Inch:** 5/64, 3/32, 1/8, 5/32, 3/16, 1/4"

**lbs. Hex Metric:** 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm



**74986 Power Bit Belt Pack With Inch & Metric Hex Bits Set Includes The Following 10 Bits:** lbs. .34

**Inch:** 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

**Metric:** 3.0, 4.0, 5.0, 6.0mm

## Wiha Security Hex Inch & Metric Bit Sets



**79266 Bit-Selector With Security Hex Inch Bits Set Includes Magnetic 1/4" ClicFix Bit Holder & The Following 9 Bits:**


**Security Hex Inch:**  
**lbs.** 5/64, 3/32, 7/64, 1/8, 9/64, .32 5/32, 3/16, 7/32, 1/4"



**38014 Security Hex Inch Multi-Bit Screwdriver, 6 Pc. Set With Wiha Powerhandle & CVM steel, hardened shaft.** lbs. .40


**Set includes the following 1/4" bits:**

**Security Hex:**  
3/32, 1/8, 5/32, 3/16, 7/32"



**71998 PokitPak - Security Hex Inch Insert Bits In Molded Case - Set Includes 6 - 1/4" Insert Bits** lbs. .12

**Inch Security Hex:**  
3/32, 7/64, 1/8, 9/64, 5/32, 3/16"



**71995 PokitPak - Security Hex Metric Insert Bits In Molded Case - Set Includes 6 - 1/4" Insert Bits** lbs. .21

**Metric Security Hex:**  
2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm

## Wiha Insert Bit Blister Pack



**72596 10 Pack Hex Inch Insert Bit Pack**

CVM S2 modified tool steel.

**Hex Inch:** lbs.  
1/16, 5/64, 3/32, 7/64, 1/8, .16  
9/64, 5/32, 3/16, 7/32, 1/4"



### Wiha Hex Inch & Metric Power Blades



#### 760 Hex Inch Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

| Item  |      |      |      |
|-------|------|------|------|
| No.   | Inch | lbs. | pkg. |
| 76045 | 1/16 | .01  | 1    |
| 76005 | 5/64 | .01  | 1    |
| 76006 | 3/32 | .02  | 1    |
| 76007 | 7/64 | .02  | 1    |
| 76014 | 1/8  | .03  | 1    |
| 76016 | 9/64 | .03  | 1    |
| 76017 | 5/32 | .04  | 1    |
| 76018 | 3/16 | .04  | 1    |
| 76019 | 7/32 | .05  | 1    |
| 76021 | 1/4  | .06  | 1    |

### Wiha Ball End Hex Inch & Metric Bit Sets



#### 79276 Bit-Selector With Ball End Hex Inch Bits Includes Magnetic 1/4" Bit Holder & The Following 8 Bits:

**Ball End Hex Inch:** 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



#### 38056 Ball End Hex SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.

**Set Includes The Following 1/4" Bits:** lbs. **Ball End Hex Inch:** 1/8, 9/64, 5/32, .21 3/16, 7/32, 1/4"

### Wiha MagicRing Hex Inch & Metric Bit Sets



#### 74999 Power Bit Belt Pack With Ball End Screw Holding Hex Bits

**Inch:** 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" **Metric:** 3.0, 4.0, 5.0, 6.0mm

### Wiha Security Hex Inch & Metric Power Blades



#### 760 Security Hex Metric Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

| Item  |     |      |      |
|-------|-----|------|------|
| No.   | mm  | lbs. | pkg. |
| 76001 | 2.5 | .02  | 1    |
| 76002 | 3.0 | .02  | 1    |
| 76003 | 4.0 | .03  | 1    |
| 76004 | 5.0 | .04  | 1    |



#### 760 Security Hex Inch Power Blades

| Item  |      |      |      |
|-------|------|------|------|
| No.   | Inch | lbs. | pkg. |
| 76046 | 5/64 | .01  | 1    |
| 76047 | 3/32 | .02  | 1    |
| 76048 | 7/64 | .02  | 1    |
| 76049 | 1/8  | .03  | 1    |
| 76050 | 9/64 | .03  | 1    |
| 76051 | 5/32 | .04  | 1    |
| 76052 | 3/16 | .04  | 1    |
| 76053 | 7/32 | .05  | 1    |
| 76054 | 1/4  | .06  | 1    |



#### 76090 4 Piece Security Hex Blade Set

| Item  |      |                 |  |
|-------|------|-----------------|--|
| No.   | lbs. | Metric:         |  |
| 76090 | .12  | 4.0, 5.0 x 90mm |  |



#### 76096 10 Piece Security Hex Blade Set

| Item  |      |  |  |
|-------|------|--|--|
| No.   | lbs. | Inch:                                    |  |
| 76096 | .32  | 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 90mm |  |

\*1/16" Standard Inch Hex Only

### Wiha Power Blade Holder



#### 76000 CentroFix Cushion Grip Blade Holder

Wiha-SoftFinish® impact resistant, with roll off protection. Quick release bit holder with magnet.

| Item  |     |     |      |      |      |      |  |
|-------|-----|-----|------|------|------|------|--|
| No.   | mm  | mm  | Inch | mm   | Inch | lbs. |  |
| 76000 | 6.0 | 149 | 5.9  | 34.6 | 1.36 | .26  |  |

### Wiha Square Power Blades



#### 760 Square Power Blades

| Item  |      |      |      |
|-------|------|------|------|
| No.   | Size | lbs. | pkg. |
| 76056 | 1    | .02  | 1    |
| 76057 | 2    | .03  | 1    |
| 76058 | 3    | .04  | 1    |



#### 76095 3 Piece Square Blade Set


| Item  |      |                 |  |
|-------|------|-----------------|--|
| No.   | lbs. | Square:         |  |
| 76095 | .11  | #1, 2, 3 x 90mm |  |

## Square Insert & Power Bits

### Square Bits



CVM, tool steel, hardened





 Square

Suitable for all applications for both manual & machine hardness HRC 59-61







10 bit pack

#### 718 Square Insert Bits, 1/4"

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  | lbs.  |
| 71801 | 1   | 25  | 10  | .11   |
| 71802 | 2   | 25  | 10  | .11   |
| 71803 | 3   | 25  | 10  | .11   |

#### 30 Piece Contractor Grade Bits

#### 725 Square Insert Contractor Grade, 1/4"




| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | mm  | mm  | pkg.  | lbs.  |
| 72537 | 1   | 25  | 30 pc   | .85   |
| 72538 | 2   | 25  | 30 pc   | .85   |
| 72539 | 3   | 25  | 30 pc   | .85   |

2 bit pack



#### 718 Square Insert Bit Packs, 1"

CVM S2 modified tool steel.


| Item  |  |  |  |
|-------|---|---|---|
| No.   | Size  | mm  | lbs.  |
| 71851 | 1   | 25  | .03   |
| 71852 | 2   | 25  | .03   |
| 71853 | 3   | 25  | .03   |



#### 71854 Square Insert Bit Packs, 1"

CVM S2 modified tool steel. 3 pc. bit pack



71854 Set includes the following bits:

 Square: wt. .04 1, 2, 3 x 1" (25mm)

2 bit pack






#### 777 Square Double End Insert Bit Packs, 1/4" CVM S2 modified tool steel

| Item  |  |  |
|-------|---|---|
| No.   | Size  | mm  |
| 77712 | #1 + #2   | 30  |
| 77713 | #0 + #3   | 30  |



10 bit pack

#### 748 Square Power Bits, 1/4" Hex Drive, Length 2.0"/50mm




| Item  |  |  |  |
|-------|---|---|---|
| No.   | Size  | mm  | pkg. lbs.   |
| 74813 | 1   | 50  | 10 .20  |
| 74816 | 2   | 50  | 10 .20  |
| 74819 | 3   | 50  | 10 .20  |

2 bit pack



#### 748 Square Power Bit Packs, 2"


CVM S2 modified tool steel.

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Size  | mm  | lbs.  |
| 74860 | 1   | 50  | .05   |
| 74861 | 2   | 50  | .05   |
| 74862 | 3   | 50  | .05   |



#### 74890 Square Power Bit Packs, 2" CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.


74890 Set includes the following bits:

 Square: wt. .08 1, 2, 3 x 2.0" (50mm)






#### 74895 Square Power Bit Packs, 2.0" CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

74895 Set includes the following bits:

 Square: 2 of each sizes wt. 1.2 1, 2, 3 x 2.0" (50mm)



#### 748 Square Power Bit, 1/4" Hex Drive, Length 3.5"/90mm CVM S2 modified tool steel.

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Size  | mm  | lbs.  |
| 74811 | 1   | 90  | .08   |
| 74812 | 2   | 90  | .08   |
| 74814 | 3   | 90  | .08   |


## Slotted Bits

The ideal multi-purpose bits for all around quality & performance

Made by Wiha - Production Quality

Highly resistant to wear and tear for a long tool life







Impact resistant modified CVM, tool steel, hardened

 Slotted







10 bit pack

#### 710 Slotted Insert Bits, 1/4" Hex Drive, Length 25mm/.984"

| Item  |  |  |  |  |  |  |
|-------|---|---|---|---|---|---|
| No.   | mm  | Inch  | mm  | Inch  | pkg.  |   |
| 71001 | 4.5   | .177  | 0.6   | .024  | 10  |   |
| 71004 | 5.5   | .216  | 0.8   | .030  | 10  |   |
| 71002 | 6.5   | .255  | 1.2   | .039  | 10  |   |
| 71003 | 8.0   | .315  | 1.6   | .063  | 10  |   |

#### 30 Piece Contractor Grade Bits






#### 725 Slotted Insert Contractor Grade, 1/4"

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | mm  | mm  | pkg.  | lbs.  |
| 72534 | 4.5   | 25  | 30 pc   | .85   |
| 72535 | 5.5   | 25  | 30 pc   | .85   |
| 72536 | 6.0   | 25  | 30 pc   | .85   |

2 pc. bit pack!



#### 710 Slotted Insert Bits, 1/4" Hex Drive, Length 1.54"/39mm 2 pc. Bit pack.

| Item  |  |  |  |  |  |
|-------|---|---|---|---|---|
| No.   | mm  | Inch  | mm  | Inch  | pkg.  |
| 71030 | 3.0   | .118  | 0.5   | .020  | 2   |
| 71031 | 3.5   | .139  | 0.6   | .024  | 2   |
| 71032 | 4.0   | .157  | 0.8   | .031  | 2   |
| 71035 | 6.5   | .255  | 1.2   | .047  | 2   |
| 71036 | 8.0   | .315  | 1.6   | .063  | 2   |

2 bit pack



#### 777 Slotted Double End Insert Bit Packs, 1/4" CVM S2 modified tool steel

| Item  |  |  |
|-------|---|---|
| No.   | Size  | mm  |
| 77715 | 3.0 + 4.5mm   | 30  |
| 77716 | 4.0 + 6.0mm   | 30  |
| 77717 | 5.5 + 6.5mm   | 30  |


**Wiha Slotted Insert & Power Bits**



**720 Slotted Insert Bits, 5/16" Hex Drive,**

Length 41mm

| Item  | ↕    | ↕    | ↕   | ↕    | ↕    |
|-------|------|------|-----|------|------|
| No.   | mm   | Inch | mm  | pkg. | lbs. |
| 72049 | 8.0  | .315 | 1.6 | 10   | .31  |
| 72050 | 10.0 | .393 | 1.6 | 10   | .46  |
| 72051 | 12.0 | .472 | 2.0 | 10   | .56  |



**720 Slotted Insert Bit Packs, 1"**

CVM S2 modified tool steel. 5/16" Hex Drive.

| Item  | ↕   | ↕    | ↕    | ↕  | ↕    |
|-------|-----|------|------|----|------|
| No.   | mm  | mm   | Inch | mm | lbs. |
| 72031 | 1.6 | 8.0  | .315 | 41 | .08  |
| 72039 | 1.6 | 10.0 | .393 | 41 | .10  |
| 72047 | 2.0 | 12.0 | .472 | 41 | .12  |



**740 Slotted Power Bits,**

1/4" Hex Drive, Length 2.75"/70mm

| Item  | ↕   | ↕    | ↕   | ↕    | ↕    |
|-------|-----|------|-----|------|------|
| No.   | mm  | Inch | mm  | Inch | pkg. |
| 74033 | 2.5 | .098 | 0.4 | .015 | 10   |
| 74034 | 3.0 | .118 | 0.5 | .020 | 10   |
| 74035 | 3.5 | .139 | 0.6 | .024 | 10   |
| 74036 | 4.0 | .157 | 0.8 | .020 | 10   |
| 74039 | 5.5 | .216 | 1.0 | .032 | 10   |
| 74041 | 6.5 | .255 | 1.2 | .039 | 10   |



**739 Slotted Power Bits,**

1/4" Hex Drive, Length 2.75"/70mm 2 bit pack

| Item  | ↕   | ↕    | ↕   | ↕    | ↕    |
|-------|-----|------|-----|------|------|
| No.   | mm  | Inch | mm  | Inch | pkg. |
| 73905 | 2.5 | .098 | 0.4 | .015 | 1    |
| 73906 | 3.0 | .118 | 0.5 | .020 | 1    |
| 73907 | 3.5 | .139 | 0.6 | .024 | 1    |
| 73908 | 4.0 | .157 | 0.8 | .020 | 1    |
| 73909 | 5.5 | .216 | 1.0 | .032 | 1    |
| 73910 | 6.5 | .255 | 1.2 | .039 | 1    |



**710 Slotted Insert Bit Packs, 1" CVM S2**

modified tool steel.

| Item  | ↕   | ↕   | ↕    | ↕  | ↕    |
|-------|-----|-----|------|----|------|
| No.   | mm  | mm  | Inch | mm | lbs. |
| 71051 | 0.6 | 4.5 | .177 | 25 | .03  |
| 71052 | 0.8 | 5.5 | .216 | 25 | .03  |
| 71053 | 1.2 | 6.0 | .255 | 25 | .03  |
| 71054 | 1.6 | 8.0 | .315 | 25 | .03  |



**740 Slotted Power Bits, 1/4" Hex Drive,**

Length 2.0"/50mm 10pk. weight .20 lbs.

| Item  | ↕   | ↕    | ↕   | ↕    | ↕    |
|-------|-----|------|-----|------|------|
| No.   | mm  | Inch | mm  | Inch | pkg. |
| 74003 | 3.0 | .118 | 0.5 | .020 | 10   |
| 74006 | 3.5 | .139 | 0.6 | .024 | 10   |
| 74009 | 4.0 | .157 | 0.5 | .020 | 10   |
| 74010 | 4.0 | .157 | 0.8 | .030 | 10   |
| 74012 | 4.5 | .177 | 0.6 | .024 | 10   |
| 74015 | 5.5 | .216 | 0.8 | .032 | 10   |
| 74018 | 6.5 | .255 | 1.2 | .039 | 10   |
| 74021 | 8.0 | .315 | 1.2 | .039 | 10   |
| 74023 | 8.0 | .315 | 1.6 | .063 | 10   |



**740 Slotted Power Bit Packs, 2"**

CVM S2 modified tool steel.

| Item  | ↕   | ↕  | ↕    |
|-------|-----|----|------|
| No.   | mm  | mm | lbs. |
| 74061 | 3.0 | 50 | .05  |
| 74062 | 3.5 | 50 | .05  |
| 74063 | 4.0 | 50 | .05  |
| 74064 | 4.0 | 50 | .05  |
| 74065 | 4.5 | 50 | .05  |
| 74066 | 5.5 | 50 | .05  |
| 74067 | 6.5 | 50 | .06  |
| 74068 | 8.0 | 50 | .08  |
| 74069 | 8.0 | 50 | .08  |




**74050 Slotted Power Bit Packs, 2" CVM**

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

**74050 Set includes the following bits:**

| ↕       | ↕                  | ↕      | ↕ |
|---------|--------------------|--------|---|
| wt. .08 | 4.5, 5.5, 6.5 x 2" | (50mm) |   |



**743 Slotted and Phillips Double End Bits, 1/4" Hex Drive, Length 2.36"/60mm**

| Item  | ↕       | ↕    | ↕  | ↕    | ↕    |
|-------|---------|------|----|------|------|
| No.   | mm      | Size | mm | pkg. | lbs. |
| 74303 | 4.5 x 1 | 60   | 10 | .22  |      |
| 74306 | 5.5 x 2 | 60   | 10 | .30  |      |

**Wiha Slotted Power Blades**



**760 Slotted Power Blades**

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

| Item  | ↕   | ↕    | ↕    |
|-------|-----|------|------|
| No.   | mm  | lbs. | pkg. |
| 76035 | 2.5 | .02  | 1    |
| 76036 | 3.0 | .02  | 1    |
| 76037 | 4.5 | .03  | 1    |
| 76038 | 5.5 | .03  | 1    |
| 76039 | 6.0 | .04  | 1    |



**76093 5 Piece Slotted Blade Set**

| Item  | ↕    | ↕                                | ↕             |
|-------|------|----------------------------------|---------------|
| No.   | lbs. | Slotted:                         | Set includes: |
| 76093 | .16  | 2.5, 3.0, 4.5, 5.5, 6.0mm x 90mm |               |

## Pozidriv® Bits

The ideal multi-purpose tools to meet production requirements for both quality and performance

Impact resistant modified CVM, tool steel, hardened



 Pozidriv®





Suitable for all applications for both manual and machine  
Hardness HRC 59-61

### PoziDriv® Insert & Power Bits



10 bit pack





#### 712 Pozidriv® Insert Bits, 1/4"

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  | lbs.  |
| 71200 | 0   | 25  | 10  | .10   |
| 71201 | 1   | 25  | 10  | .10   |
| 71202 | 2   | 25  | 10  | .10   |
| 71203 | 3   | 25  | 10  | .10   |



10 bit pack

#### 742 Pozidriv® Power Bits. 1/4" Hex Drive, Length 2.0"/50mm




| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  | lbs.  |
| 74203 | 1   | 50  | 10  | .24   |
| 74212 | 2   | 50  | 10  | .25   |
| 74221 | 3   | 50  | 10  | .26   |



2 bit pack

#### 712 Pozidriv® Insert Bit Packs, 1"

CVM S2 modified tool steel.




| Item  |  |  |  |
|-------|---|---|---|
| No.   | Size  | mm  | lbs.  |
| 71250 | 0   | 25  | .03   |
| 71251 | 1   | 25  | .03   |
| 71252 | 2   | 25  | .03   |
| 71253 | 3   | 25  | .04   |



2 bit pack

#### 742 Pozidriv® Power Bit Packs, 2"

CVM S2 modified tool steel.


| Item  |  |  |  |
|-------|---|---|---|
| No.   | Size  | mm  | lbs.  |
| 74261 | 1   | 50  | .06   |
| 74262 | 2   | 50  | .06   |
| 74263 | 3   | 50  | .07   |



#### 71254 Pozidriv® Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

71254 Set includes the following bits:


 Pozidriv®:  
wt. .04 1, 2, 3 x 1" (25mm)



2 bit pack




#### 777 Pozidriv® Double End Insert Bit Packs, 1/4" CVM S2 modified tool steel

| Item  |  |  |
|-------|---|---|
| No.   | Size  | mm  |
| 77710 | #1 + #2   | 30  |



10 bit pack




#### 742 Pozidriv® Power Bits. 1/4" Hex Drive, Length 2.75"/70mm

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Size  | mm  | pkg.  |
| 74201 | 0   | 70  | 10  |
| 74205 | 1   | 70  | 10  |
| 74214 | 2   | 70  | 10  |







2 bit pack

#### 739 Pozidriv® Power Bits. 1/4" Hex Drive, Length 2.75"/70mm 2 bit pack

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Size  | mm  | pkg.  |
| 73901 | 0   | 70  | 1   |
| 73902 | 1   | 70  | 1   |
| 73903 | 2   | 70  | 1   |







#### 742 Pozidriv® Power Bits. 1/4" Hex Drive, Length 3.5"/90mm Single Pack

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  | lbs.  |
| 74231 | 1   | 90  | 1   | .03   |
| 74232 | 2   | 90  | 1   | .04   |
| 74233 | 3   | 90  | 1   | .05   |



10 bit pack

#### 742 Pozidriv® Power Bits. 1/4" Hex Drive, Length 3.5"/90mm 10 Bit Pack




| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  | lbs.  |
| 74236 | 1   | 90  | 10  | .34   |
| 74237 | 2   | 90  | 10  | .46   |
| 74238 | 3   | 90  | 10  | .53   |

### Wiha Pozidriv® Power Blades




#### 760 Pozidriv® Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Size  | lbs.  | pkg.  |
| 76011 | 1   | .03   | 1   |
| 76012 | 2   | .04   | 1   |
| 76013 | 3   | .04   | 1   |




#### 76091 3 Piece Pozidriv® Blade Set

| Item  |  | Set includes:     |
|-------|---|-------------------|
| No.   | lbs.  | Pozidriv®: #1, 2, |
| 76091 | .12   | 3 x 90mm          |

# Specialty

Highly resistant to wear and tear for a long tool life







 Tri-Wing

## Tri-Wing Bits






### 719 Triwing Insert Bits, 1/4\"/>

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  | lbs.  |
| 71900 | 0   | 25  | 10  | .10   |
| 71901 | 1   | 25  | 10  | .10   |
| 71902 | 2   | 25  | 10  | .10   |
| 71903 | 3   | 25  | 10  | .10   |
| 71904 | 4   | 25  | 10  | .13   |



### 719 Tri-Wing Insert Bit Packs, 1\"/>


| Item  |  |  |  |
|-------|---|---|---|
| No.   | Size  | mm  | lbs.  |
| 71949 | 0   | 25  | .03   |
| 71950 | 1   | 25  | .03   |
| 71951 | 2   | 25  | .03   |
| 71952 | 3   | 25  | .03   |
| 71953 | 4   | 25  | .03   |
| 71913 | 5   | 25  | .04   |



### 71954 Tri-Wing Insert Bit Packs, 1\"/>

6 pc. bit pack.

**71954 Set includes the following bits:**

 Triwing: 0, 1, 2, wt. .07 3, 4, 5 x 1" (25mm)

# Bits







 Torq Set

Suitable for all applications for both manual & machine Hardness HRC 59-61

10 bit pack






### 749 Tri-Wing Power Bits, 1/4\"/>

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  | lbs.  |
| 74901 | 3   | 50  | 10  | .24   |
| 74903 | 5   | 50  | 10  | .24   |
| 74904 | 6   | 50  | 10  | .46   |

2 bit pack



### 749 Tri-Wing Power Bit Packs, 2\"/>




| Item  |  |  |  |
|-------|---|---|---|
| No.   | Size  | mm  | lbs.  |
| 74961 | 4   | 50  | .06   |
| 74962 | 5   | 50  | .06   |
| 74963 | 6   | 50  | .10   |

## Wiha Tri-Wing Power Blades






### 760 Tri-Wing Power Blades

S2 modified tool steel. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Size  | lbs.  | pkg.  |
| 76031 | 1   | .02   | 1   |
| 76032 | 2   | .02   | 1   |
| 76033 | 3   | .03   | 1   |
| 76034 | 4   | .04   | 1   |







### 76088 4 Piece Tri-Wing Blade Set

| Item  |  |  |  | Set includes: |
|-------|---|---|---|---------------|
| No.   | lbs.  | Tri-Wing: #1, 2,  |   |               |
| 76088 | .16   | 3, 4 x 90mm   |   |               |

## Torq Set Bits







### 719 Torq Set Insert Bits, 1/4\"/>

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  | lbs.  |
| 71921 | 0   | 25  | 10  | .10   |
| 71922 | 1   | 25  | 10  | .10   |
| 71923 | 2   | 25  | 10  | .10   |
| 71924 | 3   | 25  | 10  | .10   |
| 71907 | 4   | 25  | 10  | .10   |
| 71909 | 5   | 25  | 10  | .10   |
| 71906 | 6   | 25  | 10  | .10   |
| 71908 | 8   | 25  | 10  | .13   |
| 71910 | 10  | 25  | 10  | .13   |






### 749 Torq Set Power Bits, 1/4\"/>

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  | lbs.  |
| 74911 | 4   | 50  | 10  | .03   |
| 74912 | 5   | 50  | 10  | .03   |
| 74913 | 6   | 50  | 10  | .03   |
| 74914 | 8   | 50  | 10  | .04   |
| 74915 | 10  | 50  | 10  | .04   |



### 719 Torq Set Insert Bit Packs, 1\"/>




CVM S2 modified tool steel.

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Size  | mm  | lbs.  |
| 71911 | 4   | 25  | .03   |
| 71912 | 5   | 25  | .03   |
| 71957 | 6   | 25  | .03   |
| 71958 | 8   | 25  | .04   |
| 71959 | 10  | 25  | .04   |



### 749 Torq Set Power Bit Packs, 2\"/>

CVM S2 modified tool steel.

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Size  | mm  | lbs.  |
| 74964 | 4   | 50  | .06   |
| 74965 | 5   | 50  | .06   |
| 74966 | 6   | 50  | .06   |
| 74967 | 8   | 50  | .07   |
| 74968 | 10  | 50  | .07   |

## Specialty Bits

Highly resistant to wear & tear for a long tool life

 Spanner

Suitable for all applications for both manual and machine  
Hardness HRC 59-61







### Spanner Bits



10 bit pack

#### 719 Spanner Insert Bits, 1/4"





| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  | lbs.  |
| 71914 | 4   | 25  | 10  | .11   |
| 71916 | 6   | 25  | 10  | .12   |
| 71918 | 8   | 25  | 10  | .12   |
| 71920 | 10  | 25  | 10  | .12   |



2 bit pack

#### 719 Spanner Insert Bit Packs, 1"

CVM S2 modified tool steel.




| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | lbs.  |   |
| 71963 | 4   | 25  | .03   |   |
| 71964 | 6   | 25  | .03   |   |
| 71965 | 8   | 25  | .04   |   |
| 71966 | 10  | 25  | .04   |   |

### Wiha Spanner Power Blades




#### 760 Spanner Power Blades

S2 modified tool steel. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Size  | lbs.  | pkg.  |
| 76022 | 6   | .03   | 1   |
| 76023 | 8   | .04   | 1   |
| 76024 | 10  | .04   | 1   |



#### 76089 3 Piece Spanner Blade Set

| Item  |  | Set includes:   |
|-------|---|-----------------|
| No.   | lbs.  | Spanner: #6, 8, |
| 76089 | .12   | 10 x 90mm       |

### XZN Insert Bits


## Specialty Bits

Suitable for all applications for both manual and machine Hardness HRC 59-61

Highly resistant to wear and tear for a long tool life







Impact resistant modified CVM, tool steel, hardened

 Triple Square







2 bit pack

#### 701 XZN Insert Bits, 1/4"

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  | lbs.  |
| 70143 | M3  | 25  | 2   | .04   |
| 70144 | M4  | 25  | 2   | .04   |
| 70145 | M5  | 25  | 2   | .04   |
| 70146 | M6  | 25  | 2   | .04   |
| 70147 | M8  | 25  | 2   | .04   |



#### 355 XZN Triple Square L-key

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  | lbs.  |
| 35512 | M12   | 124   | 1   | .02   |
| 35516 | M16   | 156   | 1   | .07   |

### Countersink & Drill Bits




High quality HSS steel, ground with radial relief. Universal application in metal, plastic and wood. Guarantees outstanding chip removal, chatter free operation & smooth surface finish.

### 90° Countersink Bit - 1/4" Shank



#### 786 HSS 1/4" Drive Countersinks

High quality HSS steel, ground with radial relief. 1/4" Hex shank according to DIN 3126 C 6.3.




| Item  |  |  |  |      |      |     |
|-------|---|---|---|------|------|-----|
| No.   | Size  | Inch  | mm  | Inch | size | pkg |
| 78615 | 6.3   | .26   | 35  | 1.38 | M3   | 1   |
| 78617 | 8.3   | .33   | 35  | 1.38 | M4   | 1   |
| 78619 | 10.4  | .41   | 35  | 1.38 | M5   | 1   |
| 78621 | 12.4  | .49   | 35  | 1.38 | M6   | 1   |
| 78622 | 16.5  | .65   | 35  | 1.38 | M8   | 1   |
| 78624 | 20.5  | .81   | 35  | 1.38 | M10  | 1   |

### 1/4" Shank High Speed Drill Bits



#### 780 1/4" Shank Stubby High Speed Drill Bits

DIN 3126 C 6.3.






| Item  |  |  |  |      |
|-------|---|---|---|------|
| No.   | Size  | Inch  | pkg   | lbs. |
| 78002 | 1/16  | 1.26  | 1   | .02  |
| 78005 | 3/32  | 1.41  | 1   | .02  |
| 78008 | 1/8   | 1.57  | 1   | .02  |
| 78011 | 5/32  | 1.73  | 1   | .03  |
| 78015 | 3/16  | 1.97  | 1   | .03  |
| 78018 | 1/4   | 1.97  | 1   | .03  |

### High Precision Tool Holder For Countersinks & Drill Bits



Quick release tool holder for Drills, Countersinks & Power bits

#### 71480 CentroFix Bit Holder

| Item  |  |  |  |  |  |
|-------|---|---|---|---|---|
| No.   | Size  | Size  | mm  | Inch  | lbs.  |
| 71480 | 1/4"  | 1/4"  | 60  | 2.3   | .09   |


**Dura Torsion Insert and Power Bits**

**Carbide Coated**





*Positive location in the screw head with decrease of:*

- necessary pressure forces
- working time
- costs
- wear & tear of bits & screw heads
- anti-cam-out effect

With the Dura bit Wiha has again proved it's power of innovation. The extra hard, elastic Quattro Torsion bit is equipped with an extremely wear resistant tungsten carbide coating that grips the screw head.








**741 Dura Phillips Power Bits**  
1/4" Hex Drive, Length 2.0"/50mm

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | lbs.  |   |
| 74141 | 1   | 50  | .04   |   |
| 74142 | 2   | 50  | .04   |   |






**710 Dura Bits, Slotted, 1/4"**

| Item  |  |  |  |  |  |
|-------|---|---|---|---|---|
| No.   | mm  | Inch  | mm  | Inch  | mm  |
| 71010 | 0.6   | .024  | 4.5   | .177  | 25  |
| 71013 | 1.2   | .039  | 6.5   | .255  | 25  |






**715 Dura Bits, TORX®, 1/4"**

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Size  | mm  | lbs.  |
| 71576 | T15   | 25  | .02   |
| 71582 | T30   | 25  | .02   |






**742 Dura Pozidriv® Power Bits**  
1/4" Hex Drive, Length 2.0"/50mm

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | lbs.  |   |
| 74241 | 1   | 50  | .04   |   |
| 74242 | 2   | 50  | .04   |   |



**711 Dura Bits, Phillips, 1/4"**

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Size  | mm  | lbs.  |
| 71112 | 2   | 25  | .02   |

**Diamond Torsion Insert and Power Bits**

Diamond bits supplement Wiha's range of high-quality special bits. When used with machines, the increased tool life of the Wiha Diamond bit reduces cost.

- High wear resistance
- Micro particle coating with sapphire and diamond contents
- Optimized torsion zone

**Reduction of:**






- pressure forces to be applied
- wear and tear of bit and screw head
- working time & costs
- Cam-out effect



*The ideal bit even for the most difficult of applications*




**710 Diamond Bits, Slotted, 1/4"**

| Item  |  |  |  |  |  |
|-------|---|---|---|---|---|
| No.   | mm  | Inch  | mm  | Inch  | mm  |
| 71020 | 4.5   | .177  | 0.6   | .024  | 25  |
| 71021 | 5.5   | .216  | 0.8   | .030  | 25  |
| 71023 | 6.5   | .255  | 1.2   | .039  | 25  |

## Wiha TiN Coated Insert/Power Bits

The abbreviation TiN stands for Titanium-Nitride, which has a hardness up to 85 HRC. This coating guarantees a high wear and tear resistance.



- Tough, hard torsion quality with very hard TiN coating
- Optimized torsion zone
- High wear resistance



### 715 TORX® TiN Coated Insert Bits, 1/4"

| Item  |      |    |      |
|-------|------|----|------|
| No.   | Size | mm | lbs. |
| 71585 | T5   | 25 | .02  |
| 71587 | T7   | 25 | .02  |
| 71564 | T15  | 25 | .02  |

TiN - Titanium Nitride




### 741 Phillips TiN Coated Power Bits 1/4" Hex Drive, Length 2.0"/50mm

| Item  |      |    |      |
|-------|------|----|------|
| No.   | Size | mm | lbs. |
| 74101 | 1    | 50 | .04  |
| 74105 | 2    | 50 | .04  |
| 74108 | 3    | 50 | .04  |

TiN - Titanium Nitride

NOTES:

## Wear Characteristics



Blank area for notes, consisting of multiple horizontal lines.









**Wiha Power Blade Sets**

Blade Holder For Power Blades






**76000 CentroFix Cushion Grip Blade Holder** Wiha-SoftFinish® impact resistant, with roll off protection. Ergonomic cushion grip handle. Quick release bit holder with magnet.

| Item         |  |  |  |  |  |  |
|--------------|---|---|---|---|---|---|
| No.          | mm  | mm  | Inch  | mm  | Inch  | lbs.  |
| <b>76000</b> | 6.0   | 149   | 5.9   | 34.6  | 1.36  | .26   |




**76079 Canvas Folding Wallet**

Holds 38 90mm power blades.

| Item         |  |  |  |
|--------------|---|---|---|
| No.          | Size  | lbs.  | pkg.  |
| <b>76079</b> | 7-1/8" x 6" x 2"  | .42   | 1   |




**76099 37 Pc. Power Blade Set, In Durable Belt Pack** Set includes cushion grip CentroFix Blade Holder & 36 interchangeable blades.

|                                     |   |      |      |
|-------------------------------------|---|------|------|
| <b>Item No. 76099</b>               |  | lbs. | 2.06 |
| <b>Slotted:</b>                     | 2.5, 3.0, 4.5, 5.5, 6.0mm   |      |      |
| <b>Phillips:</b>                    | #0, 1, 2, 3   |      |      |
| <b>Security TORX®:</b>              | T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s                                      |      |      |
| <b>Security Hex Inch:</b>           | 1/16*, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"                        |      |      |
| <b>Pozidriv®:</b>                   | #1, 2, 3 & <b>Square:</b> #1, 2, 3  |      |      |
| <b>4" Nut Setters:</b>              | 1/4, 5/16, 3/8"   |      |      |
| Cushion Grip CentroFix Blade Holder |   |      |      |
| * 1/16" Standard Inch Hex Only      |   |      |      |




**76085 9 Pc. Power Blade Nut Driver Set** 30mm deep drilled Nut drivers. Use with #76000 CentroFix Blade Holder. 100mm OAL

|                       |   |      |     |
|-----------------------|---|------|-----|
| <b>Item No. 76085</b> |  | lbs. | .96 |
| <b>Inch:</b>          | 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"                                 |      |     |




**76086 12 Pc. Power Blade Nut Driver Set** 30mm deep drilled Nut drivers. Use with #76000 CentroFix Blade Holder. 100mm OAL

|                       |   |      |      |
|-----------------------|---|------|------|
| <b>Item No. 76086</b> |  | lbs. | 1.22 |
| <b>Metric:</b>        | 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0mm                      |      |      |




**76087 61 Pc. Power Blade Service Kit, In Durable Zipper Case** Set includes Bit Holding Handle, MicroBit Storage Handle, 4mm to 1/4" Magnetic Adapter, 9 power blades, 46 bits & 3 nut setters.

|                                  |  |      |      |
|----------------------------------|--|------|------|
| <b>Item No. 76087</b>            |               | lbs. | 1.34 |
| <b>90mm Power Blades:</b>        | <b>Slotted:</b> 4.5, 5.5, 6.0mm  |      |      |
| <b>Phillips:</b>                 | #1, 2, 3 & <b>Square:</b> #1, 2, 3   |      |      |
| <b>75mm Security TORX® Bits:</b> | T10s, T15s, T20s, T25s, T27s, T30s   |      |      |
| <b>MicroBits:</b>                | <b>Phillips:</b> #000, 00, 0, 1, 2, <b>Slotted:</b> .8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm |      |      |
| <b>Hex Inch:</b>                 | .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"                                       |      |      |
| <b>Hex Metric:</b>               | 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm   |      |      |
| <b>TORX®:</b>                    | T1, T2, T3, T4, T5, T6, T7, T8, T9, T10  |      |      |
| <b>Magnetic Nut Setters:</b>     | 1/4, 5/16, 3/8"  |      |      |




**76098 36 Pc. Power Blade Set, In Durable Belt Pack** Set includes cushion grip CentroFix Blade Holder & 35 interchangeable blades.

|                                     |   |      |      |
|-------------------------------------|---|------|------|
| <b>Item No. 76098</b>               |  | lbs. | 1.86 |
| <b>Slotted:</b>                     | 2.5, 3.0, 4.5, 5.5, 6.0mm   |      |      |
| <b>Phillips:</b>                    | #0, 1, 2, 3   |      |      |
| <b>Security TORX®:</b>              | T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s                                  |      |      |
| <b>Security Hex Metric:</b>         | 2.5, 3.0, 4.0, 5.0mm  |      |      |
| <b>Pozidriv®:</b>                   | #1, 2, 3 & <b>Square:</b> #1, 2, 3  |      |      |
| <b>Spanner:</b>                     | #6, 8, 10 & <b>Tri-Wing:</b> #1, 2, 3, 4  |      |      |
| Cushion Grip CentroFix Blade Holder |   |      |      |



**76084 12 Pc. Power Blade Inch & Metric Nut Driver Set** 30mm deep drilled Nut drivers. Use with #76000 CentroFix Blade Holder. 100mm OAL

|                                     |   |      |      |
|-------------------------------------|---|------|------|
| <b>Item No. 76084</b>               |  | lbs. | 2.97 |
| <b>Inch:</b>                        | 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"                                   |      |      |
| <b>Metric:</b>                      | 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0mm                      |      |      |
| Cushion Grip CentroFix Blade Holder |   |      |      |

## CushionGrip Stubby Bit Sets



**38043 SoftFinish® Cushion Grip Stubby Bit Holder** with Wiha cushion grip handle & CVM tool steel shaft.

Set includes the following 1/4" bits:

|   |                            |      |
|---|----------------------------|------|
| ⊖ | <b>Slotted:</b> 4.5, 6.0mm | ↔    |
| ⊕ | <b>Phillips:</b> #1, #2    | lbs. |
| ⊕ | <b>Pozidriv®:</b> #1, #2   | .20  |



**38048 SoftFinish® Cushion Grip Stubby Bit Holder** with Wiha cushion grip handle & CVM tool steel shaft.

Set includes the following 1/4" bits:

|   |                            |      |
|---|----------------------------|------|
| ⊖ | <b>Slotted:</b> 4.5, 6.0mm | ↔    |
| ⊕ | <b>Phillips:</b> #1, #2    | lbs. |
| ⊖ | <b>Square:</b> #1, #2      | .20  |

### NOTES:

|  |
|--|
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |

## Wiha Cushion Grip Pop-Up Screwdriver Bit Sets



Handle Diameter 1.45"



**38032 Pop-Up Bit Screwdriver Set**  
Wiha Cushion Grip handle, multi-component. Compact storage for 12 bits in the handle. Bit holder stainless steel, magnetic. 8.25" OAL

|   |  |        |
|---|--|--------|
| ⊖ | <b>Slotted:</b> 4.5, 5.5, 6.0mm            | ↔ lbs. |
| ⊕ | <b>Phillips:</b> 1, 2, 3                   | .42    |
| ⊕ | <b>TORX®:</b> T10, T15, T20, T25, T27, T30 |        |



**38041 Pop-Up Bit Screwdriver Set**  
Wiha Cushion Grip handle, multi-component. Compact storage for 12 bits in the handle. Bit holder stainless steel, magnetic. 8.25" OAL

|   |                             |      |
|---|-----------------------------|------|
| ⊖ | <b>Slotted:</b> 4.5, 6.0mm  | ↔    |
| ⊖ | <b>Square:</b> 1, 2         | lbs. |
| ⊕ | <b>Phillips:</b> 1, 2       | .42  |
| ⊖ | <b>Hex:</b> 4.0, 5.0, 6.0mm |      |
| ⊕ | <b>TORX®:</b> T20, T25, T30 |      |



**38035 Pop-Up Bit Screwdriver Set**  
Wiha Cushion Grip handle, multi-component. Compact storage for 12 bits in the handle. Bit holder stainless steel, magnetic. 8.25" OAL

|   |                                  |      |
|---|----------------------------------|------|
| ⊖ | <b>Slotted:</b> 4.5, 5.5, 6.5mm  | lbs. |
| ⊕ | <b>Phillips:</b> 0, 1, 2         | .42  |
| ⊕ | <b>TORX®:</b> T6, T15, T20, T25  |      |
| ⊕ | <b>Security TORX®:</b> T8s, T10s |      |

## Wiha Insulated Pop-Up Insert Bit Sets



Blades High quality CV steel, through hardened

Bit holder securely holds bits in place


**1000Volt Rated**  
10,000 Volt Tested

Convenient rotating cap



**38050 Insulated Pop-Up Bit Holder Set With 1/4" Insert Bits**  
Insulated cushion grip multi-component handle. Bit holder holds 1/4" Insert bits. Convenient rotating cap.

| Item No. | Set includes the following bits:   |
|----------|--|
| 38050    | <ul style="list-style-type: none"> <li>⊖ <b>Slotted:</b> 4.5, 5.5, 6.0mm</li> <li>⊕ <b>Phillips:</b> #0, 1, 2, 3</li> <li>⊖ <b>Square:</b> #1, 2, 3</li> <li>⊕ <b>Pozidriv®:</b> #1, 2, 3</li> </ul> |
|          | ↔ lbs. .46   |



**38051 Insulated Pop-Up Bit Holder Set With 1/4" Insert Bits**  
Insulated cushion grip multi-component handle. Bit holder holds 1/4" Insert bits. Convenient rotating cap.

| Item No. | Set includes the following bits:  |
|----------|---|
| 38051    | <ul style="list-style-type: none"> <li>⊖ <b>Slotted:</b> 4.5, 5.5, 6.0mm</li> <li>⊕ <b>Phillips:</b> #0, 1, 2, 3</li> <li>⊖ <b>Square:</b> #1, 2, 3</li> <li>⊕ <b>TORX®:</b> T15, T20, T25</li> </ul> |
|          | ↔ lbs. .46  |

# 26inOne!

- Includes:
- 13 double end bits
- Locking bit holder
- Pop-up bit access
- Rugged Industrial Design
- Cushion grip handle
- Professional quality



**Twenty-Six  
Screwdrivers  
in One**

**Ultra Lite!  
Ultra Compact!  
Ultra Fast Access!  
Ultra Quality!**

## “Grab & Go Tool Box”



Tradesman



Technician's



Industrial

### 77790 Cushion Grip Ultra Driver 26inOne

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

Includes the following 1/4" double end bits:

- Slotted: 3.0+4.5, 5.5+6.5mm
- Phillips: #1+2, #0+3 lbs.
- Pozidriv®: #1+2 .45
- Square: #1+2, #0+3
- TORX®: T10+T15, T20+T25
- Hex Inch: 1/8+9/64, 5/32+3/16"
- Hex Metric: 3.0+4.0, 5.0+6.0mm

#### Tradesman Bit Reload



### 77780 13 Pc. Double End Insert Bit Reload

For the 26inOne (For #77790)

Includes the following 1/4" double end bits:

- Slotted: 3.0+4.5, 5.5+6.5mm
- Phillips: #1+2, #0+3 lbs.
- Pozidriv®: #1+2 .14
- Square: #1+2, #0+3
- TORX®: T10+T15, T20+T25
- Hex Inch: 1/8+9/64, 5/32+3/16"
- Hex Metric: 3.0+4.0, 5.0+6.0mm

### 77791 Cushion Grip Ultra Driver 26inOne

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

Includes the following 1/4" double end bits:

- Slotted: 3.0+4.5, 4.0+6.0, 5.5+6.5mm
- Phillips: #1+2, #0+3 lbs.
- Pozidriv®: #1+2 .45
- Square: #1+2, #0+3
- TORX®: T6+T7, T8+T9, T10+T15, T20+T25, T27+T30

#### Technician's Bit Reload



### 77781 13 Pc. Double End Insert Bit Reload

For the 26inOne (For #77791)

Includes the following 1/4" double end bits:

- Slotted: 3.0+4.5, 4.0+6.0, 5.5+6.5mm
- Phillips: #1+2, #0+3 lbs.
- Pozidriv®: #1+2 .14
- Square: #1+2, #0+3
- TORX®: T6+T7, T8+T9, T10+T15, T20+T25, T27+T30

### 77792 Cushion Grip Ultra Driver 26inOne

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

Includes the following 1/4" double end bits:

- Slotted: 4.0+6.0mm
- Phillips: #1+2 lbs.
- TORX®: T8+T9, T10+T15, T20+T25, T27+T30 .45
- Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16, 7/32+1/4"
- Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0mm

#### Industrial Bit Reload



### 77782 13 Pc. Double End Insert Bit Reload

For the 26inOne (For #77792)

Includes the following 1/4" double end bits:

- Slotted: 4.0+6.0mm
- Phillips: #1+2 lbs.
- TORX®: T8+T9, T10+T15, T20+T25, T27+T30 .14
- Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16, 7/32+1/4"
- Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0mm

## Ultra Driver Accessories






Fits 26inOne  
Ultra Driver



Fits 26inOne  
Ultra Driver



### 77740 Valve Stem Double End Tool,

2 Pack CVM steel, hardened.

| Item  |  |  |  |
|-------|---|---|---|
| No.   | mm  | Inch  | lbs.  |
| 77740 | 30  | 1.18  | .02   |

### 77741 1/4" Socket Adapter 1/4" Hex to 1/4"

Square Drive. CVM steel, hardened.

| Item  |  |  |  |
|-------|---|---|---|
| No.   | mm  | Inch  | lbs.  |
| 77741 | 30  | 1.18  | .01   |

## 26inOne! Ultra Driver Displays



### 30 Piece Display "Tradesman"

**97790** 30 Ultra Drivers Display

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

Item No. 97790

Tradesman 1/4" Double End Bits:

- Slotted: 3.0+4.5, 5.5+6.5mm
- ⊕ Phillips: #1+2, #0+3
- ⊕ Pozidriv®: #1+2
- Square: #1+2, #0+3
- ⊗ TORX®: T10+T15, T20+T25
- Hex Inch: 1/8+9/64, 5/32+3/16"
- Hex Metric: 3.0+4.0, 5.0+6.0mm



### 30 Piece Display "Technician's"

**97791** 30 Ultra Drivers Display

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

Item No. 97791

Technician's 1/4" Double End Bits:

- Slotted: 3.0+4.5, 4.0+6.0, 5.5+6.5mm
- ⊕ Phillips: #1+2, #0+3
- ⊕ Pozidriv®: #1+2
- Square: #1+2, #0+3
- ⊗ TORX®: T6+T7, T8+T9, T10+T15, T20+T25, T27+T30



### 30 Piece Display "Industrial"

**97792** 30 Ultra Drivers Display

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

Item No. 97792

Industrial 1/4" Double End Bits:

- Slotted: 4.0+6.0mm
- ⊕ Phillips: #1+2
- ⊗ TORX®: T8+T9, T10+T15, T20+T25, T27+T30
- Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16, 7/32+1/4"
- Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0mm



### 6 Pack "Tradesman"

**97780** 6 Pack Ultra Drivers Display Reorder

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

Item No. 97780

Tradesman 1/4" Double End Bits:

- Slotted: 3.0+4.5, 5.5+6.5mm
- ⊕ Phillips: #1+2, #0+3
- ⊕ Pozidriv®: #1+2
- Square: #1+2, #0+3
- ⊗ TORX®: T10+T15, T20+T25
- Hex Inch: 1/8+9/64, 5/32+3/16"
- Hex Metric: 3.0+4.0, 5.0+6.0mm



### 6 Pack "Technician's"

**97781** 6 Pack Ultra Drivers Display Reorder

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

Item No. 97781

Technician's 1/4" Double End Bits:

- Slotted: 3.0+4.5, 4.0+6.0, 5.5+6.5mm
- ⊕ Phillips: #1+2, #0+3
- ⊕ Pozidriv®: #1+2
- Square: #1+2, #0+3
- ⊗ TORX®: T6+T7, T8+T9, T10+T15, T20+T25, T27+T30



### 6 Pack "Industrial"

**97782** 6 Pack Ultra Drivers Display Reorder

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

Item No. 97782

Industrial 1/4" Double End Bits:

- Slotted: 4.0+6.0mm
- ⊕ Phillips: #1+2
- ⊗ TORX®: T8+T9, T10+T15, T20+T25, T27+T30
- Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16, 7/32+1/4"
- Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0mm

### Ultra Driver Bonus Pack



#### 77795 24 Piece Cushion Grip Ultra Driver 26inOne Bonus Pack

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

**Includes:**

- Slotted:** 3.0+4.5, 4.0+6.0, 5.5+6.5mm lbs.
  - Phillips:** #1+2, #0+3 .60
  - Pozidriv®:** #1+2
  - Square:** #1+2, #0+3
  - TORX®:** T6+T7, T8+T9, T10+T15, T20+T25, T27+T30
  - Hex Inch:** 3/32+7/64, 1/8+9/64, 5/32+3/16, 7/32+1/4"
  - Hex Metric:** 2.0+2.5, 3.0+4.0, 5.0+6.0mm
- 1/4" Hex to 1/4" Square Socket Adapter**
- Double End Valve Stem Tool**

### Combo Pliers & Bit Set

#### BiCut SuperCut & Ultra Driver 26inOne!



#### 77786 15 Pc. Ultra Driver & Pliers Set With BiCut SuperCut & Ultra Driver Bit Set

**Item No. 77786** lbs. 1.17

**8.0" Soft Grip Vinyl BiCut SuperCut**

For cutting various materials from soft to extremely hard. Double the power at the press of a button.

**Ultra Driver Double End Bits:**

- Slotted:** 3.0+4.5, 5.5+6.5mm
- Phillips:** #1+2, #0+3
- Pozidriv®:** #1+2
- Square:** #1+2, #0+3
- TORX®:** T10+T15, T20+T25
- Hex Inch:** 1/8+9/64, 5/32+3/16"
- Hex MM:** 3.0+4.0, 5.0+6.0mm



Cushion Grip



26 Tips on 13 Bits



Standard 1/4" Drive

Locking Bit Holder

### Security Ultra Driver



#### 77789 Security Cushion Grip Ultra Driver 26inOne

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

**Includes 1/4" double end Security bits:**

- Slotted/Phillips:** 5.5mm+#2 lbs.
- Square:** #1+#2 lbs.
- TORX®:** T8s+T9s, T10s+T15s, T20s+T25s, T27s+T30s .45
- Hex Inch:** 1/8+9/64, 5/32+3/16, 7/32+1/4"
- Hex Metric:** 3.0+4.0, 5.0+6.0mm
- Spanner:** #4+#6, #8+#10

**Security Bit Reload**

#### 77783 13 Pc. Double End Insert Bit Reload For the 26inOne (For #77789)

Includes the following 1/4" double end bits:

- Slotted/Phillips:** 5.5mm+#2 lbs.
- Square:** #1+#2 lbs.
- TORX®:** T8s+T9s, T10s+T15s, T20s+T25s, T27s+T30s .14
- Hex Inch:** 1/8+9/64, 5/32+3/16, 7/32+1/4"
- Hex Metric:** 3.0+4.0, 5.0+6.0mm
- Spanner:** #4+#6, #8+#10

**NOTES:**

---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---

### 1/4" Sockets & Bit Set

#### Tradesman Ultra Driver & 1/4" To 1/4" Sq. Drive Sockets 26inOne!



#### 77793 29 Pc. Ultra Driver & Socket Set

1/4" Sockets, Adapter & Ultra Driver Bit Set

**Item No. 77793** lbs. .92

**1/4" Square Drive Sockets**

Inch: 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 3/8"  
Metric: 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0mm

**1/4" x 1/4" Socket Adapter**

**Ultra Driver Double End Bits:**

- Slotted:** 3.0+4.5, 5.5+6.5mm
- Phillips:** #1+2, #0+3
- Pozidriv®:** #1+2
- Square:** #1+2, #0+3
- TORX®:** T10+T15, T20+T25
- Hex Inch:** 1/8+9/64, 5/32+3/16"
- Hex MM:** 3.0+4.0, 5.0+6.0mm

## Wiha Security Bits Collectors



**71990** Bits Collector with Security **TORX**<sup>®</sup>, Tri-Wing, Torq Set, Spanner, Security Hex, Slotted, Phillips, Pozidriv<sup>®</sup> and Square bits. 39 Pc. Set includes: Handle, 1/4" bit holder, 1/4" Bit holding socket adapter, storage box & the following 1/4" bits:

- ⊕ Security **TORX**<sup>®</sup>: T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
- ⊖ Security Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- ⚙ Tri-Wing: 1, 2, 3, 4
- ⊕ Torq Set: 6, 8, 10
- ⊖ Spanner: 4, 6, 8, 10
- ⊖ Slotted: 6.0, 8.0mm
- ⊕ Phillips: 1, 2
- lbs. ⊕ Pozidriv<sup>®</sup>: 0, 1, 2, 3
- 1.03 ⊖ Square: 1, 2, 3



**71991** Bits Collector with Security **TORX**<sup>®</sup>, Tri-Wing, Torq Set, Spanner, Security Hex, Slotted, Phillips, Pozidriv<sup>®</sup> and Square bits. 39 Pc. Set includes: Handle, 1/4" SlimFix bit holder & 1/4" Bit holding socket adapter, storage box & the following 1/4" bits:

- ⊕ Security **TORX**<sup>®</sup>: T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
- ⊖ Security Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- ⚙ Tri-Wing: 1, 2, 3, 4
- ⊕ Torq Set: 6, 8, 10
- ⊖ Spanner: 4, 6, 8, 10
- ⊖ Slotted: 6.5, 8.0mm
- ⊕ Phillips: 1, 2
- lbs. ⊕ Pozidriv<sup>®</sup>: 0, 1, 2, 3
- 1.04 ⊖ Square: 1, 2, 3



**71994** Bits Collector with **TORX**<sup>®</sup>, Slotted, Phillips, Pozidriv<sup>®</sup>, Square & Hex Bits. 38 Pc. Set Includes: Handle, 1/4" bit holder, storage box & the following 1/4" bits:

- ⊕ **TORX**<sup>®</sup>: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40
- ⊖ Square: 1, 2, 3 & Pozidriv<sup>®</sup>: 1, 2, 3
- ⊖ Slotted: 4.5, 5.5, 6.0mm
- ⊕ Phillips: 0, 1, 2, 3
- ⊖ Hex Metric: 2.5, 3.0, 4.0, 5.0, 6.0mm
- lbs. ⊖ Hex Inch: 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4"

## Wiha Security Bits Collector With Extra Fine 72 Tooth Ratchet



**71988** Bits Collector with Security **TORX**<sup>®</sup>, Tri-Wing, Torq Set, Spanner, Security Hex, Slotted, Phillips, Pozidriv<sup>®</sup> and Square bits. 38 Pc. Set includes: 1/4" Bit Holding Ratchet, 1/4" magnetic bit holder, storage box and 1/4" Insert bits:

- ⊕ Security **TORX**<sup>®</sup>: T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
- ⊖ Security Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- ⚙ Tri-Wing: 1, 2, 3, 4
- ⊕ Torq Set: 6, 8, 10
- ⊖ Spanner: 4, 6, 8, 10
- ⊖ Slotted: 6.5, 8.0mm
- ⊕ Phillips: 1, 2
- lbs. ⊕ Pozidriv<sup>®</sup>: 0, 1, 2, 3
- 1.02 ⊖ Square: 1, 2, 3



**71095** Bits Collector with Phillips & Hex Inch bits. 51 Piece Set Includes: 1/4" SlimFix Bit Holder, storage box and the following 1/4" bits:

- ⊕ 10 Each Phillips: 1, 2 & 5 Phillips: 3
- lbs. ⊖ 10 Each Hex Inch: 1/8, 3/16" & 5 Hex Inch: 5/32"



**71992** Bits Collector with Security 1/4" Insert bits. 29 Piece Set Includes: 1/4" Bit Holder, 1/4" Bit holding socket adapter, 1/4" Universal Magnetic Bit Holder, storage box and the following 1/4" bits:

- ⊕ Security **TORX**<sup>®</sup>: T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
- ⊖ Security Hex: 1/8, 3/32, 7/64, 9/64, 5/32, 3/16, 7/32, 1/4"
- ⚙ Tri-Wing: 4, 5 & Torq Set: 5, 8,
- lbs. ⊕ Pozidriv<sup>®</sup>: 2 & Square: 1, 2,
- .99 Spanner: 6, 8, 10

**Wiha Bit Selectors**

Compact size and easy bit selection make the Bit Selector an ideal maintenance tool



Slide out drawer allows quick bit access and secure storage



**Plastic storage box** is compact, durable and light weight

**1/4" Magnetic Adapter** fits all standard 1/4" bits

**Molded hex cavity in box end**

Magnetic adapter fits into opening so tool case can be used as a handle on quick fastening jobs

**792 Sets Bit-Selector Sets**

These handy sets include 10 hardened bits of chrome-vanadium-molybdenum steel. 1/4" magnetic bit holder can be used in power tools. Plastic storage box is compact, durable and light weight. Molded hex cavity turns box into handle for quick fastening jobs. Quick bit access with slide out drawer. Packaged in clear blister pack.



**79243 Bit-Selector With Slotted, Phillips & TORX® Bits, Includes 1/4" Bit Holder & The Following 10 Bits:** lbs. .32

- ↓ Slotted: 4.5, 5.5, 6.0mm
- ⊕ Phillips: #0, 1, 2, 3
- ⊗ TORX®: T10, T15, T20



**79248 Bit-Selector With Slotted, Phillips & Square Bits, Includes 1/4" Bit Holder & The Following 10 Bits:** lbs. .32

- ↓ Slotted: 4.5, 5.5, 6.0mm
- ⊕ Phillips: #0, 1, 2, 3
- Square: #1, 2, 3



**71090 Bit-Selector With Slotted, Phillips & Hex 1/4" Bits, Includes Universal Magnetic 1/4" Bit Holder & The Following 9 Bits:**

- ↓ Slotted: 4.5, 5.5, 6.5mm lbs.
- ⊕ Phillips: #1, 2, 3
- ⬢ Hex Inch: 1/8, 5/32, 3/16"

**Wiha XSelector & XLSelector Bit Sets**

Compact size and easy bit selection make the Wiha XSelector an ideal maintenance tool



Easy bit access with hinged cover



**XLSelector Pocket Sized** 5.3" x 3.1" x .7"  
**XSelector Pocket Sized** 3 1/8" x 2 1/8" x 1/2"

Sets include Clicfix quick release holder

These handy sets include 10 hardened bits of CVM steel. 1/4" Quick Release holder can be used in power tools. Quick bit access through integrated bit-clamp.



**79443 XSelector Bit Set With Slotted, Phillips, and TORX® Bits Set Includes 1/4" Magnetic Holder & the following 10 bits:**

- ↓ Slotted: 5.5, 6.5, 8.0mm
- ⊕ Phillips: #0, 1, 2, 3 lbs.
- ⊗ TORX®: T10, T15, T20 .27



**79499 XLSelector 1/4" Ratchet & Bit Set** Wiha 1/4" ratchet bit handle, bit holder &

15 Insert bits Includes:

- ↓ Slotted: 4.5, 5.5, 6.0mm
- ⊕ Phillips: #0, 1, 2
- ⊗ TORX®: T7, T8, T9, T10, T15, T20, T25
- Square: #1, 2
- ↶ lbs. .56




**79491 XLSelector 1/4" Ratchet & Bit Set** Wiha 1/4" ratchet bit handle, bit holder &

- 15 Insert bits Includes:
- ↓ Slotted: 4.5, 6.0mm
- ⊕ Phillips: #1, 2, 3 lbs.
- Square: #1, 2 .56
- ⊕ Pozidriv: #1, 2
- ⬢ Hex Metric: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm



**79495 XLSelector Bit Set With Slotted, Phillips, TORX®, Hex Bits, 31 Pc. Set Includes: 1/4" Magnetic Bit Holder & 30 Insert Bits:**

- ↓ Slotted: 4.5, 5.5, 6.0mm
- ⊕ Phillips: #0, 1, 2, 3
- ⊗ TORX®: T6, T7, T8, T9, T10, T15, T20, T25
- ⬢ Metric Hex: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm lbs. .62
- ⬢ Inch Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



**79490 XLSelector Security Bit Set, 31 Pc. Set Includes Universal Bit Holder-magnetic and the following 30 bits:**

- ↓ Slotted: 6.0mm
- ⊕ Phillips: #1, 2
- ⊕ Torq Set: #6, 8, 10
- ⊕ Square: #1, 2
- ⊕ Triwing: #2, 3, 4, 5
- ⊕ Pozidriv: #1, 2
- ⊕ Spanner: #4, 6, 8, 10
- ⊗ Security TORX®: T8s, T10s, T15s, T20s, T25s lbs. .64
- ⬢ Security Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"



**79493 XLSelector Security Bit Set, 31 Pc. Set Includes Universal Bit Holder-magnetic and the following 30 bits:**

- ↓ Slotted: 4.5, 5.5, 6.0mm
- ⊕ Phillips: #1, 2, 3
- Square: #1, 2
- ⊗ TORX®: T7, T8, T9, T10, T15, T20, T25
- ⬢ Hex Metric: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm
- ⬢ Hex Inch: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
- ↶ lbs. .64

## Wiha Multi-Bit Screwdrivers

### Six Tools in One!

**1/4" Magnetic Bit Holder**  
directs magnetism through the bit for powerful screw holding

**Cap snaps**  
on & off, doesn't unscrew while you're using the tool



### Chambered Bit Storage

- Turn the transparent selector to the bit you need
- No time wasted fumbling or sorting to find the right bit

**Cap rotates** eliminating palm blisters

### Allows one handed

turning & frees other hand for positioning the work piece



### Ergonomic Powerhandle

for maximum comfort & exceptional torque

## Computer Tech Bit Set

### 12 Piece 1/4" Bit Set



#### 38490 1/4" Computer Tech 12 Pc. Set

with Wiha Cushion Grip Bit Holders. CVM steel, hardened shaft.

↓ **Slotted:** 4.5, 5.5, 6.5mm

⊕ **Phillips:** #1, 2

⊛ **TORX:** T6, T15, T20

⊛ **Security TORX:** T8s, T10s

⊙ **Magnetic Bit holder** 1/4" x 125mm

⊙ **Stubby Bit Holder** 1/4" x 57mm

↪ lbs. .60

## CentroFix Security Bit Set



#### 71987 29pc Security Bit Set With CentroFix Bit Holder Handle

1/4" CRV steel, hardened shaft.

⊛ **Security TORX:** T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s

⊙ **Security Hex:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

⊕ **Tri-Wing:** #4, 5

⊕ **Torq Set:** #5, 8

⊙ **Spanner:** #6, 8, 10

⊕ **Pozidriv:** #2

⊙ **Square:** #1, 2

**CentroFix Cushion Grip Handle**

⊙ **Magnetic Bit holder** 1/4"

**Socket Adapter** 1/4"

↪ lbs. 1.18

## Wiha 1/4" Ratchet & Bit Sets

Insulated Bit Holder



#### 38006 Slotted/Phillips Multi-Bit Screwdriver

with Wiha Powerhandle and insulated shaft.

Set includes the following 1/4" bits:

↓ **Slotted:** 5.5, 6.0mm ↪ lbs.

⊕ **Phillips:** 0, 1, 2, 3 .39



#### 38033 Slotted/Phillips & ClicFix Quick Release Magnetic Bit Holder 7 Pc. Set

with Wiha Powerhandle and CVM steel, hardened shaft.

↓ **Slotted:** 6.5, 8.0mm ↪ lbs.

⊕ **Phillips:** 0, 1, 2, 3 .43



#### 74992 Ratchet Bit Set, 29 Pcs. In Canvas Pouch.

Includes Wiha 1/4" ratchet bit handle, bit holder & 27 Insert bits.

Item No. 1/4" Ratchet Bit Set

74992 Set includes the following bits:

↓ ⊕ **Slotted:** 5.5, 6.0mm/Phillips: #0, 1, 2

⊙ ⊕ **Square:** #1, 2 / Pozidriv®: #1, 2

⊛ **TORX:** T8, T9, T10, T15, T20, T25

⬢ **Hex Metric:** 2.0, 2.5, 3.0, 4.0, 5.0mm

⬢ **Hex Inch:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"

⊙ **1/4" Bit Holder**

↪ lbs. .90

In metal storage box



#### 74996 Ratchet Bit Set, 35 Pcs. Includes:

Wiha 1/4" ratchet bit handle, bit holder, Hex/Sqr. Adapter & 33 Insert bits.

Item No. 74996 1/4" Ratchet Bit Set

↓ **Slotted:** 5.5, 6.0mm

⊕ **Phillips:** #0, 1, 2, 3

⊙ **Square:** #1, 2

⊛ **TORX:** T8, T10, T15, T20, T25, T27, T30

⬢ **Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm

⬢ **Hex Inch:** 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

⊙ **1/4" Magnetic Bit Holder**

**1/4" Hex to 1/4" Square Adapter**

↪ lbs. .80



Wiha Insert Bit Blister Pack



**72593 10 Pack Slotted, Phillips & Square Insert Bit Pack** CVM S2 modified tool steel.

- **Slotted:** 4.5, 5.5, 6.0mm lbs.
- ⊕ **Phillips:** #1, 2, 3 .16
- **Square:** #1, 2, 3

Wiha Adjustable TorqueControl Tool Sets In Durable Storage Box



With Certificate of Calibration

**28590 24 Pc. TorqueVario-S Micro-Bit Set** Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 21 Micro Bits, Micro Bit holder & Torque adjustment tool. Packed in a compact durable storage box.

**Item No. Slotted:** 1.5, 2.0, 3.0, 4.0mm

**28590 Phillips:** #00, #0, #1

**TORX®:** T6, T7, T8, T9, T10, T15

**Hex Inch:** .050, 1/16, 5/64, 3/32, 1.35

**28504 - Handle Range** 7.5-20 In/lbs.



With Certificate of Calibration

**28593 24 Pc. TorqueVario-S Micro-Bit Set** Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 21 Micro Bits, Micro Bit holder and Torque adjustment tool. Packed in a compact durable storage box.

**Item No. Slotted:** 1.5, 2.0, 3.0, 4.0mm

**28593 Phillips:** #00, #0, #1

**TORX®:** T6, T7, T8, T9, T10, T15

**lbs. Hex Inch:** .050, 1/16, 5/64, 3/32, 1.35

**28501 - TorqueVario-S handle Range** 15 - 80 Inch/oz (+/- 10%)

Wiha Power Bit Belt Packs



**74983 Power Bit Belt Pack With Slotted, Phillips & TORX® Bits** Includes the following 10 bits:

- **Slotted:** 4.5, 5.5, 6.5mm lbs.
- ⊕ **Phillips:** #1, 2, 3
- ⊗ **TORX®:** T10, T15, T20, T25 .30



**74988 Power Bit Belt Pack With Slotted, Phillips & Square Bits** Includes the following 10 bits:

- **Slot:** 3.0, 4.5, 5.5, 6.5mm lbs.
- ⊕ **Phillips:** #1, 2, 3
- **Square:** #1, 2, 3 .30



With Certificate of Calibration

**28595 53 Pc. TorqueVario-S Bit Set, In Storage Box** Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 50 Insert bits, 1/4" Bit holder and Torque adjustment tool.

**Item No. 28595**

**Slotted:** 4.5, 5.5, 6.5, 8.0mm

**lbs. Phillips:** #0, #1, #2, #3

**2.85 TORX®:** T6, T7, T8, T9, T10, T15, T20, T25, T27, T30

**Hex Inch:** 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"

**Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm

**Pozidriv:** #0, #1, #2, #3

**Torq Set:** #4, #5, #6, #8

**Square:** #1, #2, #3

**Triwing:** #0, #1, #2, #3, #4

**28506-Handle Range** 10 - 50 In/lbs.

**28581 - 1/4" Bit Holder**



59 Pc. Set

With Certificate of Calibration

**28589 59 Piece TorqueVario-S Bit Set, In Storage Box** Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes 3 ergonomic multi-component adjustable TorqueVario-S handles, 39 Insert bits, 15 Sockets, 1/4" Bit holder, 1/4" Hex to 1/4" Square adapter and Torque adjustment tool.

**Item No. Slotted:** 4.5, 5.5, 6.5mm

**28589 Phillips:** #0, 1, 2

**TORX®:** T5, T6, T7, T8, T9, T10, T15, T20, T25, T30

**lbs. Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

**Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm

**Pozidriv:** #1, 2 & **Square:** #1, 2, 3

**Inch Sockets:** 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 3/8"

**Metric Sockets:** 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0mm

**3 Handles:** 15-80 Inch/oz., 5-10 & 10-50 In/lbs.


## Wiha Bit Holders

For working in confined spaces



**28103 Magnetic 1/4" Bit Holder With Wiha SoftFinish® Stubby Handle** Stainless steel with strong magnet. Wiha-SoftFinish® handle multi-component, cushion grips.

| Item         | ○    | ▬  | ▬    | ▬   | ▬    | ▬    | ▬    |
|--------------|------|----|------|-----|------|------|------|
| No.          | Inch | mm | Inch | mm  | Inch | lbs. | pkg. |
| <b>28103</b> | 1/4" | 57 | 2.2  | .11 | 1    |      |      |



**38800 Bit Holder With Wiha T-handle** Retainer out of stainless steel. Wiha-T-handle high quality plastic, impact resistant.

| Item         | ○    | ▬   | ▬    | ▬  | ▬    | ▬    | ▬    |
|--------------|------|-----|------|----|------|------|------|
| No.          | Size | mm  | Inch | mm | Inch | lbs. | pkg. |
| <b>38800</b> | 1/4" | 150 | 6.0  | 80 | 3.0  | .18  | 1    |



**38801 Bit Holders With Wiha Soft Grip T-handle** Chrome-V-Moly, hardened, hard chrome finish. Wiha soft grips are molded on with through the handle side torque drive.

| Item         | ○    | ▬   | ▬    | ▬   | ▬    | ▬    | ▬    |
|--------------|------|-----|------|-----|------|------|------|
| No.          | Size | mm  | Inch | mm  | Inch | lbs. | pkg. |
| <b>38801</b> | 1/4" | 178 | 7.0  | 102 | 4.0  | .18  | 1    |



**48400 1/4" Bit Holding Screwdriver, With Wiha Protturn Handle** Magnetic, holds bit and screw. Shaft CVM steel, nickel-plated. Handle, molded on, impact resistant.

| Item         | ○    | ▬   | ▬    | ▬   | ▬    | ▬    | ▬    |
|--------------|------|-----|------|-----|------|------|------|
| No.          | Size | mm  | Inch | mm  | Inch | lbs. | pkg. |
| <b>48400</b> | 1/4  | 125 | 5.0  | 243 | 9.6  | .24  | 10   |



Plastic coated flexible metal  
with stainless steel retaining ring  
**38600 Bit Holder 1/4" with Retaining Ring With Flexible Shaft** Wiha-SoftFinish® handle multi-component, cushion grips.

| Item         | ○    | ▬   | ▬    | ▬   | ▬    | ▬    | ▬    |
|--------------|------|-----|------|-----|------|------|------|
| No.          | Inch | mm  | Inch | mm  | Inch | lbs. | pkg. |
| <b>38600</b> | 1/4" | 150 | 5.9  | 268 | 10.6 | .30  | 1    |




Adjustable Blade Length  
Magnetic Bit Holder  
**28489 Drive-Loc VI Bit Holder** High alloy CVM steel, through hardened, hard chrome finish. Wiha-SoftFinish® handle multi-component, cushion grips.

| Item         | ○    | ▬                | ▬    | ▬    | ▬ | ▬ | ▬ |
|--------------|------|------------------|------|------|---|---|---|
| No.          | Inch | Extends          | lbs. | pkg. |   |   |   |
| <b>28489</b> | 1/4" | 1-3/4" to 4-7/8" | .36  | 1    |   |   |   |



Magnetic  
Retainer out of stainless steel  
**384 1/4" Magnetic Bit Holding Drivers, With Wiha SoftFinish® Handle** Ergonomic cushion grip, magnetic, holds bit and screw. Shaft CVM steel, nickel-plated.

| Item         | ○    | ▬   | ▬    | ▬   | ▬     | ▬    | ▬    |
|--------------|------|-----|------|-----|-------|------|------|
| No.          | Size | mm  | Inch | mm  | Inch  | lbs. | pkg. |
| <b>38450</b> | 1/4" | 125 | 5.0  | 240 | 9.46  | .23  |      |
| <b>38460</b> | 1/4" | 300 | 11.8 | 400 | 15.69 | .37  |      |



Non-slip grip, magnetic  
Holds bit and screw  
**52650 1/4" Bit holding Screwdriver, With Wiha MicroFinish Handle** Retainer out of stainless steel. Shaft CVM steel, nickel-plated. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil & grease resistant.

| Item         | ○    | ▬   | ▬    | ▬   | ▬    | ▬    | ▬    |
|--------------|------|-----|------|-----|------|------|------|
| No.          | Size | mm  | Inch | mm  | Inch | lbs. | pkg. |
| <b>52650</b> | 1/4" | 125 | 5.0  | 244 | 9.6  | .24  | 1    |



Holds 6 bits  
(bits not included)  
**38025 Magnetic Bit Holder, 1/4"** Wiha-Powerhandle, Insulated, impact resistant. Snap-lock rotatable cap. Chambered bit holder equipped with transparent selector for easy selection of bits. 1/4" bit holder, shielded, magnetic, holds bit and screw.

| Item         | ○    | ▬   | ▬    | ▬   | ▬    | ▬    | ▬    |
|--------------|------|-----|------|-----|------|------|------|
| No.          | Size | mm  | Inch | mm  | Inch | lbs. | pkg. |
| <b>38025</b> | 1/4" | 120 | 4.7  | 230 | 9.0  | .26  | 1    |



**66850 1/4" Bit Holding Screwdriver, With Wiha Protturn Precision handle.** Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM steel, nickel-plated.

| Item         | ○    | ▬  | ▬    | ▬   | ▬    | ▬    | ▬    |
|--------------|------|----|------|-----|------|------|------|
| No.          | Size | mm | Inch | mm  | Inch | lbs. | pkg. |
| <b>66850</b> | 1/4" | 60 | 2.36 | 170 | 6.7  | .07  |      |



With magnets  
**714 Protturn 1/4" Quick Release Bit Holder**

| Item         | ○    | ▬   | ▬    | ▬    | ▬ | ▬ | ▬ |
|--------------|------|-----|------|------|---|---|---|
| No.          | Size | mm  | Inch | lbs. |   |   |   |
| <b>71475</b> | 2.4" | 60  | 2.4  | .06  |   |   |   |
| <b>71476</b> | 3.9" | 100 | 3.9  | .09  |   |   |   |
| <b>71477</b> | 5.9" | 150 | 5.9  | .11  |   |   |   |
| <b>71478</b> | 7.9" | 200 | 7.8  | .14  |   |   |   |
| <b>71479</b> | 9.9" | 250 | 9.8  | .17  |   |   |   |

**71474 5 Pc. Protturn 1/4" Quick Release Bit Holder Set** With magnets  
Includes: 60mm, 100mm, 150mm, 200mm, 250mm

| Item | ○ | ▬ | ▬ | ▬ | ▬ | ▬    | ▬ |
|------|---|---|---|---|---|------|---|
|      |   |   |   |   |   | lbs. |   |
|      |   |   |   |   |   | .58  |   |



Holds 1" (25mm) Bits  
All Stainless with Rubber O-Ring  
**714 Screw Cap Bit Holder with O-Ring**

| Item         | ○    | ▬    | ▬  | ▬    | ▬    | ▬            | ▬ |
|--------------|------|------|----|------|------|--------------|---|
| No.          | Size | Size | mm | Inch | lbs. |              |   |
| <b>71492</b> | 1/4" | 1/4" | 62 | 2.4  | .10  | Non Magnetic |   |
| <b>71493</b> | 1/4" | 1/4" | 76 | 3.0  | .10  | Magnetic     |   |

**Wiha Bit Holders**

**“SlimFix”  
Impact Rated**



Rated to  
70Nm / 600 In.lbs.

**71496 “SlimFix” Impact Rated Locking**

**1/4” Bit Holder For 1/4” Insert Bits** Faster, sleeker, more productive “SlimFix” for instant bit changes. Just 10.9mm / 0.42 Diameter. Bit Locks securely in place. CV hardened sleeve.

| Item  |      |      |      |      |      |
|-------|------|------|------|------|------|
| No.   | Size | Size | mm   | Inch | lbs. |
| 71496 | 1/4” | 1/4” | 66.5 | 2.62 | .06  |




**711 Universal Magnetic Bit Holder,  
1/4” For Insert Bits**

| Item  |      |      |    |      |      |
|-------|------|------|----|------|------|
| No.   | Size | Size | mm | Inch | lbs. |
| 71130 | 1/4” | 1/4” | 74 | 2.9  | .06  |
| 71131 | 1/4” | 1/4” | 59 | 2.3  | .05  |



**71139 Magnetic Bit Holder, 1/4”  
For Insert Bits**

| Item  |      |      |     |      |      |
|-------|------|------|-----|------|------|
| No.   | Size | Size | mm  | Inch | lbs. |
| 71139 | 1/4” | 1/4” | 100 | 4.0  | .08  |



**Retaining Ring  
Bit Holders**

Magnetic

**714 Bit Holder, Retaining Ring & Magnetic**

| Item  |      |      |     |      |      |
|-------|------|------|-----|------|------|
| No.   | Size | Size | mm  | Inch | lbs. |
| 71431 | 1/4” | 1/4” | 60  | 2.4  | .05  |
| 71433 | 1/4” | 1/4” | 67  | 2.6  | .05  |
| 71435 | 1/4” | 1/4” | 100 | 3.9  | .07  |
| 71437 | 1/4” | 1/4” | 150 | 5.9  | .11  |
| 71439 | 1/4” | 1/4” | 200 | 7.8  | .13  |
| 71441 | 1/4” | 1/4” | 253 | 10.0 | .16  |

**71499 5 Pc. Bit Holder Set In Vinyl Pouch**  
Includes: 60mm, 100mm, 150mm, 200mm, 253mm lbs. .60



**38060 Mini Bit Ratchet & SlimFix Set**

Extra fine 72 tooth ratchet, rugged drop forged steel. SlimFix impact rated locking 1/4” bit holder. Accepts 1/4” Bits.


**Item No.** Includes Phillips: #2  
**38060** lbs. .28

**High Precision Tool Holder**



**71480 CentroFix Bit Holder**

| Item  |      |      |    |      |           |
|-------|------|------|----|------|-----------|
| No.   | Size | Size | mm | Inch | lbs. pkg. |
| 71480 | 1/4” | 1/4” | 60 | 2.4  | .09 1     |



- Narrow Profile
- One handed bit changes
- Internal bit lock mechanism



**71491 ClicFix Bit Holder,  
Magnetic For Insert Bits**

| Item  |      |      |    |      |           |
|-------|------|------|----|------|-----------|
| No.   | Size | Size | mm | Inch | lbs. pkg. |
| 71491 | 1/4” | 1/4” | 75 | 2.9  | .07 1     |



**71494 Stainless Steel Bit Holder,  
1/4” For Insert Bits**

Internal C-ring for bit holding & magnet.

| Item  |      |      |    |      |      |
|-------|------|------|----|------|------|
| No.   | Size | Size | mm | Inch | lbs. |
| 71494 | 1/4” | 1/4” | 54 | 2.1” | .05  |

 **ESD Safe** Bit holders - non-magnetic



For working on static sensitive components

Dissipative material offers protection against electrostatic discharge  
Surface resistance of handles is 10<sup>6</sup> - 10<sup>9</sup> Ohms

 **ESD Safe Stubby 1/4” Bit Holder With Ring Retainer, Wiha-SoftFinish® Cushion Grip Handle, IEC 61340-5-1, DIN 3126, ISO 1173** Dissipative SoftFinish® cushion grip handle, multi-component, ESD Safe surface resistance 10<sup>6</sup> - 10<sup>9</sup> Ohm.



| Item  |      |    |      |      |      |
|-------|------|----|------|------|------|
| No.   | Inch | mm | Inch | lbs. | pkg. |
| 28180 | 1/4” | 57 | 2.2  | .11  | 1    |

 **ESD Safe Quick Release 1/4” Bit Holder, With Wiha-SoftFinish® Cushion Grip Handle, IEC 61340-5-1, DIN 3126, ISO 1173** Stainless steel with retaining ring bit holder. Dissipative SoftFinish® cushion grip handle, multi-component, ESD Safe surface resistance 10<sup>6</sup> - 10<sup>9</sup> Ohm.



| Item  |      |     |      |    |      |           |
|-------|------|-----|------|----|------|-----------|
| No.   | Inch | mm  | Inch | mm | Inch | lbs. pkg. |
| 38701 | 1/4” | 148 | 5.8  | 38 | 1.5  | .24 1     |

 Surface resistance of handle is 10<sup>6</sup> - 10<sup>9</sup> Ohms




**38790 ESD Safe 1/4” Quick Release Blade Holder Set 20 Pc. Set With Interchangeable Blades & Quick Release Blade Holder Extension** Blades are CVM tool steel, hardened.

**Item No. 38790** lbs. .67

**Slotted:** 2.5, 3.0, 3.5, 4.0, 5.5, 6.5mm  
**Phillips:** #0, 1, 2  
**TORX®:** T6, T7, T8, T9, T10, T15  
**Pozidriv®:** 0, 1, 2

Micro Bits Made in Germany

## Wiha SYSTEM 4 Micro Bits - 10 Bit Packs



CVM steel, hardened, on 4 mm hex stock.

Bits High alloy CVM steel, hardened

Tips Exact fit, precision machined

Use bits directly in handle or with 4" bit extension



### 756 SYSTEM 4 Hex Metric Micro Bits

| Item  | Hex | mm | Inch | lbs. |
|-------|-----|----|------|------|
| No.   |     | mm | Inch | lbs. |
| 75616 | .7  | 28 | 1.1  | .06  |
| 75617 | .9  | 28 | 1.1  | .06  |
| 75618 | 1.3 | 28 | 1.1  | .06  |
| 75619 | 1.5 | 28 | 1.1  | .07  |
| 75620 | 2.0 | 28 | 1.1  | .07  |
| 75621 | 2.5 | 28 | 1.1  | .07  |
| 75622 | 3.0 | 28 | 1.1  | .08  |
| 75623 | 4.0 | 28 | 1.1  | .08  |



### 756 SYSTEM 4 TORX® Micro Bits

| Item  | TORX | mm | Inch | lbs. |
|-------|------|----|------|------|
| No.   | Size | mm | Inch | lbs. |
| 75660 | T1   | 28 | 1.1  | .06  |
| 75661 | T2   | 28 | 1.1  | .06  |
| 75662 | T3   | 28 | 1.1  | .06  |
| 75663 | T4   | 28 | 1.1  | .06  |
| 75664 | T5   | 28 | 1.1  | .06  |
| 75665 | T6   | 28 | 1.1  | .06  |
| 75666 | T7   | 28 | 1.1  | .06  |
| 75667 | T8   | 28 | 1.1  | .07  |
| 75668 | T9   | 28 | 1.1  | .07  |
| 75669 | T10  | 28 | 1.1  | .07  |
| 75670 | T15  | 28 | 1.1  | .08  |
| 75671 | T20  | 28 | 1.1  | .08  |



### 756 SYSTEM 4 Slotted Micro Bits

| Item  | Slotted | mm | Inch | lbs. |
|-------|---------|----|------|------|
| No.   |         | mm | Inch | lbs. |
| 75602 | 0.8     | 28 | 1.1  | .06  |
| 75603 | 1.2     | 28 | 1.1  | .06  |
| 75604 | 1.5     | 28 | 1.1  | .06  |
| 75605 | 1.8     | 28 | 1.1  | .06  |
| 75606 | 2.0     | 28 | 1.1  | .07  |
| 75607 | 2.5     | 28 | 1.1  | .07  |
| 75608 | 3.0     | 28 | 1.1  | .07  |
| 75609 | 3.5     | 28 | 1.1  | .07  |
| 75610 | 4.0     | 28 | 1.1  | .08  |



### 756 SYSTEM 4 Hex Inch Micro Bits

| Item  | Hex  | Inch | mm  | Inch | lbs. |
|-------|------|------|-----|------|------|
| No.   |      | Inch | mm  | Inch | lbs. |
| 75628 | .028 | 28   | 1.1 | .06  |      |
| 75629 | .035 | 28   | 1.1 | .06  |      |
| 75630 | .050 | 28   | 1.1 | .06  |      |
| 75631 | 1/16 | 28   | 1.1 | .06  |      |
| 75632 | 5/64 | 28   | 1.1 | .06  |      |
| 75633 | 3/32 | 28   | 1.1 | .07  |      |
| 75634 | 7/64 | 28   | 1.1 | .07  |      |
| 75635 | 1/8  | 28   | 1.1 | .07  |      |
| 75636 | 9/64 | 28   | 1.1 | .08  |      |
| 75637 | 5/32 | 28   | 1.1 | .08  |      |



### 756 SYSTEM 4 Security TORX® Micro Bits

| Item  | Security TORX | mm | Inch | lbs. |
|-------|---------------|----|------|------|
| No.   | Size          | mm | Inch | lbs. |
| 75681 | T10s          | 28 | 1.1  | .07  |
| 75683 | T20s          | 28 | 1.1  | .08  |



### 756 SYSTEM 4 Phillips Micro Bits

| Item  | Phillips | Size | mm  | Inch | lbs. |
|-------|----------|------|-----|------|------|
| No.   |          | Size | mm  | Inch | lbs. |
| 75611 | 000      | 28   | 1.1 | .06  |      |
| 75612 | 00       | 28   | 1.1 | .06  |      |
| 75613 | 0        | 28   | 1.1 | .06  |      |
| 75614 | 1        | 28   | 1.1 | .07  |      |
| 75615 | 2        | 28   | 1.1 | .07  |      |



### 756 SYS 4 Metric Security Hex Micro Bits

| Item  | Metric Security Hex | mm | mm  | Inch | lbs. |
|-------|---------------------|----|-----|------|------|
| No.   |                     | mm | mm  | Inch | lbs. |
| 75624 | 2.0                 | 28 | 1.1 | .06  |      |
| 75626 | 3.0                 | 28 | 1.1 | .07  |      |
| 75627 | 4.0                 | 28 | 1.1 | .08  |      |



### 756 SYSTEM 4 Inch Nut Setters

| Item No. | Inch | mm | mm  | Inch | lbs. |
|----------|------|----|-----|------|------|
| 75644    | 5/64 | 30 | 1.2 | .07  |      |
| 75645    | 3/32 | 30 | 1.2 | .07  |      |
| 75646    | 7/64 | 30 | 1.2 | .07  |      |
| 75647    | 1/8  | 30 | 1.2 | .07  |      |
| 75648    | 9/64 | 30 | 1.2 | .08  |      |
| 75649    | 5/32 | 30 | 1.2 | .08  |      |
| 75650    | 3/16 | 30 | 1.2 | .08  |      |
| 75651    | 7/32 | 30 | 1.2 | .09  |      |



### 756 SYSTEM 4 Pentalobe Micro Bits

| Item  | Pentalobe | Size | mm                             | Inch | lbs. |
|-------|-----------|------|--------------------------------|------|------|
| No.   |           | Size | mm <td>Inch</td> <td>lbs.</td> | Inch | lbs. |
| 75672 | PL1       | 28   | 1.1                            | .06  |      |
| 75673 | PL2       | 28   | 1.1                            | .06  |      |
| 75674 | PL3       | 28   | 1.1                            | .07  |      |
| 75675 | PL4       | 28   | 1.1                            | .07  |      |
| 75676 | PL5       | 28   | 1.1                            | .07  |      |



### 756 SYS 4 Security Hex Inch Micro Bits

| Item  | Security Hex Inch | Inch | mm  | Inch | lbs. |
|-------|-------------------|------|-----|------|------|
| No.   |                   | Inch | mm  | Inch | lbs. |
| 75638 | 5/64              | 28   | 1.1 | .06  |      |
| 75639 | 3/32              | 28   | 1.1 | .06  |      |
| 75641 | 1/8               | 28   | 1.1 | .07  |      |



### 756 SYSTEM 4 Metric Nut Setters

| Item No. | Metric | mm | mm  | Inch | lbs. |
|----------|--------|----|-----|------|------|
| 75652    | 2.0    | 30 | 1.2 | .07  |      |
| 75653    | 2.5    | 30 | 1.2 | .07  |      |
| 75654    | 3.0    | 30 | 1.2 | .07  |      |
| 75655    | 3.5    | 30 | 1.2 | .07  |      |
| 75656    | 4.0    | 30 | 1.2 | .08  |      |
| 75657    | 4.5    | 30 | 1.2 | .08  |      |
| 75658    | 5.0    | 30 | 1.2 | .08  |      |
| 75659    | 5.5    | 30 | 1.2 | .09  |      |

## Wiha SYSTEM 4 Micro Bits - On 4mm Hex Stock



### 75800 SYSTEM 4 Standard Precision Bit

**Handle** Accepts all SYSTEM 4 Series bits.  
110mm/4.3" OAL

| Item  |     |       |      |      |      |
|-------|-----|-------|------|------|------|
| No.   | mm  | Inch  | mm   | Inch | lbs. |
| 75800 | 4.0 | .1574 | 14.0 | .55  | .06  |



### 75801 SYSTEM 4 ESD Safe Dissipative Precision Bit Handle

110mm/4.3" OAL

#### Advantages:

- For working in ESD sensitive applications  
Surface resistant 10<sup>6</sup>-10<sup>9</sup> Ohms
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits

| Item  |     |       |      |      |      |
|-------|-----|-------|------|------|------|
| No.   | mm  | Inch  | mm   | Inch | lbs. |
| 75801 | 4.0 | .1574 | 14.0 | .55  | .06  |



### 758 SYSTEM 4 Inch Nut Setters

CVM steel, hardened, on 4 mm hex stock.

| Item No. |      |    |      |      |
|----------|------|----|------|------|
| Inch     | mm   | mm | Inch | lbs. |
| 75810    | 5/64 | 30 | 1.2  | .01  |
| 75811    | 3/32 | 30 | 1.2  | .01  |
| 75812    | 7/64 | 30 | 1.2  | .01  |
| 75813    | 1/8  | 30 | 1.2  | .01  |
| 75814    | 9/64 | 30 | 1.2  | .01  |
| 75815    | 5/32 | 30 | 1.2  | .01  |
| 75816    | 3/16 | 30 | 1.2  | .01  |
| 75817    | 7/32 | 30 | 1.2  | .01  |



### 758 SYSTEM 4 Metric Nut Setters

CVM steel, hardened, on 4 mm hex stock.

| Item No. |     |    |      |      |
|----------|-----|----|------|------|
| Metric   | mm  | mm | Inch | lbs. |
| 75820    | 2.0 | 30 | 1.2  | .01  |
| 75821    | 2.5 | 30 | 1.2  | .01  |
| 75822    | 3.0 | 30 | 1.2  | .01  |
| 75823    | 3.5 | 30 | 1.2  | .01  |
| 75824    | 4.0 | 30 | 1.2  | .01  |
| 75825    | 4.5 | 30 | 1.2  | .01  |
| 75826    | 5.0 | 30 | 1.2  | .01  |
| 75827    | 5.5 | 30 | 1.2  | .01  |



### 750 SYSTEM 4 Slotted Micro Bits

CVM steel, hardened, on 4 mm hex stock.

| Item  |     |    |      |      |
|-------|-----|----|------|------|
| No.   | mm  | mm | Inch | lbs. |
| 75008 | 0.8 | 28 | 1.1  | .01  |
| 75012 | 1.2 | 28 | 1.1  | .01  |
| 75015 | 1.5 | 28 | 1.1  | .01  |
| 75018 | 1.8 | 28 | 1.1  | .01  |
| 75020 | 2.0 | 28 | 1.1  | .01  |
| 75025 | 2.5 | 28 | 1.1  | .01  |
| 75030 | 3.0 | 28 | 1.1  | .01  |
| 75035 | 3.5 | 28 | 1.1  | .01  |
| 75040 | 4.0 | 28 | 1.1  | .01  |



### 751 SYSTEM 4 Phillips Micro Bits

CVM steel, hardened, on 4 mm hex stock.

| Item  |      |    |      |      |
|-------|------|----|------|------|
| No.   | Size | mm | Inch | lbs. |
| 75105 | 000  | 28 | 1.1  | .01  |
| 75110 | 00   | 28 | 1.1  | .01  |
| 75115 | 0    | 28 | 1.1  | .01  |
| 75120 | 1    | 28 | 1.1  | .01  |
| 75125 | 2    | 28 | 1.1  | .01  |



### 753 SYSTEM 4 Hex Metric Micro Bits

CVM steel, hardened, on 4 mm hex stock.

| Item  |     |    |      |      |
|-------|-----|----|------|------|
| No.   | mm  | mm | Inch | lbs. |
| 75307 | .7  | 28 | 1.1  | .01  |
| 75309 | .9  | 28 | 1.1  | .01  |
| 75313 | 1.3 | 28 | 1.1  | .01  |
| 75315 | 1.5 | 28 | 1.1  | .01  |
| 75320 | 2.0 | 28 | 1.1  | .01  |
| 75325 | 2.5 | 28 | 1.1  | .01  |
| 75330 | 3.0 | 28 | 1.1  | .01  |
| 75340 | 4.0 | 28 | 1.1  | .01  |

### 753 SYSTEM 4 Hex Inch Micro Bits

CVM steel, hardened, on 4 mm hex stock.

| Item  |      |    |      |      |
|-------|------|----|------|------|
| No.   | Inch | mm | Inch | lbs. |
| 75307 | .028 | 28 | 1.1  | .01  |
| 75309 | .035 | 28 | 1.1  | .01  |
| 75313 | .050 | 28 | 1.1  | .01  |
| 75350 | 1/16 | 28 | 1.1  | .01  |
| 75352 | 5/64 | 28 | 1.1  | .01  |
| 75354 | 3/32 | 28 | 1.1  | .01  |
| 75356 | 7/64 | 28 | 1.1  | .01  |
| 75358 | 1/8  | 28 | 1.1  | .01  |
| 75360 | 9/64 | 28 | 1.1  | .01  |
| 75340 | 5/32 | 28 | 1.1  | .01  |



### 757 SYSTEM 4 TORX Micro Bits

CVM steel, hardened, on 4 mm stock.

| Item  |      |    |      |      |
|-------|------|----|------|------|
| No.   | Size | mm | Inch | lbs. |
| 75701 | T1   | 28 | 1.1  | .01  |
| 75702 | T2   | 28 | 1.1  | .01  |
| 75703 | T3   | 28 | 1.1  | .01  |
| 75704 | T4   | 28 | 1.1  | .01  |
| 75705 | T5   | 28 | 1.1  | .01  |
| 75706 | T6   | 28 | 1.1  | .01  |
| 75707 | T7   | 28 | 1.1  | .01  |
| 75708 | T8   | 28 | 1.1  | .01  |
| 75709 | T9   | 28 | 1.1  | .01  |
| 75710 | T10  | 28 | 1.1  | .01  |
| 75715 | T15  | 28 | 1.1  | .01  |
| 75720 | T20  | 28 | 1.1  | .01  |



### 757 SYSTEM 4 Security TORX Micro Bits

CVM steel, hardened, on 4 mm stock.

| Item  |      |    |      |      |
|-------|------|----|------|------|
| No.   | Size | mm | Inch | lbs. |
| 75735 | T10s | 28 | 1.1  | .01  |
| 75742 | T20s | 28 | 1.1  | .01  |



### 757 SYSTEM 4 Pentalobe Micro Bits

CVM steel, hardened, on 4 mm hex stock.

| Item  |      |    |      |      |
|-------|------|----|------|------|
| No.   | Size | mm | Inch | lbs. |
| 75743 | PL1  | 28 | 1.1  | .01  |
| 75744 | PL2  | 28 | 1.1  | .01  |
| 75745 | PL3  | 28 | 1.1  | .01  |
| 75746 | PL4  | 28 | 1.1  | .01  |
| 75747 | PL5  | 28 | 1.1  | .01  |
| 75748 | PL6  | 28 | 1.1  | .01  |



### 753 SYS 4 Metric Security Hex Micro Bits

CVM steel, hardened, on 4 mm hex stock.

| Item  |     |    |      |      |
|-------|-----|----|------|------|
| No.   | mm  | mm | Inch | lbs. |
| 75322 | 2.0 | 28 | 1.1  | .01  |
| 75332 | 3.0 | 28 | 1.1  | .01  |
| 75342 | 4.0 | 28 | 1.1  | .01  |

### 753 SYS 4 Security Hex Inch Micro Bits

| Item  |      |    |      |      |
|-------|------|----|------|------|
| No.   | Inch | mm | Inch | lbs. |
| 75362 | 5/64 | 28 | 1.1  | .01  |
| 75364 | 3/32 | 28 | 1.1  | .01  |
| 75366 | 7/64 | 28 | 1.1  | .01  |
| 75368 | 1/8  | 28 | 1.1  | .01  |
| 75370 | 9/64 | 28 | 1.1  | .01  |
| 75372 | 5/32 | 28 | 1.1  | .01  |

## SYSTEM 4 Micro Bit Extension Blades



**75900** Extension Blade For SYS 4 Micro Bits  
Shaft CVM steel, hardened, corrosion protected.  
Ball retainer bit extension for 4mm bits.

| Item | No.          | Size | mm  | mm  | lbs. |
|------|--------------|------|-----|-----|------|
|      | <b>75900</b> | 4.0  | 100 | 4.0 | .07  |



**75901** Magnetic Bit Extension Blade For  
SYS 4 Micro Bits Shaft CVM steel, hardened,  
corrosion protected. Magnetic bit holder.

| Item | No.          | Size | mm  | mm  | lbs. |
|------|--------------|------|-----|-----|------|
|      | <b>75901</b> | 4.0  | 100 | 4.0 | .04  |

## Micro Bit 4mm To 1/4" Socket Adapter



**75806** Micro Bit 4mm to 1/4" Socket  
Adapter CVM steel, hardened.

| Item | No.          | mm | Inch  | lbs. |
|------|--------------|----|-------|------|
|      | <b>75806</b> | 28 | 1.125 | .02  |

## 1/4" Drive Micro Bit Tool Adapters



**75802** Micro Bit To 1/4" Drive Insert Bit  
Adapter magnets to hold 4mm Micro Bits

| Item | No.          | Size | mm | mm  | lbs. |
|------|--------------|------|----|-----|------|
|      | <b>75802</b> | 4.0  | 25 | 4.0 | .01  |



**75803** Long Micro Bit To 1/4" Drive Insert  
Bit Adapter Uses spring clip non-magnetic to  
hold 4mm Micro Bits

| Item | No.          | Size | mm | mm  | lbs. |
|------|--------------|------|----|-----|------|
|      | <b>75803</b> | 4.0  | 38 | 4.0 | .02  |

## Micro Bit 1/4" Drive Power Tool Adapter



**75902** Micro Bit 1/4" Drive Power Tool  
Adapter Shaft CVM steel, hardened,  
corrosion protected. For 4mm bits. 2.3" OAL

| Item | No.          | Size | mm | mm  | lbs. |
|------|--------------|------|----|-----|------|
|      | <b>75902</b> | 4.0  | 60 | 4.0 | .07  |

## Wiha SYSTEM 4 Micro Bit Replacement Packs On 4mm Hex Stock



**75982** SYSTEM 4 Hex Inch Micro Bit  
Replacement Pack, 10 Pcs.

CVM steel, hardened, on 4 mm hex stock.

| Item No. | 75982            | SYSTEM 4 Micro Bit Set                                     |
|----------|------------------|--|
|          | <b>Hex Inch:</b> | .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32" |
|          | <b>lbs.</b>      | .06  |



**75984** SYSTEM 4 Slotted Micro Bit  
Replacement Pack, 10 Pcs.

CVM steel, hardened, on 4 mm hex stock.

| Item No. | 75984           | SYSTEM 4 Micro Bit Set                        |
|----------|-----------------|---|
|          | <b>Slotted:</b> | 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm |
|          | <b>lbs.</b>     | .06   |


## Wiha SYSTEM 4 Micro Bit Replacement Packs On 4mm Hex Stock



**75986** SYSTEM 4 Phillips & Pentalobe  
Micro Bit Replacement Pack, 10 Pcs.

CVM steel, hardened, on 4 mm hex stock.


| Item No. | 75986             | SYSTEM 4 Micro Bit Set       |
|----------|-------------------|------------------------------|
|          | <b>Phillips:</b>  | #000, 00, 0, 1               |
|          | <b>Pentalobe:</b> | PL1, PL2, PL3, PL4, PL5, PL6 |
|          | <b>lbs.</b>       | .06                          |



**75987** SYSTEM 4 Slotted & Phillips  
Micro Bit Replacement Pack, 10 Pcs.

CVM steel, hardened, on 4 mm hex stock.

| Item No. | 75987            | SYSTEM 4 Micro Bit Set    |
|----------|------------------|---------------------------|
|          | <b>Slotted:</b>  | 1.5, 2.0, 2.5, 3.0, 3.5mm |
|          | <b>Phillips:</b> | #000, 00, 0, 1            |
|          | <b>lbs.</b>      | .06                       |




**75988** SYSTEM 4 **TORX** Micro Bit  
Replacement Pack, 10 Pcs.

CVM steel, hardened, on 4 mm hex stock.


| Item No. | 75988        | SYSTEM 4 Micro Bit Set                  |
|----------|--------------|---|
|          | <b>TORX:</b> | T1, T2, T3, T4, T5, T6, T7, T8, T9, T10 |
|          | <b>lbs.</b>  | .06                                     |

Wiha SYSTEM 4 Micro Bits & Compact Bit Sets



**75996 SYSTEM 4 Interchangeable Bit Set, 40 Pcs.** Includes Wiha precision handle, bit extension & 38 interchangeable bits.

| Item                                    | SYSTEM 4  |
|---|---|
| No.                                     | Combination Bit Set   |
| 75996                                   | Set with ESD Safe Precision Handle  |
| <b>Set includes the following bits:</b> |   |
| ↓ ↻                                     | <b>Slotted:</b> 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm               |
| ⊕                                       | <b>Phillips:</b> 000, 00, 0, 1  |
| ⊗                                       | <b>TORX®:</b> T3, T4, T5, T6, T7, T8, T9, T10, T15                          |
| ⬠                                       | <b>Hex Metric:</b> 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm                           |
| ⬠                                       | <b>Hex Inch:</b> .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32" |
| ○                                       | <b>100mm Bit Extension</b>  |
| ↔                                       | <b>lbs.</b> 1.04  |



**75994 SYSTEM 4 Slotted/Phillips/Hex Metric/TORX® Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box.**

Set includes Wiha precision handle, bit extension & 25 Wiha interchangeable bits.


| Item                                    | SYSTEM 4  |
|---|---|
| No.                                     | Combination Bit Set                                       |
| 75994                                   | Set with ESD Safe Precision Handle                        |
| <b>Set includes the following bits:</b> |   |
| ↓ ↻                                     | <b>Slotted:</b> 1.5, 2.0, 3.0, 4.0mm                      |
| ⊕                                       | <b>Phillips:</b> 000, 00, 0, 1                            |
| ⊗                                       | <b>TORX®:</b> T3, T4, T5, T6, T7, T8, T9, T10, T15        |
| ⬠                                       | <b>Hex Metric:</b> .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm |
| ○                                       | <b>100mm Bit Extension</b>                                |
| ↔                                       | <b>lbs.</b> .64   |



**75995 SYS 4 Precision Interchangeable Bit Set, 26 Pcs. In Compact Fold Out Box**

Sets includes Wiha precision handle, bit extension & 24 Wiha interchangeable bits.

| Item  | SYSTEM 4 Micro Bit Set                                |
|-------|---|
| No.   | Set with ESD Safe Precision Handle                    |
| 75995 | and the following bits:                               |
| ⊗     | <b>TORX®:</b> T1, T2, T3, T4, T5, T6, T7, T8, T9, T10 |
| ⬠     | <b>Pentalobe:</b> PL1, PL2, PL3, PL4, PL5, PL6        |
| ↓ ↻   | <b>Slotted:</b> 1.5, 2.0, 2.5, 3.0mm                  |
| ⊕     | <b>Phillips:</b> #000, 00, 0, 1                       |
| ○     | <b>100mm Bit Extension</b>                            |
| ↔     | <b>lbs.</b> .54                                       |




**75999 SYSTEM 4 Slotted, Phillips, Hex Inch & Metric Precision Interchangeable Bit Set, 26Pc.** Wiha precision handle, bit extension & 24 interchangeable bits.

| Item No.                                | Combination Bit Set   |
|---|---|
| 75999                                   | Set with Standard Precision Handle                              |
| <b>Set includes the following bits:</b> |   |
| ↓ ↻                                     | <b>Slotted:</b> 1.5, 2.0, 3.0, 4.0mm                            |
| ⊕                                       | <b>Phillips:</b> 000, 00, 0, 1                                  |
| ⬠                                       | <b>Hex Metric:</b> .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm       |
| ⬠                                       | <b>Hex Inch:</b> .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32" |
| ○                                       | <b>100mm Bit Extension</b>                                      |
| ↔                                       | <b>lbs.</b> .64   |



**75395 SYS 4 Hex Inch & Metric Precision Interchangeable Bit Set, 18 Pcs. In Compact Fold Out Box.** Wiha precision handle, bit extension and 16 Wiha interchangeable bits.

| Item No.                            | Combination Bit Set   |
|-------------------------------------|---|
| 75395                               | Set with Standard Precision Handle                              |
| <b>Includes the following bits:</b> |   |
| ⬠                                   | <b>Hex Metric:</b> .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm       |
| ⬠                                   | <b>Hex Inch:</b> .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32" |
| ○                                   | <b>100mm Bit Extension</b>                                      |
| ↔                                   | <b>lbs.</b> .58   |



**759 sets SYS 4 Slotted / Phillips / Hex In / TORX® Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box.** Sets include your choice of Wiha precision handle, bit extension & 25 Wiha interchangeable bits.

| Item                                    | Handle Options for SYSTEM 4                                     |
|---|---|
| No.                                     | Combination Bit Sets  |
| 75991                                   | Set with Standard Precision Handle                              |
| 75992                                   | Set with ESD Safe Precision Handle                              |
| <b>Sets include the following bits:</b> |   |
| ↓ ↻                                     | <b>Slotted:</b> 1.5, 2.0, 3.0, 4.0mm                            |
| ⊕                                       | <b>Phillips:</b> 000, 00, 0, 1                                  |
| ⊗                                       | <b>TORX®:</b> T3, T4, T5, T6, T7, T8, T9, T10, T15              |
| ⬠                                       | <b>Hex Inch:</b> .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32" |
| ○                                       | <b>100mm Bit Extension</b>                                      |
| ↔                                       | <b>lbs.</b> .64   |

## Wiha SYSTEM 4 Micro Bit Sets



**75980 SYSTEM 4 Master Tech Micro Bit Set, 68 Pcs.** Includes Wiha ESD Safe Precision Handle, 1/4" to 4mm Adapter, 100mm Bit Extension & 36 Micro Bits.

**Item No. SYSTEM 4 Micro Bit Set**

**75980 Includes The Following Bits:**

- ↓ **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- Phillips:** 000, 00, 0, 1, 2
- TORX®:** T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
- Hex Metric:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- Pentalobe:** PL1, PL2, PL3, PL4, PL5, PL6
- lbs.** .38



**75968 SYSTEM 4 Master Tech Micro Bit Set, 68 Pcs.** Includes Wiha ESD Safe Precision Handle, Micro Bit Storage Handle, 1/4" to 4mm Adapter, 100mm Bit Extension & 64 Micro Bits.

**Item No. SYSTEM 4 Micro Bit Set**

**75968 Includes The Following Bits:**

- ↓ **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- Phillips:** 000, 00, 0, 1, 2
- TORX®:** T1, T2, T3, T4, T5, T6, T7, T8, T9, T10, T15, T20
- Hex Metric:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- Hex Inch:** .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- Pentalobe:** PL1, PL2, PL3, PL4, PL5, PL6
- Nut Driver Metric:** 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm
- Nut Driver Inch:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32"
- lbs.** .70

In Zipper Storage Case



**75993 SYSTEM 4 Premium ESD Safe Micro Bit Set, 28 Pcs.** Includes Wiha ESD Safe Precision Handle, 1/4" to 4mm Adapter, 100mm Bit Extension, ESD Safe Tweezers & 21 Micro Bits.

**Item No. SYSTEM 4 Micro Bit Set**

**75993 Micro Bits:**

- ↓ **Slotted:** 0.8, 1.5, 2.0, 2.5, 3.0, 3.5mm
- Phillips:** 000, 00, 0, 1, 2
- TORX®:** T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
- ESD Safe Tweezers:**
- 5SA ESD, 7aSA ESD, 2ASA ESD, AASA ESD, OOSA ESD**
- lbs.** .95

**75971 SYSTEM 4 Master Tech Micro Bit Set, 68 Pcs.** Includes Wiha ESD Safe Precision Handle, Micro Bit Storage Handle, 1/4" to 4mm Adapter, 100mm Bit Extension & 64 Micro Bits.

**Item No. SYSTEM 4 Micro Bit Set**

**75971 Includes The Following Bits:**

- ↓ **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- Phillips:** 000, 00, 0, 1, 2
- TORX®:** T1, T2, T3, T4, T5, T6, T7, T8, T9, T10, T15, T20
- Hex Metric:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- Hex Inch:** .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- Pentalobe:** PL1, PL2, PL3, PL4, PL5, PL6
- Nut Driver Metric:** 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm
- Nut Driver Inch:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32"
- lbs.** .96



**75965 SYSTEM 4 Master Tech ESD & Ratchet With Micro Bits, 65 Pieces In Storage Box.** Includes Wiha precision ESD Safe handle, micro bit extension, 72 tooth 1/4" ratchet & 62 interchangeable micro bits.

**Item Includes the following micro bits:**

- No. Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- Phillips:** 000, 00, 0, 1
- lbs. TORX®:** T3, T4, T5, T6, T7, T8, 1.16 T9, T10, T15, T20
- Hex Metric:** .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- Nut Drivers Metric:** 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm
- Nut Drivers Inch:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32"
- Pentalobe:** PL1, PL2, PL3, PL4, PL5, PL6
- Magnetic 1/4" to 4mm Adapter**



**75977 SYSTEM 4 Master Tech Micro Bit Set, 68 Pcs.** Includes Wiha ESD Safe Precision Handle, ESD Safe Tweezers, 1/4" to 4mm Adapter, 100mm Bit Extension & 64 Micro Bits.

**Item No. SYSTEM 4 Micro Bit Set**

**75977 Includes The Following Bits:**



- Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- lbs. Phillips:** 000, 00, 0, 1, 2
- TORX®:** T1, T2, T3, T4, T5, T6, T7, T8, T9, T10, T15, T20
- Hex Metric:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- Hex Inch:** .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- Pentalobe:** PL1, PL2, PL3, PL4, PL5, PL6
- Nut Driver Metric:** 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm
- Nut Driver Inch:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32"
- ESD Fine Round Point Tweezers 3cSA**



**Technician's Micro Bit Sets**

- Micro Precision Bits on 4mm Hex Drive
- Bits of Exclusive CRM-72 Tool Steel
- Handle uses non-magnetic ball retainer
- Use bits in extension only
- Standard extension adds 4" to length
- Non-magnetic bit extension

Surface resistance of handles is 10<sup>6</sup> - 10<sup>9</sup> Ohms



**Micro Bit Handle Storage Sets**



**75093 SYSTEM 4 Slotted, Phillips, TORX® Compact ESD Precision Interchangeable Bit Set, 16 Pcs.** Wiha precision handle, bit extension & 14 interchangeable bits.

**Item No. Combination Bit Set**

**75093** Set with ESD Safe Precision Handle  
 ● Slotted: 1.5, 2.0, 2.5, 3.0mm  
 ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡  
 ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡  
 lbs. ● TORX®: T6, T7, T8, T9, T10, T15, T20  
 .17 ○ 100mm Bit Extension



**75094 SYS 4 Slotted, Phillips, Hex Inch Compact ESD Precision Interchangeable Bit Set, 16 Pcs.** Wiha precision handle, bit extension & 14 interchangeable bits.

**Item No. Combination Bit Set**

**75094** Set with ESD Safe Precision Handle  
 ● Slotted: 1.5, 2.0, 2.5, 3.0mm  
 ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡  
 ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡  
 lbs. ● Hex Inch: .035, .050, 1/16, 5/64,  
 3/32, 7/64, 1/8"  
 .17 ○ 100mm Bit Extension



**75095 SYS 4 Slotted, Phillips, Hex Metric Compact ESD Precision Interchangeable Bit Set, 16 Pcs.** Wiha precision handle, bit extension & 14 interchangeable bits.

**Item No. Combination Bit Set**

**75095** Set with ESD Safe Precision Handle  
 † ● Slotted: 1.5, 2.0, 2.5, 3.0mm  
 ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡  
 ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡  
 lbs. ● Hex Metric: .9, 1.3, 1.5, 2.0,  
 2.5, 3.0, 4.0mm  
 .17 ○ 100mm Bit Extension

**75096 SYSTEM 4 Hex Inch & Metric Compact ESD Precision Interchangeable Bit Set, 16 Pcs.** Wiha precision handle, bit extension & 14 interchangeable bits.

**Item No. Combination Bit Set**


**75096** Set with ESD Safe Precision Handle  
 ● Hex Inch: 1/16, 5/64, 3/32,  
 7/64, 1/8, 9/64, 5/32"  
 ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡  
 ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡  
 lbs. ● Hex Metric: .9, 1.3, 1.5, 2.0,  
 2.5, 3.0, 4.0mm  
 .17 ○ 100mm Bit Extension



**75097 SYS 4 Slotted, Phillips & 5Point Compact ESD Precision Interchangeable Bit Set, 16 Pcs.** Wiha precision handle, bit extension & 14 interchangeable bits.

**Item No. Combination Bit Set**

**75097** Set with ESD Safe Precision Handle  
 ● Slotted: 1.2, 1.5, 2.0, 2.5, 3.0mm  
 ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡  
 ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡  
 lbs. ⚡ Pentalobe: PL1, PL2, PL3, PL4  
 .17 ○ 100mm Bit Extension



**91109 Black Cartridge Holder**

Holds 14 Micro bits 4mm. 1" OAL

| Item No. | mm  | mm   | lbs. |
|----------|-----|------|------|
| 91109    | 4.0 | 25.4 | .01  |



**75981 Micro Bit Handle Storage Slotted & Phillips Bit Set, 7 Pcs.** Wiha precision storage handle & 6 interchangeable bits.

**Item No. Set with Precision Storage Handle**

**75981** ● Slotted: 1.2, 1.5, 2.0mm  
 lbs. .12 ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡  
 ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡ ⚡  
 lbs. ⚡ Phillips: 000, 00, 0



**75983 Micro Bit Handle Storage Hex Inch Bit Set, 7 Pcs.** Wiha precision storage handle & 6 interchangeable bits.

**Item No. Set with Precision Storage Handle**

**75983** ● Hex Inch: .050, 1/16, 5/64,  
 lbs. .12 3/32, 7/64, 1/8"



**75985 Micro Bit Handle Storage TORX® Bit Set, 7 Pcs.** Wiha precision storage handle & 6 interchangeable bits.

**Item No. Set with Precision Storage Handle**

**75985** ⚡ TORX®: T3, T4, T5, T6, T7, T8  
 lbs. .12



**75805 SYS 4 Micro Bit Storage Handle**

Accepts SYS 4 Series bits. 108mm/4.25" OAL

| Item No. | mm  | Inch  | lbs. |
|----------|-----|-------|------|
| 75805    | 4.0 | .1574 | .05  |

## Wiha Inch & Metric Nut Setters



### 704 Inch Color Coded Hex Inch Nut Setter With Permanent Industrial Magnets

| Item No. | Size  | mm  | lbs. |
|----------|-------|-----|------|
| 70480    | 1/4"  | 152 | .20  |
| 70481    | 5/16" | 152 | .20  |
| 70482    | 3/8"  | 152 | .21  |
| 70483    | 7/16" | 152 | .22  |
| 70484    | 1/2"  | 152 | .28  |
| 70485    | 9/16" | 152 | .30  |

High visibility color coded for fast selection  
Rugged corrosion resistant black oxide finish

**70486 6 pc. Color Coded Hex Inch Nut Setter Set** Powerful magnet for secure holding of fasteners. 6"/152mm OAL

| Item No. | lbs. | Set includes   |
|----------|------|--|
| 70486    | 1.18 | 1/4" R, 5/16" Y, 3/8" Bl<br>7/16" Br, 1/2" O, 9/16" Bk |

Magnetic 1/4"



### 704 Metric Nut Setters Standard With Permanent Industrial Magnet, 1/4" Hex Metric Nut Setters

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 70437    | 5.0  | 55 | .04  |
| 70438    | 5.5  | 55 | .05  |
| 70440    | 6.0  | 55 | .05  |
| 70442    | 7.0  | 55 | .05  |
| 70445    | 8.0  | 55 | .05  |
| 70448    | 10.0 | 55 | .06  |
| 70450    | 13.0 | 55 | .07  |



### 704 Nut Setters Standard. 1/4" Hex Inch Permanent industrial magnet.

| Item No. | Length | mm  | lbs. |
|----------|--------|-----|------|
| 70462    | 2.5"   | 65  | .06  |
| 70463    | 4.0"   | 102 | .10  |
| 70464    | 6.0"   | 152 | .15  |
| 70466    | 12.0"  | 305 | .27  |



### 704 Nut Setters Standard. 5/16" Hex Inch Permanent industrial magnet.

| Item No. | Length | mm  | lbs. |
|----------|--------|-----|------|
| 70468    | 2.5"   | 65  | .07  |
| 70469    | 4.0"   | 102 | .12  |
| 70470    | 6.0"   | 152 | .17  |
| 70472    | 12.0"  | 305 | .28  |



### 704 Nut Setters Standard. 3/8" Hex Inch Permanent industrial magnet.

| Item No. | Length | mm  | lbs. |
|----------|--------|-----|------|
| 70474    | 2.5"   | 65  | .08  |
| 70476    | 4.0"   | 102 | .14  |
| 70477    | 6.0"   | 152 | .18  |
| 70479    | 12.0"  | 305 | .41  |

Non Magnetic




### 704 Nut Setters Standard. 1/4" Hex Inch

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 70424    | 1/4  | 55 | .05  |
| 70427    | 5/16 | 55 | .05  |
| 70430    | 3/8  | 55 | .06  |



### 70494 3 pc. Hex Metric Nut Setter Set Permanent industrial magnet. 55mm OAL Hex Metric Nut Setters.

| Item No. | lbs. | Set includes    |
|----------|------|-----------------|
| 70494    | .21  | 7, 8, 10 x 55mm |



### 70490 3 pc. Hex Inch Nut Setter Set Permanent industrial magnet. 65mm OAL Hex Inch Nut Setters.

| Item No. | lbs. | Set includes          |
|----------|------|-----------------------|
| 70490    | .25  | 1/4, 5/16, 3/8 x 2.5" |



### 70491 3 pc. Hex Inch Nut Setter Set Permanent industrial magnet. 102mm OAL

| Item No. | lbs. | Set includes                            |
|----------|------|---|
| 70491    | .39  | the following:<br>1/4, 5/16, 3/8 x 4.0" |



### 70492 3 pc. Hex Inch Nut Setter Set Permanent industrial magnet. 152mm OAL

| Item No. | lbs. | Set includes                            |
|----------|------|---|
| 70492    | .54  | the following:<br>1/4, 5/16, 3/8 x 6.0" |



### 70493 3 pc. Hex Inch Nut Setter Set Permanent industrial magnet. 305mm OAL

| Item No. | lbs. | Set includes                             |
|----------|------|--|
| 70493    | 1.03 | the following:<br>1/4, 5/16, 3/8 x 12.0" |



Canvas Belt Clip Pouch



### 74990 19 Pc. Quick Change Bit Belt Pack Set, Includes: 1/4" SlimFix bit holder and the following 1/4" bits and Nut Setters:

- Slotted - Power: 4.5, 5.5, 6.5mm x 50mm
- ⊕ Phillips - Power: #1, #2, #3 x 50mm
- Square - Power: #1, #2, #3 x 50mm
- ⊛ Torx® - Insert: T10, T15, T20, T25, T27, T30 x 25mm
- Nut Setters-Power: 1/4, 5/16, 3/8" Magnetic lbs. .93

## Wiha TORX®, TORXPlus® & Security TORX® Bit Sockets



Set Screw Replaceable Bits

### 761 TORX® Sockets 1/4" Square Drive

| Item | No.   | Size | mm | lbs. |
|------|-------|------|----|------|
|      | 76106 | T6   | 38 | .04  |
|      | 76107 | T7   | 38 | .04  |
|      | 76109 | T8   | 38 | .04  |
|      | 76111 | T9   | 38 | .04  |
|      | 76113 | T10  | 38 | .04  |
|      | 76117 | T15  | 38 | .04  |
|      | 76119 | T20  | 38 | .04  |
|      | 76121 | T25  | 38 | .04  |
|      | 76123 | T27  | 38 | .04  |
|      | 76129 | T30  | 38 | .05  |
|      | 76131 | T40  | 38 | .05  |



### 763 TORX® Sockets 3/8" Square drive, Set screw replaceable bit. 1/4" bits.

| Item | No.   | Size | mm | lbs. |
|------|-------|------|----|------|
|      | 76312 | T9   | 42 | .09  |
|      | 76314 | T10  | 42 | .09  |
|      | 76316 | T15  | 42 | .09  |
|      | 76318 | T20  | 42 | .09  |
|      | 76322 | T25  | 42 | .09  |
|      | 76324 | T27  | 42 | .09  |
|      | 76326 | T30  | 42 | .09  |
|      | 76328 | T40  | 42 | .09  |



### 763 TORX® Sockets 3/8" Square drive, Set screw replaceable bit. 5/16" bits. 2" OAL

| Item | No.   | Size | mm | lbs. |
|------|-------|------|----|------|
|      | 76346 | T40  | 51 | .11  |
|      | 76348 | T45  | 51 | .11  |
|      | 76352 | T50  | 51 | .11  |
|      | 76354 | T55  | 51 | .13  |

## 1/2" Square Drive Sockets



Set Screw Replaceable Bits

### 764 TORX® Sockets 1/2" Square Drive

| Item | No.   | Size | mm | lbs. | pkg. |
|------|-------|------|----|------|------|
|      | 76403 | T30  | 59 | .10  | 1    |
|      | 76404 | T40  | 59 | .10  | 1    |
|      | 76405 | T45  | 59 | .10  | 1    |
|      | 76406 | T50  | 59 | .10  | 1    |
|      | 76407 | T55  | 59 | .11  | 1    |



Set Screw Replaceable Bits

### 763 Security TORX® Sockets

3/8" Square drive, 5/16" bits.

| Item | No.   | Size | mm |
|------|-------|------|----|
|      | 76339 | T40s | 51 |
|      | 76340 | T45s | 51 |
|      | 76341 | T50s | 51 |
|      | 76342 | T55s | 51 |



Set Screw Replaceable Bits

### 763 Security TORX® Sockets

1/4" Square drive, 1/4" bits.

| Item | No.   | Size | mm |
|------|-------|------|----|
|      | 76330 | T8s  | 38 |
|      | 76331 | T9s  | 38 |
|      | 76332 | T10s | 38 |
|      | 76333 | T15s | 38 |
|      | 76334 | T20s | 38 |
|      | 76335 | T25s | 38 |
|      | 76336 | T27s | 38 |
|      | 76337 | T30s | 38 |
|      | 76338 | T40s | 38 |



Set Screw Replaceable Bits

### 701 Security TORX® Sockets

3/8" Square drive, 1/4" bits. 2" OAL

| Item | No.   | Size | mm | lbs. |
|------|-------|------|----|------|
|      | 70107 | T7s  | 42 | .09  |
|      | 70108 | T8s  | 42 | .09  |
|      | 70109 | T9s  | 42 | .09  |
|      | 70110 | T10s | 42 | .09  |
|      | 70113 | T15s | 42 | .09  |
|      | 70115 | T20s | 42 | .09  |
|      | 70117 | T25s | 42 | .09  |
|      | 70119 | T27s | 42 | .09  |
|      | 70121 | T30s | 42 | .09  |
|      | 70123 | T40s | 42 | .09  |



### 716 TORXPlus® Sockets 1/4" Square Drive, Set Screw Replaceable Bit. 1/4" bits

| Item | No.   | Size | mm | lbs. |
|------|-------|------|----|------|
|      | 71661 | IP6  | 38 | .04  |
|      | 71662 | IP7  | 38 | .04  |
|      | 71663 | IP8  | 38 | .04  |
|      | 71664 | IP9  | 38 | .04  |
|      | 71665 | IP10 | 38 | .04  |
|      | 71666 | IP15 | 38 | .04  |
|      | 71667 | IP20 | 38 | .04  |
|      | 71668 | IP25 | 38 | .04  |
|      | 71669 | IP27 | 38 | .04  |
|      | 71670 | IP30 | 38 | .04  |
|      | 71671 | IP40 | 38 | .04  |



### 716 TORXPlus® Sockets 3/8" Square Drive, Set Screw Replaceable Bit. 1/4" bits

| Item | No.   | Size | mm | lbs. |
|------|-------|------|----|------|
|      | 71674 | IP10 | 42 | .09  |
|      | 71675 | IP15 | 42 | .09  |
|      | 71678 | IP27 | 42 | .09  |
|      | 71680 | IP30 | 42 | .09  |
|      | 71681 | IP40 | 42 | .09  |

## 1/2" Square Drive Sockets



Set Screw Replaceable Bits

### 764 Slotted Bit Sockets 1/2" Square Drive

| Item | No.   | mm | mm | lbs. | pkg. |
|------|-------|----|----|------|------|
|      | 76417 | 8  | 59 | .12  | 1    |
|      | 76418 | 10 | 59 | .12  | 1    |
|      | 76419 | 12 | 59 | .12  | 1    |



Set Screw Replaceable Bits

### 764 Phillips Bit Sockets 1/2" Square Drive

| Item | No.   | Size | mm | lbs. | pkg. |
|------|-------|------|----|------|------|
|      | 76422 | 2    | 59 | .15  | 1    |
|      | 76423 | 3    | 59 | .15  | 1    |
|      | 76424 | 4    | 59 | .15  | 1    |

## Hex Inch/Metric Bit Sockets



**713 Hex Sockets** 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

| Item  | Hex  | Square | Hex  | Hex |
|-------|------|--------|------|-----|
| No.   | Inch | mm     | lbs. |     |
| 71371 | 1/16 | 38     | .05  |     |
| 71370 | 5/64 | 38     | .05  |     |
| 71372 | 3/32 | 38     | .05  |     |
| 71374 | 7/64 | 38     | .05  |     |
| 71376 | 1/8  | 38     | .05  |     |
| 71378 | 9/64 | 38     | .05  |     |
| 71380 | 5/32 | 38     | .05  |     |
| 71382 | 3/16 | 38     | .05  |     |
| 71384 | 7/32 | 38     | .05  |     |
| 71386 | 1/4  | 38     | .05  |     |



**713 Hex Sockets** 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM tool steel.

| Item  | Hex  | Square | Hex  | Hex |
|-------|------|--------|------|-----|
| No.   | Inch | mm     | lbs. |     |
| 71375 | 1/8  | 42     | .09  |     |
| 71377 | 9/64 | 42     | .09  |     |
| 71379 | 5/32 | 42     | .09  |     |
| 71381 | 3/16 | 42     | .09  |     |
| 71383 | 7/32 | 42     | .09  |     |
| 71385 | 1/4  | 42     | .09  |     |
| 71388 | 5/16 | 42     | .10  |     |
| 71390 | 3/8  | 42     | .10  |     |



**713 Hex Metric Sockets** 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

| Item  | Hex  | Square | Hex  | Hex |
|-------|------|--------|------|-----|
| No.   | mm   | mm     | lbs. |     |
| 71301 | 1.5  | 38     | .04  |     |
| 71302 | 2.0  | 38     | .04  |     |
| 71305 | 2.5  | 38     | .04  |     |
| 71313 | 3.0  | 38     | .04  |     |
| 71314 | 4.0  | 38     | .04  |     |
| 71317 | 5.0  | 38     | .05  |     |
| 71319 | 6.0  | 38     | .05  |     |
| 71327 | 8.0  | 38     | .05  |     |
| 71340 | 10.0 | 38     | .05  |     |



**713 Hex Metric Sockets** 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

| Item  | Hex  | Square | Hex  | Hex |
|-------|------|--------|------|-----|
| No.   | mm   | mm     | lbs. |     |
| 71300 | 2.0  | 42     | .09  |     |
| 71316 | 2.5  | 42     | .09  |     |
| 71341 | 3.0  | 42     | .09  |     |
| 71331 | 4.0  | 42     | .09  |     |
| 71323 | 5.0  | 42     | .09  |     |
| 71325 | 6.0  | 42     | .09  |     |
| 71320 | 8.0  | 42     | .10  |     |
| 71322 | 10.0 | 42     | .11  |     |



**713 Hex Metric Sockets** 3/8" Square drive socket. Replaceable bit. 5/16" bits CVM steel.

| Item  | Hex  | Square | Hex  | Hex |
|-------|------|--------|------|-----|
| No.   | mm   | mm     | lbs. |     |
| 71332 | 12.0 | 75     | .22  |     |



**761 Security Hex Inch Sockets** 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

| Item  | Hex  | Square | Hex  | Hex |
|-------|------|--------|------|-----|
| No.   | Inch | mm     | lbs. |     |
| 76164 | 5/64 | 42     | .09  |     |
| 76165 | 3/32 | 42     | .09  |     |
| 76166 | 7/64 | 42     | .09  |     |
| 76167 | 1/8  | 42     | .09  |     |
| 76168 | 9/64 | 42     | .09  |     |
| 76169 | 5/32 | 42     | .09  |     |
| 76170 | 3/16 | 42     | .09  |     |
| 76171 | 7/32 | 42     | .09  |     |
| 76172 | 1/4  | 42     | .09  |     |



**761 Security Hex Metric Sockets** 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

| Item  | Hex | Square | Hex  | Hex |
|-------|-----|--------|------|-----|
| No.   | mm  | mm     | lbs. |     |
| 76132 | 2.0 | 42     | .09  |     |
| 76133 | 2.5 | 42     | .09  |     |
| 76134 | 3.0 | 42     | .09  |     |
| 76135 | 4.0 | 42     | .09  |     |
| 76136 | 5.0 | 42     | .09  |     |
| 76137 | 6.0 | 42     | .09  |     |
| 76138 | 8.0 | 42     | .09  |     |

## Wiha Ball End Hex Inch & Metric Bit Sockets



**717 Ball End Hex Inch Sockets** 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

| Item  | Hex  | Square | Hex  | Hex |
|-------|------|--------|------|-----|
| No.   | Inch | mm     | lbs. |     |
| 71761 | 3/32 | 38     | .05  |     |
| 71762 | 7/64 | 38     | .05  |     |
| 71763 | 1/8  | 38     | .05  |     |
| 71764 | 9/64 | 38     | .05  |     |
| 71765 | 5/32 | 38     | .05  |     |
| 71766 | 3/16 | 38     | .05  |     |
| 71767 | 7/32 | 38     | .05  |     |
| 71768 | 1/4  | 38     | .05  |     |



**717 Ball End Hex Metric Sockets** 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

| Item  | Hex | Square | Hex  | Hex |
|-------|-----|--------|------|-----|
| No.   | mm  | mm     | lbs. |     |
| 71771 | 1.5 | 51     | .11  |     |
| 71772 | 2.0 | 51     | .11  |     |
| 71773 | 2.5 | 51     | .11  |     |
| 71774 | 3.0 | 51     | .11  |     |
| 71775 | 4.0 | 51     | .11  |     |
| 71776 | 5.0 | 51     | .12  |     |
| 71777 | 6.0 | 51     | .12  |     |

## Socket Adapters



**721 Hex To Square** 1/4" socket bit adapter.

| Item  | Hex  | Square | Hex   | Hex  |
|-------|------|--------|-------|------|
| No.   | Size | mm     | Drive | lbs. |
| 72110 | 1/4" | 25     | 1/4"  | .03  |
| 72115 | 1/4" | 30     | 3/8"  | .05  |







**724 Tool Shaft** 1/4" drive socket power adapter.

| Item  | Hex   | Square | Hex   | Hex  |
|-------|-------|--------|-------|------|
| No.   | Drive | mm     | Drive | lbs. |
| 72401 | 1/4"  | 100    | 1/4"  | .09  |
| 72405 | 1/4"  | 50     | 1/4"  | .03  |
| 72410 | 1/4"  | 100    | 3/8"  | .17  |
| 72415 | 1/4"  | 50     | 3/8"  | .06  |

**Wiha Bit Holding Socket Replacements**







**72014 1/4" Drive Bit Holding Socket With Retaining Ring** For 1/4" drive bits.

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Bit   | mm  | Drive   | lbs.  |
| 72014 | 1/4"  | 25  | 1/4"  | .04   |







**72038 3/8" Drive Bit Holding Socket With Retaining Ring** For 1/4" drive bits.

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Bit   | mm  | Drive   | lbs.  |
| 72038 | 1/4"  | 25  | 3/8"  | .08   |






**72040 3/8" Drive Bit Holding Socket With Retaining Ring** For 5/16" drive bits.


| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Bit   | mm  | Drive   | lbs.  |
| 72040 | 5/16"   | 25  | 3/8"  | .08   |

**Wiha Long Blade Sockets & Sets**






**771 Hex Inch Sockets**  
1/4" Drive 6" Long Bit Socket

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Inch  | Inch  | lbs.  |
| 77128 | 3/32  | 6   | .12   |
| 77130 | 7/64  | 6   | .12   |
| 77132 | 1/8   | 6   | .12   |
| 77134 | 9/64  | 6   | .12   |
| 77136 | 5/32  | 6   | .12   |
| 77138 | 3/16  | 6   | .12   |
| 77139 | 7/32  | 6   | .12   |
| 77141 | 1/4   | 6   | .12   |

**77191 8 Pc. Hex Inch Socket Blade Set**  
Inch: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"  wt. .97






**771 Hex Inch Sockets**  
3/8" Drive 6" Long Bit Socket

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Inch  | Inch  | lbs.  |
| 77165 | 3/32  | 6   | .12   |
| 77167 | 7/64  | 6   | .12   |
| 77169 | 1/8   | 6   | .12   |
| 77171 | 9/64  | 6   | .12   |
| 77173 | 5/32  | 6   | .12   |
| 77175 | 3/16  | 6   | .12   |
| 77177 | 7/32  | 6   | .12   |
| 77179 | 1/4   | 6   | .12   |







**771 Hex Metric Sockets**  
3/8" Drive 6" Long Bit Socket

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Inch  | Inch  | lbs.  |
| 77180 | 2.5   | 6   | .12   |
| 77182 | 3.0   | 6   | .12   |
| 77184 | 4.0   | 6   | .12   |
| 77186 | 5.0   | 6   | .12   |
| 77188 | 6.0   | 6   | .12   |

**Impact Bit Holding Sockets**






**720 Impact Bit Holding Socket With Retaining Ring** For 5/16" drive bits.


| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Bit   | mm  | Drive   | lbs.  |
| 72004 | 5/16"   | 25  | 1/4"  | .04   |
| 72005 | 5/16"   | 30  | 3/8"  | .04   |
| 72006 | 5/16"   | 35  | 1/2"  | .04   |

**Wiha Long Blade Sockets & Sets**






**771 Hex Metric Sockets**  
1/4" Drive 6" Long Bit Socket


| Item  |  |  |  |
|-------|---|---|---|
| No.   | mm  | Inch  | lbs.  |
| 77140 | 2.5   | 6   | .12   |
| 77142 | 3.0   | 6   | .12   |
| 77144 | 4.0   | 6   | .12   |
| 77146 | 5.0   | 6   | .12   |
| 77148 | 6.0   | 6   | .12   |

**77192 5 Pc. Hex Metric Socket Blade Set**  
Metric: 2.5, 3.0, 4.0, 5.0, 6.0mm  lbs. .51







**771 TORX Sockets**  
1/4" Drive 6" Long Bit Socket

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Size  | Inch  | lbs.  |
| 77151 | T8  | 6   | .12   |
| 77153 | T9  | 6   | .12   |
| 77152 | T10   | 6   | .12   |
| 77154 | T15   | 6   | .12   |
| 77156 | T20   | 6   | .12   |
| 77158 | T25   | 6   | .12   |
| 77160 | T27   | 6   | .12   |
| 77162 | T30   | 6   | .12   |
| 77164 | T40   | 6   | .12   |


**77193 7 Pc. TORX Socket Blade Set**  
TORX: T10, T15, T20, T25, T27, T30, T40  wt. .69



**720 Impact Bit Holding Socket With Retaining Ring** For 1/4" drive insert bits.


| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Bit   | mm  | Drive   | lbs.  |
| 72001 | 1/4"  | 25  | 1/4"  | .05   |
| 72002 | 1/4"  | 30  | 3/8"  | .10   |
| 72003 | 1/4"  | 35  | 1/2"  | .21   |


**72090 3 Piece Bit Holding Socket Set**  
for use with 1/4" insert bits


| Drive:           |  | lbs. |
|------------------|---|------|
| 1/4", 3/8", 1/2" |  | .40  |




**771 TORX Sockets**  
3/8" Drive 6" Long Bit Socket

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Size  | Inch  | lbs.  |
| 77101 | T8  | 6   | .12   |
| 77103 | T9  | 6   | .12   |
| 77105 | T10   | 6   | .12   |
| 77107 | T15   | 6   | .12   |
| 77109 | T20   | 6   | .12   |
| 77111 | T25   | 6   | .12   |
| 77113 | T27   | 6   | .12   |
| 77115 | T30   | 6   | .12   |
| 77117 | T40   | 6   | .12   |

**77195 9 Pc. TORX Socket Blade Set**  
TORX: T8, T9, T10, T15, T20, T25, T27, T30, T40  wt. 1.08



**77198 22 Pc. Hex & TORX Long Blade Socket Set, 1/4" Drive**  
Inch Hex: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"  
Metric Hex: 2.5, 3.0, 4.0, 5.0, 6.0mm  
TORX: T8, T9, T10, T15, T20, T25, T27, T30, T40  lbs. 2.82

Notes:


Blank lined area for notes.

## Wiha Socket Sets On Molded Rails



**76194 6 pc. TORX® Socket Set**  
 1/4" Square Drive Replaceable Bit Socket.  
 Bits CVM tool steel.

| Item No. | lbs. | Set includes the following:  |
|----------|------|------------------------------|
| 76194    | .20  | T10, T15, T20, T25, T27, T30 |



**76490 6 pc. TORX® Socket Set**  
 1/2" Square Drive Replaceable Bit Socket.  
 Bits CVM tool steel.

| Item No. | lbs. | Set includes the following:  |
|----------|------|------------------------------|
| 76490    | 1.06 | T30, T40, T45, T50, T55, T60 |



**76395 8 pc. TORX® Socket Set**  
 3/8" Square Drive Replaceable Bit Socket.  
 Bits CVM tool steel. OAL 1.5"

| Item No. | lbs. | Set includes the following:           |
|----------|------|---------------------------------------|
| 76395    | .75  | T9, T10, T15, T20, T25, T27, T30, T40 |



**76396 8 pc. TORX® Socket Set**  
 3/8" Square Drive Replaceable Bit Socket.  
 1/4" & 5/16" Bits CVM tool steel. OAL 1.65"

| Item No. | lbs. | Set includes the following:                            |
|----------|------|--|
| 76396    | .84  | 1/4": T20, T25, T27, T30, T40,<br>5/16": T45, T50, T55 |



**71698 8 pc. TORXPlus® Socket Set On Rail, In Vinyl Pouch** 1/4" & 3/8" Square Drive Replaceable Bit Socket. Bits CVM tool steel.

| Item No. | lbs. | Set includes the following:                                 |
|----------|------|---|
| 71698    | .60  | 1/4": IP9, IP10, IP15, IP20<br>3/8": IP25, IP27, IP30, IP40 |



**76397 9 pc. Security TORX® Socket Set**  
 1/4" & 3/8" Sq. Drive Replaceable Bit Socket.  
 1/4" & 5/16" Bits CVM tool steel.

| Item No. | lbs. | Set includes the following:  |
|----------|------|--|
| 76397    | .85  | 1/4": T10s, T15s, T20s,<br>T25s, T27s, T30s<br>3/8": T40s (1/4" bit)<br>3/8": T45s, T50s (5/16" bit) |



**76399 12 pc. Security TORX® Socket Set**  
 1/4" & 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel.

| Item No. | lbs. | Set includes the following:  |
|----------|------|--|
| 76399    | .80  | 1/4": T7s, T8s, T10s, T15s,<br>T20s, T25s, T27s, T30s, T40s<br>5/16": T45s, T50s, T55s |

## Wiha Socket Sets On Molded Rails



**71798 8 Pc. Ball End Hex Inch Socket Set**  
1/4" Square Drive Replaceable Bit Socket.  
1/4" Bits CVM tool steel.

Item No. ↕↔

**71798** lbs. **Set includes the following:**  
.80 3/32, 7/64, 1/8, 9/64, 5/32,  
3/16, 7/32, 1/4"



**71393 5 Piece Hex Inch Socket Set**  
3/8" Square Drive Replaceable Bit Socket.  
1/4" Bits CVM tool steel.

Item No. ↕↔

**71393** lbs. **Set includes the following:**  
.54 Hex Inch: 1/8, 3/16, 1/4,  
5/16, 3/8"



**71999 9 Pc. Security Hex Inch Socket Set**  
3/8" Square Drive Replaceable Bit Socket.  
1/4" Bits CVM tool steel.

Item No. ↕↔

**71999** lbs. **Set includes the following:**  
.86 Inch: 5/64, 3/32, 7/64, 1/8,  
9/64, 5/32, 3/16, 7/32, 1/4"



**71398 7 Pc. Ball End Hex Inch Socket Set**  
1/4" Square Drive Replaceable Bit Socket.  
1/4" Bits CVM tool steel.

Item No. ↕↔

**71398** lbs. **Set Includes:** 3/32, 1/8,  
.48 9/64, 5/32, 3/16, 7/32, 1/4"



**71394 5 Piece Hex Metric Socket Set**  
3/8" Square Drive Replaceable Bit Socket.  
1/4" Bits CVM tool steel.

Item No. ↕↔

**71394** lbs. **Set includes the following:**  
.56 Hex Metric: 4.0, 5.0, 6.0,  
8.0, 10.0mm



**71989 7 Pc. Security Hex Metric Socket Set**  
3/8" Square Drive Replaceable Bit Socket.  
1/4" Bits CVM tool steel.

Item No. ↕↔

**71989** lbs. **Set includes the following:**  
.72 Metric: 2.0, 2.5, 3.0, 4.0,  
5.0, 6.0, 8.0mm

## Wiha Universal Socket Rail System



**91095 Universal Rail For 1/4, 3/8 and 1/2" Sockets** Select any combination of socket drive sizes. Socket snaps firmly into place for a secure hold. Clips required.

| Item No. | lbs. | pkg. | lbs. |
|----------|------|------|------|
| 91095    | .057 | 1    | .06  |



**91110 Replacement 1/4" Clips For The Universal Socket Rail** Package of 10 pieces.

Item No. ↕↔ lbs.  
**91110** .03



**91112 Replacement 3/8" Clips For The Universal Socket Rail** Package of 10 pieces.

Item No. ↕↔ lbs.  
**91112** .03



**91114 Replacement 1/2" Clips For The Universal Socket Rail** Package of 10 pieces.

Item No. ↕↔ lbs.  
**91114** .05



**71797 7 Pc. Ball End Hex Metric Socket Set**  
1/4" Square Drive Replaceable Bit Socket.  
1/4" Bits CVM tool steel.

Item No. ↕↔

**71797** lbs. **Set includes the following:**  
.72 Hex Metric: 1.5, 2.0, 2.5, 3.0,  
4.0, 5.0, 6.0mm



**71996 9 Piece Hex Metric Socket Set**  
1/4" & 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel. OAL 1.65"

Item No. ↕↔

**71996** lbs. **Set includes the following:**  
.66 1/4": 1.5, 2.0, 2.5, 3.0, 4.0mm  
3/8": 5.0, 6.0, 8.0, 10.0mm



**71392 8 Piece Hex Inch Socket Set**  
3/8" Square Drive Replaceable Bit Socket.  
1/4" Bits CVM tool steel. OAL 1.65"

Item No. ↕↔

**71392** lbs. **Set includes the following:**  
.78 1/8, 9/64, 5/32, 3/16,  
7/32, 1/4, 5/16, 3/8"

| Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page  | Item No. | Page |
|----------|------|----------|------|----------|------|----------|------|----------|-------|----------|------|
| 28103    | 42   | 70156    | 14   | 70564    | 14   | 71315    | 21   | 71431    | 43    | 71603    | 16   |
| 28180    | 43   | 70157    | 14   | 70565    | 14   | 71316    | 52   | 71433    | 43    | 71604    | 16   |
| 28489    | 42   | 70158    | 14   | 70566    | 14   | 71317    | 52   | 71435    | 43    | 71605    | 16   |
| 28589    | 41   | 70159    | 14   | 70567    | 14   | 71318    | 21   | 71437    | 43    | 71606    | 16   |
| 28590    | 41   | 70160    | 14   | 70568    | 14   | 71319    | 52   | 71439    | 43    | 71607    | 16   |
| 28593    | 41   | 70163    | 14   | 71001    | 26   | 71320    | 52   | 71441    | 43    | 71608    | 16   |
| 28595    | 41   | 70168    | 14   | 71002    | 26   | 71321    | 21   | 71452    | 20    | 71609    | 16   |
| 35512    | 30   | 70175    | 23   | 71003    | 26   | 71322    | 52   | 71453    | 20    | 71610    | 16   |
| 35516    | 30   | 70190    | 15   | 71004    | 26   | 71323    | 52   | 71455    | 20    | 71615    | 16   |
| 38003    | 12   | 70416    | 12   | 71010    | 31   | 71324    | 21   | 71456    | 20    | 71620    | 16   |
| 38006    | 40   | 70424    | 50   | 71013    | 31   | 71325    | 52   | 71464    | 20    | 71625    | 16   |
| 38009    | 15   | 70427    | 50   | 71020    | 31   | 71326    | 21   | 71465    | 20    | 71627    | 16   |
| 38014    | 24   | 70430    | 50   | 71021    | 31   | 71327    | 52   | 71466    | 20    | 71630    | 16   |
| 38025    | 42   | 70437    | 50   | 71023    | 31   | 71328    | 21   | 71474    | 42    | 71631    | 16   |
| 38032    | 34   | 70438    | 50   | 71030    | 26   | 71329    | 21   | 71475    | 42    | 71632    | 16   |
| 38033    | 40   | 70440    | 50   | 71031    | 26   | 71330    | 21   | 71476    | 42    | 71633    | 16   |
| 38035    | 34   | 70442    | 50   | 71032    | 26   | 71331    | 52   | 71477    | 42    | 71634    | 16   |
| 38041    | 34   | 70445    | 50   | 71035    | 26   | 71332    | 52   | 71478    | 42    | 71635    | 16   |
| 38042    | 15   | 70448    | 50   | 71036    | 26   | 71333    | 21   | 71479    | 42    | 71636    | 16   |
| 38043    | 34   | 70450    | 50   | 71051    | 27   | 71336    | 21   | 71480    | 30,43 | 71637    | 16   |
| 38044    | 12   | 70462    | 50   | 71052    | 27   | 71339    | 21   | 71491    | 43    | 71638    | 16   |
| 38045    | 12   | 70463    | 50   | 71053    | 27   | 71340    | 52   | 71492    | 42    | 71639    | 16   |
| 38046    | 15   | 70464    | 50   | 71054    | 27   | 71341    | 52   | 71493    | 42    | 71640    | 16   |
| 38047    | 15   | 70466    | 50   | 71056    | 18   | 71342    | 21   | 71494    | 43    | 71641    | 16   |
| 38048    | 34   | 70468    | 50   | 71090    | 39   | 71343    | 23   | 71496    | 43    | 71642    | 16   |
| 38049    | 24   | 70469    | 50   | 71095    | 38   | 71345    | 21   | 71499    | 43    | 71643    | 16   |
| 38050    | 34   | 70470    | 50   | 71100    | 18   | 71346    | 23   | 71505    | 10    | 71644    | 16   |
| 38051    | 34   | 70472    | 50   | 71101    | 18   | 71348    | 21   | 71506    | 10    | 71645    | 16   |
| 38056    | 25   | 70474    | 50   | 71102    | 18   | 71349    | 23   | 71507    | 10    | 71648    | 17   |
| 38057    | 24   | 70476    | 50   | 71103    | 18   | 71351    | 21   | 71508    | 10    | 71650    | 17   |
| 38058    | 24   | 70477    | 50   | 71107    | 19   | 71352    | 23   | 71509    | 10    | 71652    | 17   |
| 38060    | 43   | 70479    | 50   | 71112    | 31   | 71353    | 21   | 71510    | 10    | 71654    | 17   |
| 38450    | 42   | 70480    | 50   | 71125    | 18   | 71354    | 23   | 71515    | 10    | 71656    | 17   |
| 38460    | 42   | 70481    | 50   | 71126    | 19   | 71356    | 21   | 71520    | 10    | 71657    | 17   |
| 38490    | 40   | 70482    | 50   | 71130    | 43   | 71359    | 21   | 71523    | 10    | 71658    | 17   |
| 38600    | 42   | 70483    | 50   | 71131    | 43   | 71360    | 21   | 71524    | 10    | 71660    | 17   |
| 38701    | 43   | 70484    | 50   | 71132    | 18   | 71361    | 21   | 71525    | 10    | 71661    | 51   |
| 38790    | 43   | 70485    | 50   | 71139    | 43   | 71362    | 21   | 71527    | 10    | 71662    | 51   |
| 38800    | 42   | 70486    | 50   | 71149    | 18   | 71363    | 21   | 71530    | 10    | 71663    | 51   |
| 38801    | 42   | 70490    | 50   | 71150    | 18   | 71364    | 21   | 71536    | 13    | 71664    | 51   |
| 48400    | 42   | 70491    | 50   | 71151    | 18   | 71365    | 21   | 71537    | 13    | 71665    | 51   |
| 52650    | 42   | 70492    | 50   | 71152    | 18   | 71366    | 21   | 71538    | 13    | 71666    | 51   |
| 66850    | 42   | 70493    | 50   | 71153    | 18   | 71367    | 21   | 71540    | 10    | 71667    | 51   |
| 70107    | 51   | 70494    | 50   | 71155    | 18   | 71368    | 21   | 71541    | 13    | 71668    | 51   |
| 70108    | 51   | 70507    | 14   | 71195    | 12   | 71369    | 21   | 71542    | 13    | 71669    | 51   |
| 70109    | 51   | 70508    | 14   | 71198    | 19   | 71370    | 52   | 71543    | 13    | 71670    | 51   |
| 70110    | 51   | 70509    | 14   | 71199    | 18   | 71371    | 52   | 71544    | 13    | 71671    | 51   |
| 70113    | 51   | 70510    | 14   | 71200    | 28   | 71372    | 52   | 71545    | 13    | 71674    | 51   |
| 70115    | 51   | 70515    | 14   | 71201    | 28   | 71373    | 21   | 71546    | 13    | 71675    | 51   |
| 70117    | 51   | 70520    | 14   | 71202    | 28   | 71374    | 52   | 71547    | 13    | 71678    | 51   |
| 70119    | 51   | 70525    | 14   | 71203    | 28   | 71375    | 52   | 71548    | 10    | 71680    | 51   |
| 70121    | 51   | 70527    | 14   | 71250    | 28   | 71376    | 52   | 71549    | 10    | 71681    | 51   |
| 70123    | 51   | 70530    | 14   | 71251    | 28   | 71377    | 52   | 71550    | 10    | 71690    | 16   |
| 70127    | 14   | 70533    | 14   | 71252    | 28   | 71378    | 52   | 71551    | 10    | 71692    | 16   |
| 70128    | 14   | 70534    | 14   | 71253    | 28   | 71379    | 52   | 71552    | 10    | 71698    | 54   |
| 70129    | 14   | 70535    | 14   | 71254    | 28   | 71380    | 52   | 71553    | 10    | 71701    | 22   |
| 70135    | 14   | 70536    | 14   | 71300    | 52   | 71381    | 52   | 71554    | 10    | 71702    | 22   |
| 70139    | 14   | 70537    | 14   | 71301    | 52   | 71382    | 52   | 71555    | 10    | 71703    | 22   |
| 70142    | 14   | 70538    | 14   | 71302    | 52   | 71383    | 52   | 71556    | 10    | 71704    | 22   |
| 70143    | 30   | 70539    | 14   | 71303    | 21   | 71384    | 52   | 71557    | 10    | 71705    | 22   |
| 70144    | 30   | 70540    | 14   | 71304    | 23   | 71385    | 52   | 71558    | 10    | 71706    | 22   |
| 70145    | 30   | 70545    | 14   | 71305    | 52   | 71386    | 52   | 71559    | 10    | 71707    | 22   |
| 70146    | 30   | 70550    | 14   | 71306    | 21   | 71387    | 21   | 71560    | 10    | 71708    | 22   |
| 70147    | 30   | 70556    | 14   | 71307    | 23   | 71388    | 52   | 71561    | 10    | 71711    | 22   |
| 70148    | 14   | 70557    | 14   | 71308    | 21   | 71390    | 52   | 71564    | 32    | 71712    | 22   |
| 70150    | 14   | 70558    | 14   | 71309    | 21   | 71392    | 55   | 71570    | 10    | 71713    | 22   |
| 70151    | 14   | 70559    | 14   | 71310    | 23   | 71393    | 55   | 71571    | 10    | 71714    | 22   |
| 70152    | 14   | 70560    | 14   | 71311    | 23   | 71394    | 55   | 71576    | 31    | 71715    | 22   |
| 70153    | 14   | 70561    | 14   | 71312    | 21   | 71396    | 21   | 71582    | 31    | 71716    | 22   |
| 70154    | 14   | 70562    | 14   | 71313    | 52   | 71397    | 21   | 71585    | 32    | 71717    | 22   |
| 70155    | 14   | 70563    | 14   | 71314    | 52   | 71398    | 55   | 71587    | 32    | 71718    | 22   |



| Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page  |
|----------|------|----------|------|----------|------|----------|------|----------|------|----------|-------|
| 71719    | 22   | 71943    | 23   | 72347    | 9    | 72590    | 12   | 73940    | 11   | 74221    | 28    |
| 71720    | 22   | 71944    | 23   | 72351    | 9    | 72593    | 41   | 73941    | 11   | 74231    | 28    |
| 71721    | 22   | 71945    | 23   | 72354    | 9    | 72595    | 12   | 73942    | 11   | 74232    | 28    |
| 71722    | 22   | 71946    | 23   | 72378    | 9    | 72596    | 24   | 73943    | 11   | 74233    | 28    |
| 71723    | 22   | 71949    | 29   | 72391    | 9    | 73302    | 21   | 73944    | 11   | 74236    | 28    |
| 71724    | 22   | 71950    | 29   | 72388    | 21   | 73303    | 21   | 73945    | 11   | 74237    | 28    |
| 71725    | 22   | 71951    | 29   | 72401    | 52   | 73304    | 21   | 73946    | 11   | 74238    | 28    |
| 71726    | 23   | 71952    | 29   | 72405    | 52   | 73305    | 21   | 74003    | 27   | 74241    | 31    |
| 71728    | 23   | 71953    | 29   | 72410    | 52   | 73306    | 21   | 74006    | 27   | 74242    | 31    |
| 71730    | 23   | 71954    | 29   | 72415    | 52   | 73307    | 21   | 74009    | 27   | 74261    | 28    |
| 71732    | 23   | 71955    | 23   | 72502    | 21   | 73308    | 21   | 74010    | 27   | 74262    | 28    |
| 71734    | 23   | 71956    | 23   | 72503    | 21   | 73309    | 21   | 74012    | 27   | 74263    | 28    |
| 71736    | 23   | 71957    | 29   | 72504    | 21   | 73310    | 13   | 74015    | 27   | 74301    | 23    |
| 71738    | 23   | 71958    | 29   | 72506    | 21   | 73311    | 13   | 74018    | 27   | 74303    | 20,27 |
| 71740    | 23   | 71959    | 29   | 72507    | 21   | 73312    | 13   | 74021    | 27   | 74304    | 20    |
| 71750    | 23   | 71960    | 23   | 72508    | 21   | 73314    | 13   | 74023    | 27   | 74305    | 23    |
| 71760    | 23   | 71963    | 30   | 72509    | 21   | 73315    | 13   | 74033    | 27   | 74306    | 20,27 |
| 71761    | 52   | 71964    | 30   | 72511    | 21   | 73316    | 13   | 74034    | 27   | 74307    | 23    |
| 71762    | 52   | 71965    | 30   | 72512    | 21   | 73317    | 13   | 74035    | 27   | 74308    | 20    |
| 71763    | 52   | 71966    | 30   | 72513    | 21   | 73318    | 13   | 74036    | 27   | 74310    | 20    |
| 71764    | 52   | 71970    | 23   | 72514    | 14   | 73319    | 13   | 74039    | 27   | 74311    | 22    |
| 71765    | 52   | 71971    | 23   | 72515    | 14   | 73501    | 8    | 74041    | 27   | 74312    | 22    |
| 71766    | 52   | 71972    | 23   | 72516    | 14   | 73502    | 8    | 74050    | 27   | 74313    | 22    |
| 71767    | 52   | 71973    | 23   | 72519    | 18   | 73507    | 8    | 74061    | 27   | 74314    | 22    |
| 71768    | 52   | 71974    | 23   | 72521    | 18   | 73508    | 8    | 74062    | 27   | 74315    | 22    |
| 71771    | 52   | 71975    | 23   | 72522    | 18   | 73509    | 8    | 74063    | 27   | 74316    | 22    |
| 71772    | 52   | 71976    | 23   | 72523    | 18   | 73510    | 8    | 74064    | 27   | 74317    | 22    |
| 71773    | 52   | 71977    | 23   | 72525    | 10   | 73511    | 8    | 74065    | 27   | 74318    | 22    |
| 71774    | 52   | 71978    | 23   | 72527    | 10   | 73522    | 8    | 74066    | 27   | 74319    | 23    |
| 71775    | 52   | 71979    | 23   | 72530    | 10   | 73523    | 8    | 74067    | 27   | 74325    | 22    |
| 71776    | 52   | 71980    | 23   | 72531    | 10   | 73525    | 8    | 74068    | 27   | 74330    | 22    |
| 71777    | 52   | 71981    | 23   | 72534    | 26   | 73526    | 8    | 74069    | 27   | 74332    | 22    |
| 71797    | 55   | 71982    | 23   | 72535    | 26   | 73531    | 8    | 74101    | 32   | 74333    | 22    |
| 71798    | 55   | 71983    | 23   | 72536    | 26   | 73532    | 8    | 74102    | 19   | 74334    | 22    |
| 71801    | 26   | 71984    | 23   | 72537    | 26   | 73533    | 8    | 74103    | 19   | 74335    | 22    |
| 71802    | 26   | 71985    | 23   | 72538    | 26   | 73534    | 8    | 74104    | 19   | 74336    | 22    |
| 71803    | 26   | 71987    | 40   | 72539    | 26   | 73535    | 8    | 74105    | 32   | 74337    | 22    |
| 71851    | 26   | 71988    | 38   | 72540    | 10   | 73546    | 8    | 74106    | 19   | 74340    | 22    |
| 71852    | 26   | 71989    | 55   | 72542    | 14   | 73547    | 8    | 74107    | 19   | 74343    | 22    |
| 71853    | 26   | 71990    | 38   | 72545    | 10   | 73901    | 28   | 74108    | 32   | 74344    | 22    |
| 71854    | 26   | 71991    | 38   | 72547    | 14   | 73902    | 28   | 74109    | 19   | 74345    | 22    |
| 71900    | 29   | 71992    | 38   | 72550    | 10   | 73903    | 28   | 74111    | 19   | 74346    | 22    |
| 71901    | 29   | 71994    | 38   | 72551    | 10   | 73905    | 27   | 74112    | 19   | 74348    | 22    |
| 71902    | 29   | 71995    | 24   | 72555    | 10   | 73906    | 27   | 74113    | 19   | 74349    | 22    |
| 71903    | 29   | 71996    | 55   | 72558    | 14   | 73907    | 27   | 74115    | 19   | 74350    | 22    |
| 71904    | 29   | 71998    | 24   | 72559    | 14   | 73908    | 27   | 74116    | 19   | 74351    | 22    |
| 71906    | 29   | 71999    | 55   | 72560    | 14   | 73909    | 27   | 74118    | 19   | 74352    | 22    |
| 71907    | 29   | 72001    | 53   | 72561    | 14   | 73910    | 27   | 74121    | 19   | 74353    | 22    |
| 71908    | 29   | 72002    | 53   | 72562    | 14   | 73912    | 19   | 74123    | 19   | 74354    | 22    |
| 71909    | 29   | 72003    | 53   | 72563    | 14   | 73913    | 19   | 74124    | 19   | 74355    | 22    |
| 71910    | 29   | 72004    | 53   | 72564    | 14   | 73914    | 19   | 74126    | 19   | 74356    | 22    |
| 71911    | 29   | 72005    | 53   | 72567    | 14   | 73915    | 19   | 74127    | 19   | 74357    | 22    |
| 71912    | 29   | 72006    | 53   | 72568    | 14   | 73916    | 19   | 74130    | 19   | 74360    | 22    |
| 71913    | 29   | 72014    | 53   | 72569    | 10   | 73920    | 22   | 74131    | 19   | 74361    | 22    |
| 71914    | 30   | 72031    | 27   | 72570    | 10   | 73921    | 22   | 74133    | 19   | 74362    | 22    |
| 71916    | 30   | 72038    | 53   | 72572    | 10   | 73922    | 22   | 74136    | 19   | 74363    | 22    |
| 71918    | 30   | 72039    | 27   | 72573    | 10   | 73923    | 22   | 74141    | 31   | 74364    | 22    |
| 71920    | 30   | 72040    | 53   | 72574    | 10   | 73924    | 22   | 74142    | 31   | 74365    | 22    |
| 71921    | 29   | 72047    | 27   | 72575    | 10   | 73925    | 22   | 74150    | 19   | 74366    | 22    |
| 71922    | 29   | 72049    | 27   | 72576    | 10   | 73926    | 22   | 74157    | 19   | 74369    | 23    |
| 71923    | 29   | 72050    | 27   | 72577    | 10   | 73928    | 22   | 74158    | 19   | 74371    | 23    |
| 71924    | 29   | 72051    | 27   | 72578    | 10   | 73929    | 22   | 74164    | 19   | 74373    | 23    |
| 71930    | 23   | 72090    | 53   | 72579    | 10   | 73930    | 22   | 74165    | 19   | 74375    | 23    |
| 71932    | 23   | 72102    | 19   | 72580    | 10   | 73931    | 22   | 74166    | 19   | 74379    | 23    |
| 71934    | 23   | 72103    | 19   | 72581    | 10   | 73932    | 22   | 74167    | 19   | 74380    | 22    |
| 71936    | 23   | 72104    | 19   | 72582    | 21   | 73933    | 22   | 74168    | 19   | 74381    | 22    |
| 71938    | 23   | 72110    | 52   | 72583    | 21   | 73934    | 22   | 74201    | 28   | 74382    | 22    |
| 71939    | 23   | 72115    | 52   | 72584    | 21   | 73936    | 11   | 74203    | 28   | 74383    | 22    |
| 71940    | 23   | 72304    | 9    | 72585    | 21   | 73937    | 11   | 74205    | 28   | 74384    | 22    |
| 71941    | 23   | 72328    | 9    | 72586    | 21   | 73938    | 11   | 74212    | 28   | 74385    | 22    |
| 71942    | 23   | 72343    | 9    | 72587    | 21   | 73939    | 11   | 74214    | 28   | 74386    | 22    |

58 Tools that work for you

| Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page        | Item No. | Page |
|----------|------|----------|------|----------|------|----------|------|----------|-------------|----------|------|
| 74387    | 22   | 74568    | 14   | 74814    | 26   | 75366    | 45   | 75674    | 44          | 76003    | 25   |
| 74388    | 22   | 74569    | 11   | 74816    | 26   | 75368    | 45   | 75675    | 44          | 76004    | 25   |
| 74413    | 11   | 74570    | 14   | 74819    | 26   | 75370    | 45   | 75676    | 44          | 76005    | 25   |
| 74415    | 11   | 74571    | 11   | 74860    | 26   | 75372    | 45   | 75681    | 44          | 76006    | 25   |
| 74419    | 11   | 74572    | 14   | 74861    | 26   | 75395    | 47   | 75683    | 44          | 76007    | 25   |
| 74431    | 11   | 74573    | 11   | 74862    | 26   | 75602    | 44   | 75701    | 45          | 76008    | 15   |
| 74433    | 11   | 74574    | 14   | 74890    | 26   | 75603    | 44   | 75702    | 45          | 76009    | 15   |
| 74461    | 11   | 74575    | 11   | 74895    | 26   | 75604    | 44   | 75703    | 45          | 76010    | 15   |
| 74462    | 11   | 74576    | 14   | 74901    | 29   | 75605    | 44   | 75704    | 45          | 76011    | 28   |
| 74464    | 11   | 74577    | 11   | 74903    | 29   | 75606    | 44   | 75705    | 45          | 76012    | 28   |
| 74465    | 11   | 74579    | 11   | 74904    | 29   | 75607    | 44   | 75706    | 45          | 76013    | 28   |
| 74501    | 11   | 74580    | 11   | 74911    | 29   | 75608    | 44   | 75707    | 45          | 76014    | 25   |
| 74502    | 11   | 74581    | 11   | 74912    | 29   | 75609    | 44   | 75708    | 45          | 76015    | 15   |
| 74503    | 11   | 74582    | 11   | 74913    | 29   | 75610    | 44   | 75709    | 45          | 76016    | 25   |
| 74504    | 11   | 74583    | 11   | 74914    | 29   | 75611    | 44   | 75710    | 45          | 76017    | 25   |
| 74506    | 11   | 74584    | 11   | 74915    | 29   | 75612    | 44   | 75715    | 45          | 76018    | 25   |
| 74508    | 11   | 74585    | 11   | 74961    | 29   | 75613    | 44   | 75720    | 45          | 76019    | 25   |
| 74510    | 11   | 74586    | 11   | 74962    | 29   | 75614    | 44   | 75735    | 45          | 76020    | 15   |
| 74511    | 11   | 74587    | 11   | 74963    | 29   | 75615    | 44   | 75742    | 45          | 76021    | 25   |
| 74512    | 11   | 74588    | 11   | 74964    | 29   | 75616    | 44   | 75743    | 45          | 76022    | 30   |
| 74513    | 11   | 74589    | 11   | 74965    | 29   | 75617    | 44   | 75744    | 45          | 76023    | 30   |
| 74514    | 11   | 74590    | 11   | 74966    | 29   | 75618    | 44   | 75745    | 45          | 76024    | 30   |
| 74515    | 11   | 74591    | 11   | 74967    | 29   | 75619    | 44   | 75746    | 45          | 76025    | 15   |
| 74516    | 11   | 74601    | 16   | 74968    | 29   | 75620    | 44   | 75747    | 45          | 76027    | 15   |
| 74517    | 11   | 74602    | 16   | 74981    | 13   | 75621    | 44   | 75748    | 45          | 76030    | 15   |
| 74518    | 11   | 74603    | 16   | 74982    | 16   | 75622    | 44   | 75800    | 45          | 76031    | 29   |
| 74519    | 11   | 74604    | 16   | 74983    | 41   | 75623    | 44   | 75801    | 45          | 76032    | 29   |
| 74520    | 17   | 74608    | 16   | 74985    | 12   | 75624    | 44   | 75802    | 46          | 76033    | 29   |
| 74521    | 11   | 74611    | 16   | 74986    | 24   | 75626    | 44   | 75803    | 46          | 76034    | 29   |
| 74522    | 17   | 74612    | 16   | 74987    | 15   | 75627    | 44   | 75805    | 49          | 76035    | 27   |
| 74523    | 11   | 74613    | 16   | 74988    | 41   | 75628    | 44   | 75806    | 46          | 76036    | 27   |
| 74524    | 17   | 74614    | 16   | 74990    | 50   | 75629    | 44   | 75810    | 45          | 76037    | 27   |
| 74525    | 11   | 74616    | 16   | 74992    | 40   | 75630    | 44   | 75811    | 45          | 76038    | 27   |
| 74526    | 17   | 74617    | 16   | 74996    | 40   | 75631    | 44   | 75812    | 45          | 76039    | 27   |
| 74527    | 11   | 74620    | 16   | 74999    | 25   | 75632    | 44   | 75813    | 45          | 76040    | 15   |
| 74528    | 17   | 74624    | 16   | 75008    | 45   | 75633    | 44   | 75814    | 45          | 76041    | 20   |
| 74529    | 11   | 74628    | 16   | 75012    | 45   | 75634    | 44   | 75815    | 45          | 76042    | 20   |
| 74530    | 11   | 74632    | 16   | 75015    | 45   | 75635    | 44   | 75816    | 45          | 76043    | 20   |
| 74531    | 11   | 74636    | 16   | 75018    | 45   | 75636    | 44   | 75817    | 45          | 76044    | 20   |
| 74532    | 17   | 74659    | 16   | 75020    | 45   | 75637    | 44   | 75820    | 45          | 76045    | 25   |
| 74533    | 11   | 74660    | 16   | 75025    | 45   | 75638    | 44   | 75821    | 45          | 76046    | 25   |
| 74534    | 17   | 74661    | 16   | 75030    | 45   | 75639    | 44   | 75822    | 45          | 76047    | 25   |
| 74535    | 11   | 74662    | 16   | 75035    | 45   | 75641    | 44   | 75823    | 45          | 76048    | 25   |
| 74536    | 11   | 74663    | 16   | 75040    | 45   | 75644    | 44   | 75824    | 45          | 76049    | 25   |
| 74537    | 17   | 74664    | 16   | 75093    | 49   | 75645    | 44   | 75825    | 45          | 76050    | 25   |
| 74538    | 11   | 74665    | 16   | 75094    | 49   | 75646    | 44   | 75826    | 45          | 76051    | 25   |
| 74539    | 17   | 74666    | 16   | 75095    | 49   | 75647    | 44   | 75827    | 45          | 76052    | 25   |
| 74540    | 11   | 74667    | 16   | 75096    | 49   | 75648    | 44   | 75900    | 46          | 76053    | 25   |
| 74541    | 17   | 74668    | 16   | 75097    | 49   | 75649    | 44   | 75901    | 46          | 76054    | 25   |
| 74542    | 11   | 74669    | 16   | 75105    | 45   | 75650    | 44   | 75902    | 46          | 76056    | 25   |
| 74543    | 17   | 74670    | 16   | 75110    | 45   | 75651    | 44   | 75965    | 48          | 76057    | 25   |
| 74544    | 11   | 74711    | 13   | 75115    | 45   | 75652    | 44   | 75968    | 48          | 76058    | 25   |
| 74545    | 17   | 74714    | 13   | 75120    | 45   | 75653    | 44   | 75971    | 48          | 76079    | 33   |
| 74546    | 11   | 74717    | 13   | 75125    | 45   | 75654    | 44   | 75977    | 48          | 76084    | 33   |
| 74547    | 17   | 74721    | 13   | 75307    | 45   | 75655    | 44   | 75980    | 48          | 76085    | 33   |
| 74548    | 11   | 74724    | 13   | 75309    | 45   | 75656    | 44   | 75981    | 49          | 76086    | 33   |
| 74549    | 17   | 74728    | 13   | 75313    | 45   | 75657    | 44   | 75982    | 46          | 76087    | 33   |
| 74550    | 17   | 74732    | 13   | 75315    | 45   | 75658    | 44   | 75983    | 49          | 76088    | 29   |
| 74551    | 11   | 74736    | 13   | 75320    | 45   | 75659    | 44   | 75984    | 46          | 76089    | 30   |
| 74552    | 17   | 74739    | 13   | 75322    | 45   | 75660    | 44   | 75985    | 49          | 76090    | 25   |
| 74553    | 11   | 74742    | 13   | 75325    | 45   | 75661    | 44   | 75986    | 46          | 76091    | 28   |
| 74554    | 17   | 74760    | 13   | 75330    | 45   | 75662    | 44   | 75987    | 46          | 76092    | 15   |
| 74555    | 17   | 74761    | 13   | 75332    | 45   | 75663    | 44   | 75988    | 46          | 76093    | 27   |
| 74556    | 11   | 74762    | 13   | 75340    | 45   | 75664    | 44   | 75991    | 47          | 76094    | 20   |
| 74557    | 17   | 74763    | 13   | 75342    | 45   | 75665    | 44   | 75992    | 47          | 76095    | 25   |
| 74558    | 11   | 74764    | 13   | 75350    | 45   | 75666    | 44   | 75993    | 48          | 76096    | 25   |
| 74559    | 11   | 74765    | 13   | 75352    | 45   | 75667    | 44   | 75994    | 47          | 76098    | 33   |
| 74561    | 11   | 74766    | 13   | 75354    | 45   | 75668    | 44   | 75995    | 47          | 76099    | 33   |
| 74563    | 11   | 74767    | 13   | 75356    | 45   | 75669    | 44   | 75996    | 47          | 76106    | 51   |
| 74564    | 17   | 74768    | 13   | 75358    | 45   | 75670    | 44   | 75999    | 47          | 76107    | 51   |
| 74565    | 11   | 74811    | 26   | 75360    | 45   | 75671    | 44   | 76000    | 15,20,25,33 | 76109    | 51   |
| 74566    | 14   | 74812    | 26   | 75362    | 45   | 75672    | 44   | 76001    | 25          | 76111    | 51   |
| 74567    | 11   | 74813    | 26   | 75364    | 45   | 75673    | 44   | 76002    | 25          | 76113    | 51   |

| Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page |
|----------|------|----------|------|----------|------|----------|------|----------|------|----------|------|
| 76117    | 51   | 76508    | 4    | 76614    | 7    | 76861    | 9    | 77195    | 53   | 91095    | 55   |
| 76119    | 51   | 76510    | 4    | 76615    | 7    | 76863    | 6    | 77198    | 53   | 91109    | 49   |
| 76121    | 51   | 76511    | 4    | 76616    | 7    | 76864    | 6    | 77701    | 10   | 91110    | 55   |
| 76123    | 51   | 76512    | 4    | 76641    | 7    | 76865    | 6    | 77702    | 10   | 91112    | 55   |
| 76129    | 51   | 76513    | 4    | 76642    | 7    | 76866    | 6    | 77703    | 10   | 91114    | 55   |
| 76131    | 51   | 76514    | 4    | 76643    | 7    | 76870    | 6    | 77704    | 10   | 97780    | 36   |
| 76132    | 52   | 76516    | 4    | 76645    | 7    | 76871    | 6    | 77705    | 10   | 97781    | 36   |
| 76133    | 52   | 76517    | 4    | 76650    | 7    | 76872    | 6    | 77707    | 18   | 97782    | 36   |
| 76134    | 52   | 76523    | 5    | 76651    | 7    | 76873    | 6    | 77708    | 18   | 97790    | 36   |
| 76135    | 52   | 76524    | 5    | 76652    | 7    | 76874    | 6    | 77710    | 28   | 97791    | 36   |
| 76136    | 52   | 76525    | 5    | 76653    | 7    | 76875    | 6    | 77712    | 26   | 97792    | 36   |
| 76137    | 52   | 76526    | 5    | 76654    | 7    | 76876    | 5    | 77713    | 26   |          |      |
| 76138    | 52   | 76530    | 5    | 76655    | 7    | 76877    | 5    | 77715    | 26   |          |      |
| 76164    | 52   | 76531    | 5    | 76656    | 7    | 76878    | 6    | 77716    | 26   |          |      |
| 76165    | 52   | 76532    | 5    | 76647    | 7    | 76879    | 6    | 77717    | 26   |          |      |
| 76166    | 52   | 76533    | 5    | 76648    | 7    | 76880    | 6    | 77719    | 21   |          |      |
| 76167    | 52   | 76534    | 5    | 76649    | 7    | 76881    | 5    | 77720    | 21   |          |      |
| 76168    | 52   | 76535    | 5    | 76663    | 7    | 76890    | 5    | 77721    | 21   |          |      |
| 76169    | 52   | 76538    | 4    | 76664    | 7    | 76891    | 5    | 77723    | 21   |          |      |
| 76170    | 52   | 76539    | 4    | 76665    | 7    | 76892    | 6    | 77724    | 21   |          |      |
| 76171    | 52   | 76540    | 4    | 76666    | 7    | 76893    | 5    | 77725    | 21   |          |      |
| 76172    | 52   | 76543    | 6    | 76670    | 7    | 76894    | 6    | 77726    | 21   |          |      |
| 76194    | 54   | 76544    | 6    | 76671    | 7    | 76895    | 5    | 77740    | 35   |          |      |
| 76312    | 51   | 76545    | 6    | 76672    | 7    | 76896    | 6    | 77741    | 35   |          |      |
| 76314    | 51   | 76548    | 6    | 76673    | 7    | 76897    | 5    | 77780    | 35   |          |      |
| 76316    | 51   | 76549    | 6    | 76674    | 7    | 76899    | 5    | 77781    | 35   |          |      |
| 76318    | 51   | 76550    | 6    | 76675    | 7    | 77101    | 53   | 77782    | 35   |          |      |
| 76322    | 51   | 76553    | 6    | 76801    | 4    | 77103    | 53   | 77783    | 37   |          |      |
| 76324    | 51   | 76554    | 6    | 76802    | 4    | 77105    | 53   | 77786    | 37   |          |      |
| 76326    | 51   | 76555    | 6    | 76803    | 4    | 77107    | 53   | 77789    | 37   |          |      |
| 76328    | 51   | 76556    | 6    | 76806    | 4    | 77109    | 53   | 77790    | 35   |          |      |
| 76330    | 51   | 76557    | 6    | 76807    | 4    | 77111    | 53   | 77791    | 35   |          |      |
| 76331    | 51   | 76558    | 6    | 76808    | 4    | 77113    | 53   | 77792    | 35   |          |      |
| 76332    | 51   | 76559    | 6    | 76810    | 4    | 77115    | 53   | 77793    | 37   |          |      |
| 76333    | 51   | 76563    | 6    | 76811    | 4    | 77117    | 53   | 77795    | 37   |          |      |
| 76334    | 51   | 76564    | 6    | 76812    | 4    | 77128    | 53   | 78002    | 30   |          |      |
| 76335    | 51   | 76565    | 6    | 76813    | 4    | 77130    | 53   | 78005    | 30   |          |      |
| 76336    | 51   | 76566    | 6    | 76814    | 4    | 77132    | 53   | 78008    | 30   |          |      |
| 76337    | 51   | 76570    | 6    | 76816    | 4    | 77134    | 53   | 78011    | 30   |          |      |
| 76338    | 51   | 76571    | 6    | 76817    | 4    | 77136    | 53   | 78015    | 30   |          |      |
| 76339    | 51   | 76572    | 6    | 76823    | 5    | 77138    | 53   | 78018    | 30   |          |      |
| 76340    | 51   | 76573    | 6    | 76824    | 5    | 77139    | 53   | 78615    | 30   |          |      |
| 76341    | 51   | 76574    | 6    | 76825    | 5    | 77140    | 53   | 78617    | 30   |          |      |
| 76342    | 51   | 76575    | 6    | 76826    | 5    | 77141    | 53   | 78619    | 30   |          |      |
| 76346    | 51   | 76578    | 6    | 76830    | 5    | 77142    | 53   | 78621    | 30   |          |      |
| 76348    | 51   | 76579    | 6    | 76831    | 5    | 77144    | 53   | 78622    | 30   |          |      |
| 76352    | 51   | 76580    | 6    | 76832    | 5    | 77146    | 53   | 78624    | 30   |          |      |
| 76354    | 51   | 76581    | 8    | 76833    | 5    | 77148    | 53   | 79242    | 12   |          |      |
| 76395    | 54   | 76582    | 8    | 76834    | 5    | 77151    | 53   | 79243    | 39   |          |      |
| 76396    | 54   | 76583    | 8    | 76835    | 5    | 77152    | 53   | 79245    | 12   |          |      |
| 76397    | 54   | 76584    | 8    | 76838    | 4    | 77153    | 53   | 79246    | 24   |          |      |
| 76399    | 54   | 76585    | 8    | 76839    | 4    | 77154    | 53   | 79247    | 15   |          |      |
| 76403    | 51   | 76586    | 8    | 76840    | 4    | 77156    | 53   | 79248    | 39   |          |      |
| 76404    | 51   | 76587    | 8    | 76841    | 9    | 77158    | 53   | 79256    | 24   |          |      |
| 76405    | 51   | 76588    | 8    | 76842    | 9    | 77160    | 53   | 79266    | 24   |          |      |
| 76406    | 51   | 76589    | 8    | 76843    | 6    | 77162    | 53   | 79276    | 25   |          |      |
| 76407    | 51   | 76590    | 8    | 76844    | 6    | 77164    | 53   | 79283    | 13   |          |      |
| 76411    | 51   | 76591    | 8    | 76845    | 6    | 77165    | 53   | 79443    | 39   |          |      |
| 76412    | 51   | 76592    | 8    | 76846    | 9    | 77167    | 53   | 79445    | 12   |          |      |
| 76413    | 51   | 76593    | 8    | 76847    | 9    | 77169    | 53   | 79446    | 24   |          |      |
| 76414    | 51   | 76594    | 8    | 76848    | 6    | 77171    | 53   | 79447    | 15   |          |      |
| 76417    | 51   | 76595    | 8    | 76849    | 6    | 77173    | 53   | 79450    | 17   |          |      |
| 76418    | 51   | 76596    | 8    | 76850    | 6    | 77175    | 53   | 79490    | 39   |          |      |
| 76419    | 51   | 76597    | 8    | 76851    | 9    | 77177    | 53   | 79491    | 39   |          |      |
| 76422    | 51   | 76598    | 8    | 76852    | 9    | 77179    | 53   | 79493    | 39   |          |      |
| 76423    | 51   | 76601    | 7    | 76853    | 6    | 77180    | 53   | 79495    | 39   |          |      |
| 76424    | 51   | 76602    | 7    | 76854    | 6    | 77182    | 53   | 79499    | 39   |          |      |
| 76490    | 54   | 76603    | 7    | 76855    | 6    | 77184    | 53   |          |      |          |      |
| 76501    | 4    | 76605    | 7    | 76856    | 6    | 77186    | 53   |          |      |          |      |
| 76502    | 4    | 76610    | 7    | 76857    | 6    | 77188    | 53   |          |      |          |      |
| 76503    | 4    | 76611    | 7    | 76858    | 6    | 77191    | 53   |          |      |          |      |
| 76506    | 4    | 76612    | 7    | 76859    | 6    | 77192    | 53   |          |      |          |      |
| 76507    | 4    | 76613    | 7    | 76860    | 9    | 77193    | 53   |          |      |          |      |

**Prop65 WARNING:** This product can expose you to chemicals including Diisononyl Phthalate, Vinyl Chloride, Ethylene Glycol, Nickel or Hexavalent Chromium Six, which is known to the State of California to cause cancer or reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



# PROFESSIONAL QUALITY BITS



(800) 494-6104  
fax: (800) 494-7456  
cservice@wihatools.com  
www.wihatools.com


Catalog Item No. 99951.wo  
version - 9/15/19

**Subject to change  
without notice**

©2019 Willi Hahn Corporation

®Torx is a registered trademark of  
Acument Intellectual Properties LLC.

|   |   |  |   |
|---|---|--|---|
|  | <b>Wiha Quality Tools</b><br>1348 Dundas Circle<br>Monticello, MN 55362<br>tel: 763.295.6591<br>fax: 763.295.6598 | <b>Wiha Tools Canada Ltd.</b><br>www.wihatools.ca<br>Brampton, ONT L6T 4X4<br>tel: 866.494.0096 or 763.295.6591<br>fax: 763.295.6598 |  |
|   | <p>To:</p>  |  |   |



99977.wo - Pliers/Crimpers Catalog



99914.wo - TORX Catalog



99001.wo - TorqueControl Catalog



99004.wo - Shop Tools Catalog



99919.wo - Insulated Catalog



99902.wo - Screwdrivers Catalog



99934.wo - Hex Tools Catalog



99006.wo - Tech Tools Catalog



99945.wo - ESD Catalog



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.