

2019



wiha 

Tools that work for you

# PROFESSIONAL QUALITY BITS




## COMPLETE BITS PROGRAM










Slotted • Phillips • TORX® • Security TORX® • Hex Inch/Metric • Ball End Hex  
MagicRing Hex • Security Hex • Nut Driver • Pozidriv® • Square • Tri-Wing  
Spanner • Torq Set • TORXPlus® • Security TORXPlus® • Xeno Phillips























## Terminator Impact Insert & Power Bits

DESCRIPTION	Page
 Terminator Impact Bits	4-9



## Standard Contractor Bits

DESCRIPTION	Page
 Torx® Insert/Power Bits	9-11
 Phillips Insert/Power Bits	9,18-19
 Hex Metric & Inch Insert/Power Bits	9,21-22
 Square Insert/Power Bits	9,26
 Slotted Insert/Power Bits	26-27
 Pozidriv® Insert/Power Bits	28
 Nut Setters	50




## Specialty Bits

DESCRIPTION	Page
  Xeno Phillips Terminal Block	20
  Torx® Align Bits	13
  Security Torx® Insert/Power Bits	14
  TorxPlus® Insert/Power Bits	16
  Ball End Torx®	17
  Security Pentalobe	17
  Security Hex Triple Square Insert Bits	23
  XZN Insert	30
  Tri-Wing Insert/Power Bits	29
  Torq Set Insert/Power Bits	29
  Spanner	30









## Cutting Tools

DESCRIPTION	Page
 Counter Sink	30
 Drill Bit	30



## High Performance Bits

DESCRIPTION	Page
 Dura Bits Slotted, Phillips, Pozidriv®, Torx® Insert/Power Bits - Tungsten Carbide Coated	31
 Diamond Bits Slotted, Phillips, Pozidriv®, Torx® Insert/Power Bits	31
 TiN Coated Bits Phillips & Torx® - Titanium Insert/Power Bits	32

## Insert & Power Bit Sets

DESCRIPTION	Page
 Security Bits Collector	38
 26inOne Ultra Drivers	35-37
 Insert Bit Selectors	39
 XSelector/XLSelectors	39
 6-in-1 Multi-Bit Sets	40
 Stubby Bit Holder Sets	34
 Pop-Up Bit Holder Sets	34
 Power Bit Belt Packs	41


## Power Blades & Sets

DESCRIPTION	Page
 Power Blades Slotted/Phillips/Security Torx® & Hex TriWing/Square/Spanner/Pozidriv®	15,20,25,33
 Power Blade Sets	15,20,25,33


**ESD 1/4" Quick Release Bit Holder Blade Set**

	DESCRIPTION	Page
	1/4" Quick Release	43


**TorqueControl Insert & Micro Bit Sets**

	DESCRIPTION	Page
	TorqueControl Bit Sets	41


**ESD Safe Micro Bit Handles/Bits & Sets**

	DESCRIPTION	Page
	Micro Bits	44-49
	ESD Safe Micro Bit Sets	49

**Bit Holders**

	DESCRIPTION	Page
	ESD Safe Bit Holders	43
	SoftFinish® Cushion Grip	42
	MicroFinish Non-Slip Grip	42
	T-handle	42
	SoftGrip Stubby Bit Holder	42
	Flexible Shaft Bit Holder	42
	Drive-Loc VI Bit Holder	42
	Protturn Precision	42
	Multi-Bit Holders	42

**Bit Holders**

	DESCRIPTION	Page
	Micro Bit Power Tool Adapte	46
	ClicFix Quick Release Insert Bits	43
	CentroFix Quick Release All 1/4" Drive Tools	43
	Protturn Quick Release 1/4" Drive	42
	Stainless Steel Bit Holder	43
	Magnetic Bit Holders & Retaining Ring Bit Holder	43
	"SlimFix" Impact Bit Holder Quick Release	43

**Bit Sockets**

	DESCRIPTION	Page
	Torx® 1/4" Drive	51
	Torx® 3/8" Drive	51
	Torx® 3/8" - 5/16" Bits	51
	Security Torx® 3/8"	51
	Slotted Bit Sockets 1/2" Drive	51
	Phillips Bit Socket 1/2" Drive	51
	Hex Bit Sockets 1/4" Drive	52
	Hex Bit Sockets 3/8" Drive	52
	Ball End Hex Sockets	52
	Socket Adapters	52
	Impact Bit Holding Sockets	53
	6" Bit Sockets 1/4" & 3/8" Drive	53
	Socket Sets	54-55

## Wiha Terminator Impact Bits

# Impact Bits

**Ready For Sudden Impact!**

## 1/4" Drive Insert & Power Bits



### 765 TORX® Terminator Impact Bits,

#### 1/4" Insert - 10 Bit Pack

Item	Icon	Icon	Icon
No.	Size	mm	pkg.
76510	T10	29	10
76511	T15	29	10
76512	T20	29	10
76513	T25	29	10
76514	T27	29	10
76516	T30	29	10
76517	T40	29	10

### 768 TORX® Terminator Impact Bits,

#### 1/4" Insert - 2 Bit Pack

Item	Icon	Icon	Icon
No.	Size	mm	pkg.
76810	T10	29	2
76811	T15	29	2
76812	T20	29	2
76813	T25	29	2
76814	T27	29	2
76816	T30	29	2
76817	T40	29	2



### 765 Phillips Terminator Impact Bits,

#### 1/4" Insert - 10 Bit Pack

Item	Icon	Icon	Icon
No.	Size	mm	pkg.
76501	1	29	10
76502	2	29	10
76503	3	29	10

### 768 Phillips Terminator Impact Bits,

#### 1/4" Insert - 2 Bit Pack

Item	Icon	Icon	Icon
No.	Size	mm	pkg.
76801	1	29	2
76802	2	29	2
76803	3	29	2



### 765 Square Terminator Impact Bits,

#### 1/4" Insert - 10 Bit Pack

Item	Icon	Icon	Icon
No.	Size	mm	pkg.
76538	1	29	10
76539	2	29	10
76540	3	29	10

### 768 Square Terminator Impact Bits,

#### 1/4" Insert - 2 Bit Pack

Item	Icon	Icon	Icon
No.	Size	mm	pkg.
76838	1	29	2
76839	2	29	2
76840	3	29	2



### 765 Pozidriv® Terminator Impact Bits,

#### 1/4" Insert - 10 Bit Pack


Item	Icon	Icon	Icon
No.	Size	mm	pkg.
76506	1	29	10
76507	2	29	10
76508	3	29	10

### 768 Pozidriv® Terminator Impact Bits,

#### 1/4" Insert - 2 Bit Pack

Item	Icon	Icon	Icon
No.	Size	mm	pkg.
76806	1	29	2
76807	2	29	2
76808	3	29	2

**Up To 30X Performance Over Standard Screwdriver Bits**



Special energy absorbing dual material design

Tough impact absorbing torsional zone

Up to 30 times performance over standard bits

Precision heat treated & premium CVM tool steel

No special bit holder required

Standard 1/4" drive



**765 Hex Inch Terminator Impact Bits, 1/4" Insert - 10 Bit Pack**

Item				
No.	Inch	mm	pkg.	
76530	1/8	29	10	
76531	9/64	29	10	
76532	5/32	29	10	
76533	3/16	29	10	
76534	7/32	29	10	
76535	1/4	29	10	

**768 Hex Inch Terminator Impact Bits, 1/4" Insert - 2 Bit Pack**

Item				
No.	Inch	mm	pkg.	
76830	1/8	29	2	
76831	9/64	29	2	
76832	5/32	29	2	
76833	3/16	29	2	
76834	7/32	29	2	
76835	1/4	29	2	



**765 Hex Metric Terminator Impact Bits, 1/4" Insert - 10 Bit Pack**

Item				
No.	mm	mm	pkg.	
76523	3.0	29	10	
76524	4.0	29	10	
76525	5.0	29	10	
76526	6.0	29	10	

**768 Hex Metric Terminator Impact Bits, 1/4" Insert - 2 Bit Pack**

Item				
No.	mm	mm	pkg.	
76823	3.0	29	2	
76824	4.0	29	2	
76825	5.0	29	2	
76826	6.0	29	2	



**76897 28 Pc. Terminator Impact Insert Bit Set With SlimFix 1/4" Locking Bit Holder**

**Item No. Set includes the following bits:**

76897	Phillips: #1, 2 (2), 3
	Sq: #1, 2, 3 & Pozidriv®: #1, 2, 3
lbs. .47	Hex Metric: 3.0, 4.0, 5.0, 6.0mm
	Hex Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
	Torx®: T10, T15, T20, T25(2), T30, T40

**Wiha Insert Terminator Impact Bit Sets**



**76876 10 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm**

**76876 Set includes the following bits:**

- Hex In: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
- Hex Metric: 3.0, 4.0, 5.0, 6.0mm



**76877 10 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm**

**76877 Set includes the following bits:**

- Torx®: T10, T15, T20 (2), T25 (2), T27, T30 (2), T40



**76881 10 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm**

**76881 Set includes the following bits:**

- Phillips: #1, 2, 3
- Square: #1, 2, 3
- Torx®: T20, T25, T30, T40



In Metal Box

**76899 34 Pc. Terminator Impact Insert Bit Set With 3K Bit Holder Handle & SlimFix 1/4" Locking Bit Holder**

**Item No. Set includes the following bits:**

76899	2 Phillips: #1, 2, 3
	Square: #1, 2 (2), 3
lbs.	Pozidriv®: #1, 2, 3
1.12	Torx®: T10, T15, T20 (2), T25 (2), T30 (2), T40
	Hex Metric: 3.0, 4.0, 5.0, 6.0mm
	Hex Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



Includes magnetic bit holder

**76890 8 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm**

**76890 Set includes the following bits:**

- 3 Phillips: #2
- Square: #2
- Torx®: T15, T20, T25

Includes magnetic bit holder



**76891 8 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm**

**76891 Set includes the following bits:**

- Phillips: #2, 3
- Square: #2, 3
- Torx®: T20, T25, T30

Includes magnetic bit holder



**76893 8 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm**

**76893 Set includes the following bits:**

- Hex Inch: 5/32, 3/16, 7/32, 1/4"
- Hex Metric: 4, 5, 6mm

Includes magnetic bit holder



**76895 8 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm**

**76895 Set includes the following bits:**

- Torx®: T10, T15, T20, T25, T27, T30, T40

Includes magnetic bit holder

## Wiha Power Terminator Impact Bits & Power Terminator Impact Bit Sets



### 765 Phillips Terminator Impact Bits, 1/4" Power - 10 Bit Pack

Item	+	—	—
No.	Size	mm	pkg.
76543	1	49	10
76544	2	49	10
76545	3	49	10

### 768 Phillips Terminator Impact Bits, 1/4" Power - 2 Bit Pack

Item	+	—	—
No.	Size	mm	pkg.
76843	1	49	2
76844	2	49	2
76845	3	49	2



### 765 Pozidriv® Terminator Impact Bits, 1/4" Power - 10 Bit Pack

Item	+	—	—
No.	Size	mm	pkg.
76548	1	49	10
76549	2	49	10
76550	3	49	10

### 768 Pozidriv® Terminator Impact Bits, 1/4" Power - 2 Bit Pack

Item	+	—	—
No.	Size	mm	pkg.
76848	1	49	2
76849	2	49	2
76850	3	49	2



### 765 Square Terminator Impact Bits, 1/4" Power - 10 Bit Pack

Item	□	—	—
No.	Size	mm	pkg.
76578	1	49	10
76579	2	49	10
76580	3	49	10

### 768 Square Terminator Impact Bits, 1/4" Power - 2 Bit Pack

Item	□	—	—
No.	Size	mm	pkg.
76878	1	49	2
76879	2	49	2
76880	3	49	2



### 765 TORX® Terminator Impact Bits, 1/4" Power - 10 Bit Pack

Item	⊕	—	—
No.	Size	mm	pkg.
76553	T10	49	10
76554	T15	49	10
76555	T20	49	10
76556	T25	49	10
76557	T27	49	10
76558	T30	49	10
76559	T40	49	10

### 768 TORX® Terminator Impact Bits, 1/4" Power - 2 Bit Pack

Item	⊕	—	—
No.	Size	mm	pkg.
76853	T10	49	2
76854	T15	49	2
76855	T20	49	2
76856	T25	49	2
76857	T27	49	2
76858	T30	49	2
76859	T40	49	2



### 765 Hex Inch Terminator Impact Bits, 1/4" Power - 10 Bit Pack

Item	⬡	—	—
No.	Inch	mm	pkg.
76570	1/8	49	10
76571	9/64	49	10
76572	5/32	49	10
76573	3/16	49	10
76574	7/32	49	10
76575	1/4	49	10

### 768 Hex Inch Terminator Impact Bits, 1/4" Power - 2 Bit Pack

Item	⬡	—	—
No.	Inch	mm	pkg.
76870	1/8	49	2
76871	9/64	49	2
76872	5/32	49	2
76873	3/16	49	2
76874	7/32	49	2
76875	1/4	49	2



### 765 Hex Metric Terminator Impact Bits, 1/4" Power - 10 Bit Pack

Item	⬡	—	—
No.	mm	mm	pkg.
76563	3.0	49	10
76564	4.0	49	10
76565	5.0	49	10
76566	6.0	49	10

### 768 Hex Metric Terminator Impact Bits, 1/4" Power - 2 Bit Pack

Item	⬡	—	—
No.	mm	mm	pkg.
76863	3.0	49	2
76864	4.0	49	2
76865	5.0	49	2
76866	6.0	49	2



### 76892 7 Pc. Bit Buddy Set With Terminator Impact Power Bits - 49mm

76892 Set includes the following bits:

- ⊕ Phillips: #2, 3
- Square: #2, 3
- ⊕ Torx®: T20, T25, T30



### 76896 7 Pc. Bit Buddy Set With Terminator Impact Power Bits - 49mm

76896 Set includes the following bits:

- ⊕ Torx®: T10, T15, T20, T25, T27, T30, T40



### 76894 7 Pc. Bit Buddy Set With Terminator Impact Power Bits - 49mm

76894 Set includes the following bits:

- ⬡ Hex Inch: 5/32, 3/16, 7/32, 1/4"
- ⬡ Hex Metric: 4, 5, 6mm

**Wiha Terminator Impact Bit Box Packs**



**766 Phillips Terminator Impact Bits, 1/4" Insert - 25 Bit Box Pack**

Item			
No.	Size	mm	pkg.
76601	1	29	25
76602	2	29	25
76603	3	29	25



**766 Phillips Terminator Impact Bits, 1/4" Power - 15 Bit Box Pack**

Item			
No.	Size	mm	pkg.
76641	1	49	15
76642	2	49	15
76643	2	49	15



**766 Hex Inch Terminator Impact Bits, 1/4" Power - 15 Bit Box Pack**

Item			
No.	Inch	mm	pkg.
76670	1/8	49	15
76671	9/64	49	15
76672	5/32	49	15
76673	3/16	49	15
76674	7/32	49	15
76675	1/4	49	15



**766 Square Terminator Impact Bits, 1/4" Insert - 25 Bit Box Pack**

Item			
No.	Size	mm	pkg.
76605	2	29	25



**766 Square Terminator Impact Bits, 1/4" Power - 15 Bit Box Pack**

Item			
No.	Size	mm	pkg.
76645	2	49	15



**766 Hex Metric Terminator Impact Bits, 1/4" Power - 15 Bit Box Pack**

Item			
No.	mm	mm	pkg.
76663	3.0	49	15
76664	4.0	49	15
76665	5.0	49	15
76666	6.0	49	15



**766 TORX® Terminator Impact Bits, 1/4" Insert - 25 Bit Box Pack**

Item			
No.	Size	mm	pkg.
76610	T10	29	25
76611	T15	29	25
76612	T20	29	25
76613	T25	29	25
76614	T27	29	25
76615	T30	29	25
76616	T40	29	25



**766 TORX® Terminator Impact Bits, 1/4" Power - 15 Bit Box Pack**

Item			
No.	Size	mm	pkg.
76650	T10	49	15
76651	T15	49	15
76652	T20	49	15
76653	T25	49	15
76654	T27	49	15
76655	T30	49	15
76656	T40	49	15

Case Pack of 10 Bit Boxes Includes Counter Top Display



Identification on bits allows quick bit selection



**766 Pozidriv® Terminator Impact Bits, 1/4" Power - 15 Bit Box Pack**

Item			
No.	Size	mm	pkg.
76647	1	49	15
76648	2	49	15
76649	3	49	15

## Wiha Power Terminator Impact Bits 100 Bit Packs



**735 Phillips Terminator Impact Bits, 1/4" Insert - 100 Bit Pack**

Item	+	—	■
No.	Size	mm	pkg.
73501	1	29	100
73502	2	29	100



**735 TORX® Terminator Impact Bits, 1/4" Insert - 100 Bit Pack**

Item	✳	—	■
No.	Size	mm	pkg.
73507	T15	29	100
73508	T20	29	100
73509	T25	29	100
73510	T27	29	100
73511	T30	29	100



**735 Square Terminator Impact Bits, 1/4" Power - 100 Bit Pack**

Item	□	—	■
No.	Size	mm	pkg.
73546	1	49	100
73547	2	49	100



**735 Square Terminator Impact Bits, 1/4" Insert - 100 Bit Pack**

Item	□	—	■
No.	Size	mm	pkg.
73522	1	29	100
73523	2	29	100



**735 Phillips Terminator Impact Bits, 1/4" Power - 100 Bit Pack**

Item	+	—	■
No.	Size	mm	pkg.
73525	1	49	100
73526	2	49	100



**735 TORX® Terminator Impact Bits, 1/4" Power - 100 Bit Pack**

Item	✳	—	■
No.	Size	mm	pkg.
73531	T15	49	100
73532	T20	49	100
73533	T25	49	100
73534	T27	49	100
73535	T30	49	100

## Wiha Power Terminator Impact Bits 250 Bit Packs



**765 Phillips Terminator Impact Bits, 1/4" Insert - 250 Bit Pack**

Item	+	—	■
No.	Size	mm	pkg.
76581	1	29	250
76582	2	29	250



**765 TORX® Terminator Impact Bits, 1/4" Insert - 250 Bit Pack**

Item	✳	—	■
No.	Size	mm	pkg.
76585	T15	29	250
76586	T20	29	250
76587	T25	29	250
76588	T27	29	250
76589	T30	29	250



**765 Square Terminator Impact Bits, 1/4" Power - 250 Bit Pack**

Item	□	—	■
No.	Size	mm	pkg.
76592	1	49	250
76593	2	49	250



**765 Square Terminator Impact Bits, 1/4" Insert - 250 Bit Pack**

Item	□	—	■
No.	Size	mm	pkg.
76583	1	29	250
76584	2	29	250



**765 Phillips Terminator Impact Bits, 1/4" Power - 250 Bit Pack**

Item	+	—	■
No.	Size	mm	pkg.
76590	1	49	250
76591	2	49	250



**765 TORX® Terminator Impact Bits, 1/4" Power - 250 Bit Pack**

Item	✳	—	■
No.	Size	mm	pkg.
76594	T15	49	250
76595	T20	49	250
76596	T25	49	250
76597	T27	49	250
76598	T30	49	250



**Impact Bits**

Longest life impact bit available, 30X performance increase over standard bits.

Available in 1 1/29mm Insert or 2 7/49mm Power bits.

Precision tuned torsion zones are individually matched to bit profile reducing stress on the tip when used in an impact driver.

German formulated MoV tool steel combined with precision hardening & heat treating.

Hardest working tip selection in 15ct or 25ct bit box, 100ct or 250ct bulk packs.

**Contractor Bits**

Available in 1 1/25mm Insert or 2 7/50mm Power bits.

Suitable for all machine and manual screw driving applications.

German formulated CRV tool steel combined with precision hardening and heat treating.

Widest selection of bit offering in 15ct or 30ct bit box, 100ct or 250ct bulk packs.






**250 Count Bulk Packs**  
Includes Bit Bowl

**Wiha Terminator Impact Bits 250-piece Bit Bowls**






**768 Phillips Terminator Impact Bits, 1/4" Insert - 250-piece Bit Bowl**

Item			
No.	Size	mm	pkg.
76841	2	29	250






**768 Phillips Terminator Impact Bits, 1/4" Power - 250-piece Bit Bowl**

Item			
No.	Size	mm	pkg.
76851	2	49	250






**768 Square Terminator Impact Bits, 1/4" Insert - 250-piece Bit Bowl**

Item			
No.	Size	mm	pkg.
76847	2	29	250






**768 Square Terminator Impact Bits, 1/4" Power - 250-piece Bit Bowl**

Item			
No.	Size	mm	pkg.
76861	2	49	250






**768 TORX Terminator Impact Bits, 1/4" Insert - 250-piece Bit Bowl**

Item			
No.	Size	mm	pkg.
76842	T25	29	250






**768 TORX Terminator Impact Bits, 1/4" Power - 250-piece Bit Bowl**

Item			
No.	Size	mm	pkg.
76852	T25	49	250






**768 Hex Inch Terminator Impact Bits, 1/4" Insert - 250-piece Bit Bowl**

Item			
No.	Inch	mm	pkg.
76846	5/32	29	250






**768 Hex Inch Terminator Impact Bits, 1/4" Power - 250-piece Bit Bowl**

Item			
No.	Inch	mm	pkg.
76860	3/16	49	250

**Wiha Contractor Bits 250-piece Bit Bowls**







**723 Phillips Insert Bits, 1/4"**

Item			
No.	Size	mm	pkg.
72304	2	25	250






**723 Square Insert Bits, 1/4"**

Item				
No.	Size	mm	pkg.	
72347	2	25	250	






**723 TORX Bits, 1/4"**

Item			
No.	Size	mm	pkg.
72343	T25	25	250







**723 Hex Inch Insert Bits, 1/4"**

Item			
No.	Inch	mm	pkg.
72328	5/32	25	250







**723 Phillips Power Bits 1/4" Hex Drive, Length 2.0"/50mm**

Item				
No.	Size	mm	pkg.	
72351	2	50	250	






**723 Square Power Bits. 1/4" Hex Drive, Length 2.0"/50mm**

Item				
No.	Size	mm	pkg.	
72391	2	50	250	






**723 TORX Power Bits 1/4" Hex Drive, Length 2.0"/50mm**

Item			
No.	Size	mm	pkg.
72378	T25	50	250



**723 Hex Inch Power Bits. 1/4" Hex Drive, Length 2.0"/50mm**

Item			
No.	Inch	mm	pkg.
72354	3/16	50	10

## TORX® Bits

The ideal multi-purpose bits for all around quality and performance

Made by Wiha - Production Quality

Suitable for all applications for both manual and machine  
Hardness HRC 59-61

Highly resistant to wear and tear for a long tool life

Impact resistant modified CVM, tool steel, hardened



### Wiha TORX® Bit Packs



**71571 TORX® Insert Bit Packs, 1" CVM S2** modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

**71571 Set includes the following bits:**



T15, T20, T25, T27,  
wt. .08 T30, T40 x 1" (25mm)



**71570 TORX® Insert Bit Packs, 1" CVM S2** modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc bit pack.

**71570 Set includes the following bits:**



T5, T6, T7, T8, T9,  
wt. .07 T10 x 1" (25mm)

### Wiha TORX® Insert Bit



10 bit pack

#### 715 TORX® Bits, 1/4"

Item No.	Size	mm	pkg.	lbs.
71523	T3	25	10	.12
71524	T4	25	10	.12
71505	T5	25	10	.12
71506	T6	25	10	.12
71507	T7	25	10	.12
71508	T8	25	10	.12
71509	T9	25	10	.12
71510	T10	25	10	.12
71515	T15	25	10	.12
71520	T20	25	10	.12
71525	T25	25	10	.12
71527	T27	25	10	.13
71530	T30	25	10	.14
71540	T40	25	10	.15

#### 30 Piece Contractor Grade Bits

#### 725 TORX® Insert Bit Packs, 30 Pcs., 1/4"

Item No.	Size	mm	lbs.
72572	T7	25	.36
72573	T8	25	.36
72574	T9	25	.36
72575	T10	25	.36
72576	T15	25	.36
72577	T20	25	.36
72578	T25	25	.36
72579	T27	25	.36
72580	T30	25	.36
72581	T40	25	.36

### Wiha TORX® Bit Packs

2 bit pack



#### 715 TORX® Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item No.	Size	mm	lbs.
71548	T3	25	.03
71549	T4	25	.03
71550	T5	25	.03
71551	T6	25	.03
71552	T7	25	.03
71553	T8	25	.03
71554	T9	25	.03
71555	T10	25	.03
71556	T15	25	.03
71557	T20	25	.03
71558	T25	25	.03
71559	T27	25	.04
71560	T30	25	.04
71561	T40	25	.04

2 bit pack



#### 777 TORX® Double End Insert Bit Packs, 1/4" CVM S2 modified tool steel

Item No.	Size	mm
77701	T6+T7	30
77702	T8+T9	30
77703	T10+T15	30
77704	T20+T25	30
77705	T27+T30	30

### Wiha TORX® 5/16" Bits



5/16"

10 bit pack

#### 725 TORX® Bits, 5/16"

Item No.	Size	mm	pkg.	lbs.
72525	T25	35	10	.27
72527	T27	35	10	.27
72530	T30	35	10	.27
72540	T40	35	10	.28
72545	T45	35	10	.31
72550	T50	35	10	.32
72555	T55	35	10	.52
72570	T60	35	10	.52

2 bit pack



5/16" Insert Bits

#### 725 TORX® Insert Bit Packs, 5/16"

Item No.	Size	mm	lbs.
72531	T30	35	.28
72551	T50	35	.32
72569	T60	35	.52

## Wiha TORX® Power Bits



### 745 TORX® Power Bits 1/4" Hex Drive, Length 2.0"/50mm


Item				
No.	Size	mm	pkg.	lbs.
74511	T6	50	10	.18
74512	T7	50	10	.18
74513	T8	50	10	.18
74517	T9	50	10	.19
74519	T10	50	10	.20
74521	T15	50	10	.20
74523	T20	50	10	.20
74529	T25	50	10	.20
74531	T27	50	10	.20
74533	T30	50	10	.20
74535	T40	50	10	.25



### 745 TORX® Power Bit Packs, 2"

CVM S2 modified tool steel.

Item			
No.	Size	mm	lbs.
74525	T1	50	.05
74527	T2	50	.05
74530	T3	50	.05
74540	T4	50	.05
74559	T5	50	.05
74501	T6	50	.05
74502	T7	50	.05
74503	T8	50	.05
74504	T9	50	.05
74506	T10	50	.05
74508	T15	50	.05
74510	T20	50	.05
74514	T25	50	.06
74515	T27	50	.06
74516	T30	50	.06
74518	T40	50	.08



### 745 TORX® Power Bits. 1/4" Hex Drive, Length 2.75"/70mm

Item				
No.	Size	mm	pkg.	lbs.
74536	T6	70	10	.02
74538	T7	70	10	.02
74542	T8	70	10	.02
74544	T9	70	10	.02
74546	T10	70	10	.02
74548	T15	70	10	.02
74551	T20	70	10	.03
74553	T25	70	10	.03
74556	T27	70	10	.04
74558	T30	70	10	.04
74561	T40	70	10	.04



### 739 TORX® Power Bits. 1/4" Hex Drive, Length 2.75"/70mm 2 bit pack

Item				
No.	Size	mm	pkg.	lbs.
73936	T6	70	1	.02
73937	T7	70	1	.02
73938	T8	70	1	.02
73939	T9	70	1	.02
73940	T10	70	1	.02
73941	T15	70	1	.02
73942	T20	70	1	.03
73943	T25	70	1	.03
73944	T27	70	1	.04
73945	T30	70	1	.04
73946	T40	70	1	.04



### 745 TORX® Power Bits 1/4" Hex Drive, Length 3.5"/90mm


Item				
No.	Size	mm	pkg.	lbs.
74563	T6	90	1	.03
74565	T7	90	1	.03
74567	T8	90	1	.03
74569	T9	90	1	.03
74571	T10	90	1	.03
74573	T15	90	1	.03
74575	T20	90	1	.04
74577	T25	90	1	.04
74579	T27	90	1	.04
74581	T30	90	1	.04
74583	T40	90	1	.04



### 745 TORX® Power Bits 1/4" Hex Drive, Length 6.0"/150mm


Item				
No.	Size	mm	pkg.	lbs.
74580	T6	150	1	.04
74582	T7	150	1	.04
74584	T8	150	1	.04
74585	T9	150	1	.04
74586	T10	150	1	.04
74587	T15	150	1	.04
74588	T20	150	1	.04
74589	T25	150	1	.04
74590	T27	150	1	.04
74591	T30	150	1	.04

## Wiha TORX® Double End Bits



### 744 TORX® Double End Bits 1/4" Hex Drive, Length 2.56"/65mm

Item					
No.	Size	Size	mm	pkg.	lbs.
74413	T7	T7	65	10	.32
74415	T8	T8	65	10	.32
74419	T10	T10	65	10	.32
74431	T27	T27	65	10	.34
74433	T30	T30	65	10	.35



### 744 TORX® Double End Bit Pack 1/4" Hex Drive, Length 2.56"/65mm

Item				
No.	Size	Size	mm	lbs.
74461	T7	T7	65	.05
74462	T8	T8	65	.05
74464	T10	T10	65	.05
74465	T15	T15	65	.05

## Wiha Stainless Steel Power Bits



**704** Stainless Steel **TORX**® Power Bits  
1/4" Hex Drive, Length 2.0"/50mm

Item No.	Size	mm	pkg.
70416	T30	50	1

## Wiha Insert Bit Blister Pack



**72595** 10 Pack **TORX**® Insert Bit Pack  
CVM S2 modified tool steel.

<b>TORX</b> ® :	lbs.
T7, T8, T9, T10, T15	.16
T20, T25, T27, T30, T40	

## Wiha Insert Bit & Socket Set



**72590** 11 Piece **TORX**® Insert Bit Pack & Socket Set CVM S2 modified tool steel.

1/4" to 3/8" Drive Socket	
1/4" Bits: T10, T15, T20, T25, T27, T30	
5/16" to 3/8" Drive Socket	lbs.
5/16" Bits: T40, T45, T50	.36

## Wiha **TORX**® Insert Bit & Power Bit Sets



**79445** XSelector Bit Set With **TORX**® Bits  
Set Includes 1/4" Magnetic Bit Holder & the following 10 bits:

lbs.	<b>TORX</b> ® :
.29	T7, T8, T9, T10, T15, T20, T25, T27, T30, T40



**71195** PokitPak - **TORX**® Insert Bits In Molded Case - Includes 6 - 1/4" Insert Bits & Magnetic Bit Holder

lbs.	<b>TORX</b> ® :
.16	T8, T10, T15, T20, T25, T30

## Wiha **TORX**® Insert Bit Sets

Bit holder stainless steel, magnetic



**38044** **TORX**® Pop-Up Bit Screwdriver Set

Wiha Cushion Grip handle, multi-component. Compact storage for 12 bits in the handle.

lbs.	Set includes the following 1/4" bits:
.42	<b>TORX</b> ®: T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40



**38003** **TORX**® Multi-Bit Screwdriver

with Wiha Powerhandle.

Includes the following 1/4" bits:

<b>TORX</b> ® :	lbs.
T5, T6, T7, T8, T9, T10	.40



**74985** Power Bit Belt Pack With **TORX**® Bits  
Includes the following 10 bits:

lbs.	<b>TORX</b> ® :
.28	T6, T7, T8, T9, T10, T15, T20, T25, T27, T30



**79242** Bit-Selector With **TORX**® Bits  
Includes Universal Magnetic 1/4" Bit Holder & The Following 10 Insert Bits:

lbs.	<b>TORX</b> ® :
.32	T5, T6, T7, T8, T9, T10, T15, T20, T25, T30



**38045** **TORX**® SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.

lbs.	Set includes the following 1/4" bits:
.20	<b>TORX</b> ®: T8, T10, T15, T20, T25, T30

**79245** Bit-Selector With **TORX**® Bits  
Includes Auto Lock Magnetic 1/4" Bit Holder & The Following 10 Insert Bits:

lbs.	<b>TORX</b> ® :
.34	T7, T8, T9, T10, T15, T20, T25, T27, T30, T40

**Wiha TORX® Align Insert Bits and Power Bits**

**Wiha TORX® Align Coated Insert Bits PokitPak**

**Torx® Align Tapered For Snug Fit In Screw**

Highly resistant to wear and tear for a long tool life



Impact resistant modified chrome-vanadium-molybdenum, tool steel, hardened

**Made by Wiha - Production Quality**

Suitable for all applications for both manual and machine  
Hardness HRC 59-61



**79283 PokitPak - TORX® Align Insert Bits In Molded Case -**

**Set Includes 6 - 1/4" Insert Bits**

**TORX® Align:**

T10, T15, T20, T25, T30, T40

lbs. .12



10 bit pack

**715 TORX® Align Bits, 1/4"**

Item No.	Size	mm	pkg.	lbs.
71536	T6	25	10	.12
71537	T7	25	10	.12
71538	T8	25	10	.12
71541	T10	25	10	.12
71542	T15	25	10	.12
71543	T20	25	10	.12
71544	T25	25	10	.13
71545	T27	25	10	.13
71546	T30	25	10	.14
71547	T40	25	10	.15

(Also Known As Torx Wedge Fit)



10 bit pack

**747 TORX® Align Bits 1/4" Hex Drive, Length 2.0"/50mm**

Item No.	Size	mm	pkg.	lbs.
74711	T6	50	10	.18
74714	T7	50	10	.18
74717	T8	50	10	.18
74721	T9	50	10	.18
74724	T10	50	10	.18
74728	T15	50	10	.20
74732	T20	50	10	.22
74736	T25	50	10	.22
74739	T27	50	10	.22
74742	T30	50	10	.22

(Also Known As Torx Wedge Fit)



2 bit pack

**733 TORX® Align Insert Bit Packs, 1"**

CVM S2 modified tool steel

Item No.	Size	mm	lbs.
73310	T6	25	.03
73311	T7	25	.03
73312	T8	25	.03
73313	T9	25	.03
73314	T10	25	.03
73315	T15	25	.03
73316	T20	25	.03
73317	T25	25	.03
73318	T27	25	.03
73319	T30	25	.03



2 bit pack

**747 TORX® Align Power Bit Packs, 2"**

Item No.	Size	mm	lbs.
74760	T6	50	.05
74761	T7	50	.05
74762	T8	50	.05
74763	T9	50	.05
74764	T10	50	.05
74765	T15	50	.05
74766	T20	50	.06
74767	T25	50	.06
74768	T27	50	.06



**74981 Power Bit Belt Pack With TORX® Align Bits**

Set includes the following 10 bits:

**TORX® Align:** T6, T7, T8, T9, T10, T15, T20, T25, T27, T30

lbs. .28



## Wiha Security TORX® Insert Bits and Power Bits

### Security Torx®

Made by Wiha -  
Production  
Quality



Impact resistant modified  
CVM tool steel, hardened

Highly resistant  
to wear and  
tear for a  
long tool life

Suitable for all applications  
for both manual and machine  
Hardness HRC 59-61

10 bit pack



#### 701 Security TORX® Bits, 1/4"

Item	Icon	Size	mm	pkg.	lbs.
70127	T7s	25	10	.12	
70128	T8s	25	10	.12	
70129	T9s	25	10	.12	
70135	T10s	25	10	.12	
70139	T15s	25	10	.12	
70142	T20s	25	10	.12	
70148	T25s	25	10	.12	
70160	T27s	25	10	.13	
70163	T30s	25	10	.13	
70168	T40s	25	10	.14	



#### 701 Security TORX® Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item	Icon	Size	mm	lbs.
70150	T7s	25	.03	
70151	T8s	25	.03	
70152	T9s	25	.03	
70153	T10s	25	.03	
70154	T15s	25	.03	
70155	T20s	25	.03	
70156	T25s	25	.03	
70157	T27s	25	.03	
70158	T30s	25	.03	
70159	T40s	25	.03	



#### 725 Security TORX® Bits, 5/16"

Item	Icon	Size	mm	pkg.	lbs.
72514	T25s	35	10	.26	
72515	T27s	35	10	.27	
72516	T30s	35	10	.28	
72542	T40s	35	10	.28	
72547	T45s	35	10	.32	
72558	T60s	35	10	.65	



#### 725 Security TORX® Bits, 5/16" 2 Bit Pk.

Item	Icon	Size	mm	lbs.
72559	T25s	35	.26	
72560	T27s	35	.27	
72561	T30s	35	.28	
72562	T40s	35	.28	
72563	T45s	35	.29	
72564	T50s	35	.30	
72567	T55s	35	.32	
72568	T60s	35	.35	

5 bit packs



#### 745 Protorn Security TORX® Power Bits 1/4" Hex Drive, Length 3.0"/75mm

Item	Icon	Size	mm	pkg.	lbs.
74566	T10s	75	5	.01	
74568	T15s	75	5	.01	
74570	T20s	75	5	.01	
74572	T25s	75	5	.02	
74574	T27s	75	5	.02	
74576	T30s	75	5	.03	




#### 705 Security TORX® Power Bits 1/4" Hex Drive, Length 2.0"/50mm

Item	Icon	Size	mm	pkg.	lbs.
70507	T7s	50	10	.18	
70508	T8s	50	10	.18	
70509	T9s	50	10	.18	
70510	T10s	50	10	.19	
70515	T15s	50	10	.19	
70520	T20s	50	10	.21	
70525	T25s	50	10	.23	
70527	T27s	50	10	.23	
70530	T30s	50	10	.23	
70540	T40s	50	10	.23	
70545	T45s	50	10	.33	
70550	T50s	50	10	.37	



#### 705 Security TORX® Power Bit Packs, 2"

Item	Icon	Size	mm	lbs.
70556	T7s	50	.07	
70557	T8s	50	.07	
70558	T9s	50	.07	
70559	T10s	50	.07	
70560	T15s	50	.07	
70561	T20s	50	.07	
70562	T25s	50	.07	
70563	T27s	50	.07	
70564	T30s	50	.07	
70565	T40s	50	.07	
70566	T45s	50	.08	
70567	T50s	50	.08	
70568	T55s	50	.09	




#### 705 Security TORX® Power Bits 1/4" Hex Drive, Length 3.5"/90mm

Item	Icon	Size	mm	pkg.	lbs.
70533	T10s	90	5	.02	
70534	T15s	90	5	.02	
70535	T20s	90	5	.02	
70536	T25s	90	5	.02	
70537	T27s	90	5	.03	
70538	T30s	90	5	.03	
70539	T40s	90	5	.03	

**Wiha Security TORX® Insert Bit & Power Bit Sets**




**79247 Bit-Selector With Security TORX® Bits, Includes Magnetic 1/4" Bit Holder & The Following 10 Bits:**  lbs. .32

**Security TORX®:**  
T7s, T8s, T9s, T10s, T15s,  
T20s, T25s, T27s, T30s, T40s



**70190 Bit-Selector With Security TORX® Bits, Includes The Following 7 Insert Bits:**

<b>Security TORX®:</b>	
T7s, T8s, T9s,	lbs.
T10s, T15s, T20s, T25s	.21




**38009 Security TORX® Screwdriver with Wiha Powerhandle**  lbs. .36

**Includes The Following 1/4" Bits:**  
**Security TORX®:**  
T7s, T8s, T9s, T10s, T15s, T20s



**38047 Security TORX® SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.**

**Includes The Following 1/4" Bits:**  lbs. .20  
**Security TORX®:** T8s, T10s,  
T15s, T20s, T25s, T30s

Bit holder stainless steel, magnetic




**38046 Security TORX® Pop-Up Bit Screwdriver Set** Wiha Cushion Grip handle, multi-component. Compact storage for 12 bits in the handle.  lbs. .42

**Includes The Following 1/4" Bits:**  
**TORX®:** T5, T6  
**Security TORX®:** T7s, T8s, T9s, T10s,  
T15s, T20s, T25s, T27s, T30s, T40s

Bit holder stainless steel, magnetic


75mm Bits



**38042 Security TORX® Pop-Up Bit Screwdriver Set** Wiha Cushion Grip handle, multi-component. Compact storage for 6 bits in the handle.  lbs. .44


**Includes The Following 75mm 1/4" Bits:**  
**Security TORX®:**  
T10s, T15s, T20s, T25s, T27s, T30s



**79447 XSelector Bit Set With Security TORX® Bits, Includes 1/4" Magnetic Bit Holder & The Following Bits:**  lbs. .27

**Security TORX®:** T7s, T8s,  
T9s, T10s, T15s, T20s, T25s,  
T27s, T30s, T40s



**74987 Power Bit Belt Pack With Security TORX® Bits, Includes the following 10 bits:**  
**Security TORX®:**  
 lbs. T7s, T8s, T9s,  
T10s, T15s, T20s,  
.29 T25s, T27s, T30s, T40s

**Wiha Security TORX® Power Blades & Holder**



**760 Security TORX® Power Blades** S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item No.	Size	lbs.	pkg.
76008	T8s	.02	1
76009	T9s	.02	1
76010	T10s	.02	1
76015	T15s	.02	1
76020	T20s	.02	1
76025	T25s	.03	1
76027	T27s	.03	1
76030	T30s	.04	1
76040	T40s	.04	1



**76092 9 Piece Security TORX® Blade Set**

Item No.	lbs.	Set includes:
76092	.30	T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s



**76000 CentroFix Cushion Grip Blade Holder** Wiha-SoftFinish® impact resistant, with roll off protection. Ergonomic cushion grip handle. Quick release bit holder with magnet.

Item No.	mm	mm	Inch	mm	Inch	lbs.
76000	6.0	149	5.9	34.6	1.36	.26

## Wiha TORXPlus® Insert Bits and Power Bits

### TORXPlus®

Made by Wiha -  
Production Quality

Highly resistant  
to wear and  
tear for a  
long tool life

Impact resistant modified  
chrome-vanadium-molybdenum,  
tool steel, hardened

Suitable for all applications  
for both manual and  
machine Hardness  
HRC 59-61

TORXPlus®  
 Security Pentalobe



#### 716 TORXPlus® Insert Bits, 1/4" Hex, 1" OAL

Item No.	Size	mm	pkg.	lbs.
71603	IP3	25	10	.12
71604	IP4	25	10	.12
71605	IP5	25	10	.12
71606	IP6	25	10	.12
71607	IP7	25	10	.12
71608	IP8	25	10	.12
71609	IP9	25	10	.12
71610	IP10	25	10	.12
71615	IP15	25	10	.12
71620	IP20	25	10	.12
71625	IP25	25	10	.12
71627	IP27	25	10	.13
71630	IP30	25	10	.13
71640	IP40	25	10	.15



#### 716 TORXPlus® Insert Bit Packs, 1"

CVM S2 modified tool steel

Item No.	Size	mm	lbs.
71631	IP3	25	.03
71632	IP4	25	.03
71633	IP5	25	.03
71634	IP6	25	.03
71635	IP7	25	.03
71636	IP8	25	.03
71637	IP9	25	.03
71638	IP10	25	.03
71639	IP15	25	.03
71641	IP20	25	.03
71642	IP25	25	.03
71643	IP27	25	.03
71644	IP30	25	.03
71645	IP40	25	.04



#### 746 TORXPlus® Power Bits, 1/4" Hex, 2" OAL

Item No.	Size	mm	pkg.	lbs.
74601	IP5	50	10	.18
74602	IP6	50	10	.18
74603	IP7	50	10	.18
74604	IP8	50	10	.18
74608	IP9	50	10	.18
74612	IP10	50	10	.20
74616	IP15	50	10	.20
74620	IP20	50	10	.20
74624	IP25	50	10	.20
74628	IP27	50	10	.25
74632	IP30	50	10	.25
74636	IP40	50	10	.25



#### 74982 Power Bit Belt Pack With TORXPlus® Bits Includes The Following 10 Bits:

lbs.	TORXPlus®: IP6, IP7, IP8, IP9, IP10, IP15, IP20, IP25, IP27, IP30
.28	

2 bit pack



#### 746 TORXPlus® Power Bit Packs, 2"

Item No.	Size	mm	lbs.
74611	IP1	50	.05
74613	IP2	50	.05
74614	IP3	50	.05
74617	IP4	50	.05
74659	IP5	50	.05
74660	IP6	50	.05
74661	IP7	50	.05
74662	IP8	50	.05
74663	IP9	50	.05
74664	IP10	50	.05
74665	IP15	50	.05
74666	IP20	50	.06
74667	IP25	50	.06
74668	IP27	50	.06
74669	IP30	50	.06
74670	IP40	50	.06

## Wiha TORXPlus® Insert Bit Selectors



#### 71690 Bit-Selector With TORXPlus® Bits Set Includes Magnetic 1/4" Bit Holder & The Following 10 Bits:

lbs.	TORXPlus®: IP7, IP8, IP9, IP10, IP15, IP20, IP25, IP27, IP30, IP40
.31	

#### 71692 Bit-Selector With TORXPlus® Bits Set Includes Magnetic 1/4" Bit Holder & The Following 10 Bits:





lbs.	TORXPlus®: IP3, IP4, IP5, IP6, IP7, IP8, IP9, IP10, IP15, IP20
.31	



**Wiha Security Pentalobe 5 Point Insert Bit**







**716 Security Pentalobe 5 Point Insert Bits, 1/4" Hex, 1" OAL**

Item				
No.	Size	mm	pkg.	lbs.
71648	PLS8	25	1	.11
71650	PLS10	25	1	.11
71652	PLS15	25	1	.11
71654	PLS20	25	1	.12
71656	PLS25	25	1	.13
71657	PLS27	25	1	.13
71658	PLS30	25	1	.14
71660	PLS40	35	1	.14


**Wiha Ball End TORX® Bits**







**745 Ball End TORX® Bits. 1/4" Hex Drive, Length 2.0"/50mm**

Item				
No.	Size	mm	pkg.	lbs.
74524	T9	50	10	.18
74526	T10	50	10	.18
74528	T15	50	10	.18
74532	T20	50	10	.18
74534	T25	50	10	.18
74537	T27	50	10	.18
74539	T30	50	10	.18
74541	T40	50	10	.18

**Wiha TORX® MagicSpring Screw Holding Power Bits**




**745 TORX® MagicSpring Screw Holding Power Bits, 1/4" Hex Drive, Length 2.0"/50mm**

Item				
No.	Size	mm	pkg.	lbs.
74552	T10	50	2	.05
74554	T15	50	2	.05
74555	T20	50	2	.05
74557	T25	50	2	.05
74564	T40	50	2	.05

**Wiha Insert Security Pentalobe 5 Point XSelector**






**79450 XSelector Bit Set With Security Pentalobe 5 Point Bits Includes Magnetic Bit Holder & The Following 7 Bits:**

	Security Pentalobe: PLS8,
lbs.	PLS10, PLS15, PLS20,
.24	PLS25, PLS27, PLS30



**745 Ball End TORX® Power Bit Packs, 1"**

Item			
No.	Size	mm	lbs.
74520	T10	50	.05
74522	T15	50	.05
74543	T20	50	.05
74545	T25	50	.06
74547	T27	50	.06
74549	T30	50	.08
74550	T40	50	.08

**NOTES:**

Blank lines for notes.

**Torx® Profiles**



**Torx®**



**Ball End Torx®**



**Security Torx®**



**TorxPlus®**



**Security Pentalobe 5 Point**

## Wiha Phillips Insert Bits



### 711 Phillips Insert Bits, 1/4" - 10 Bit Packs

Item	+	—	↔	↔
No.	Size	mm	pkg.	lbs.
71100	0	25	10	.10
71101	1	25	10	.11
71102	2	25	10	.11
71103	3	25	10	.11

### 711 Phillips Insert Bit Bulk Packs, 1/4"

No.	Size	mm	pkg.	lbs.
71125	2	25	25 pc	.30
71150	2	25	50 pc	.62
71199	2	25	100 pc	1.20

### 725 Phillips Insert Contractor Grade, 1/4"

No.	Size	mm	pkg.	lbs.
72519	0	25	30 pc	.85
72521	1	25	30 pc	.85
72522	2	25	30 pc	.85
72523	3	25	30 pc	.85

# Phillips Bits

*The ideal multi-purpose bits for all around quality & performance*

**Made by Wiha - Production Quality**

Suitable for all applications for both manual and machine  
Hardness HRC 59-61



Impact resistant modified CVM, tool steel, hardened

Highly resistant to wear and tear for a long tool life



High grade CVM steel, hardened torsion zone to prevent uneven torque distribution DIN 3126 ISO 1173 with anti-camout ribs

## Wiha Phillips Insert Bit Packs

2 bit pack



### 711 Phillips Insert Bit Packs, 1"

CVM S2 modified tool steel

Item	+	—	↔
No.	Size	mm	lbs.
71149	0	25	.03
71151	1	25	.03
71152	2	25	.03
71153	3	25	.04



### 71155 Phillips Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

71155 Set includes the following bits:

↔ **Phillips:**  
wt. .08 6 pieces 2 x 1" (25mm)



2 bit pack



### 777 Phillips Double End Insert Bit Packs, 1/4" CVM S2 modified tool steel

Item	+	—
No.	Size	mm
77707	#1 + #2	30
77708	#0 + #3	30



### 71056 Slotted/Phillips Insert Bit Packs, 1"

CVM S2 modified tool steel. Extra hard with natural finish, exact fit machined tips. 6 pc. bit pk.

71056 Set includes the following bits:

● **Slotted:**  
4.5, 5.5, 6.5 x 1" (25mm)

⊕ **Phillips:** ↔ lbs.  
1, 2, 3 x 1" (25mm) .08




10 bit pack



### 71132 Phillips Drywall Stop Bit

High grade Chrome-vanadium steel, through hardened. Ideal bit for drywall constructors. Blue ring prevents the screw from being recessed too deeply into the plasterboard.

Item	+	—	↔	↔
No.	Size	mm	lbs.	Pkg.
71132	2	25	.20	10



### Wiha Phillips 5/16" Insert Bits

2 bit pack



#### 721 Phillips Insert Bit Packs, 1"

CVM S2 modified tool steel. 5/16" Hex Drive.

Item	+	—	—	—
No.	Size	mm	lbs.	
72102	2	32	.05	
72103	3	32	.06	
72104	4	32	.07	

### Wiha Phillips ACR Insert Bits



#### 711 Phillips ACR Insert Bits, 1/4"

Item	+	—	—	—
No.	Size	mm	pkg.	lbs.
71126	1	25	10	.11

### Wiha Phillips Long Insert Bits



#### 711 Phillips Long Insert Bits. 1/4" Hex Drive, Length 2.0"/50mm

Item	+	—	—	—
No.	Size	mm	pkg.	lbs.
71107	3	50	10	.27

### Wiha Phillips Power Bits



10 bit pack

#### 741 Phillips Power Bits 1/4" Hex Drive, Length 2.0"/50mm

Item	+	—	—	—
No.	Size	mm	pkg.	lbs.
74102	0	50	10	.23
74103	1	50	10	.24
74112	2	50	10	.25
74124	3	50	10	.26



2 bit pack

#### 741 Phillips Power Bit Packs, 2"

CVM S2 modified tool steel.

Item	+	—	—	—
No.	Size	mm	lbs.	
74157	00	50	.06	
74158	0	50	.06	
74164	1	50	.06	
74165	2	50	.06	
74166	3	50	.06	



#### 74150 Phillips Power Bit Packs, 2" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

74150 Set includes the following bits:

+	—	—	—
wt. .09	1, 2, 3	x 2"	(50mm)

10 bit pack



#### 741 Phillips Power Bits. 1/4" Hex Drive, Length 2.75"/70mm

Item	+	—	—	—
No.	Size	mm	pkg.	lbs.
74167	00	70	10	.29
74168	0	70	10	.29
74106	1	70	10	.29
74115	2	70	10	.37
74127	3	70	10	.41



2 bit pack

#### 739 Phillips Power Bits. 1/4" Hex Drive, Length 2.75"/70mm 2 bit pack

Item	+	—	—	—
No.	Size	mm	pkg.	lbs.
73912	00	70	1	.29
73913	0	70	1	.29
73914	1	70	1	.29
73915	2	70	1	.37
73916	3	70	1	.41



#### 741 Phillips Power Bits 1/4" Hex Drive, Length 3.5"/90mm

Item	+	—	—	—
No.	Size	mm	pkg.	lbs.
74104	00	90	1	.32
74107	0	90	1	.32
74109	1	90	1	.34
74118	2	90	1	.47
74130	3	90	1	.53



#### 741 Phillips Power Bits 1/4" Hex Drive, Length 4.33"/110mm

Item	+	—	—	—
No.	Size	mm	pkg.	lbs.
74111	1	110	1	.40
74121	2	110	1	.56
74131	3	110	1	.65



#### 741 Phillips Power Bits 1/4" Hex Drive, Length 127mm/5"


Item	+	—	—	—
No.	Size	mm	pkg.	lbs.
74113	1	127	1	.04
74123	2	127	1	.06
74133	3	127	1	.07



#### 741 Phillips Power Bits 1/4" Hex Drive, Length 150mm/5.9"

Item	+	—	—	—
No.	Size	mm	pkg.	lbs.
74116	1	150	1	.05
74126	2	150	1	.07
74136	3	150	1	.09

### Wiha PokitPak Bit Set



#### 71198 PokitPak - Slotted & Phillips Insert Bits In Molded Case -

Set Includes 6 - 1/4" Insert Bits & lbs. Magnetic Bit Holder

.16 Slotted: 4.5, 6.0mm

Phillips: 0, 1, 2, 3

## Wiha Phillips Power Bit Packs



### 743 Slotted & Phillips Double

End Bits. 1/4" Hex Drive, Length 2.36"/60mm

Item	Icons
No.	mm Size mm pkg. lbs.
74303	4.5 x 1 60 10 .22
74306	5.5 x 2 60 10 .30



2 bit pack

### 714 Phillips Double End

Power Bit Packs, 60mm OAL

Item	Icons
No.	Size Size mm lbs.
71464	1 + 1 60 .07
71465	2 + 2 60 .07
71466	3 + 3 60 .07



2 bit pack

### 743 Slotted/Phillips Double

End Power Bit Packs, 60mm OAL

Item	Icons
No.	mm Size mm lbs.
74304	4.5 + 1 60 .07
74308	5.5 + 2 60 .07
74310	7.0 + 3 60 .07

## Terminal Block Xeno Bits



10 bit pack



### 714 Xeno Combination Terminal Block

Power Bits. 1/4" Hex Drive, OAL 2.0"/50mm

Item	Icons
No.	Size mm pkg. lbs.
71452	1 50 10 .24
71453	2 50 10 .25

2 bit pack



### 714 Xeno Combination Terminal Block

Power Bit Packs, 2" CVM S2 modified tool steel

Item	Icons
No.	Size mm lbs.
71455	1 50 .06
71456	2 50 .06

## Wiha Phillips Power Blades & Power Blade Holder



### 760 Phillips Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item	Icons
No.	Size lbs. pkg.
76041	0 .01 1
76042	1 .02 1
76043	2 .03 1
76044	3 .04 1



### 76094 4 Piece Phillips Blade Set

Item	Icons
No.	lbs. Phillips: #0, 1, 2,
76094	.17 3 x 90mm



### 76000 CentroFix Cushion Grip Blade Holder

Wiha-SoftFinish® impact resistant, with roll off protection. Ergonomic cushion grip handle. Quick release bit holder with magnet.

Item	Icons
No.	mm mm Inch mm Inch lbs.
76000	6.0 149 5.9 34.6 1.36 .26


# Hex Bits

The ideal multi-purpose bits for all around quality & performance


Made by Wiha - Production Quality

Impact resistant modified CVM, tool steel, hardened

Suitable for all applications for both manual and machine  
Hardness HRC 59-61



Highly resistant to wear and tear for a long tool life



## Hex Inch & Metric Insert Bits

2 bit pack



### 713 Hex Inch Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item	Hex	Double End	Double End	Double End
No.	Inch	mm	lbs.	
71359	.050	25	.03	
71360	1/16	25	.03	
71361	5/64	25	.03	
71362	3/32	25	.03	
71363	7/64	25	.03	
71364	1/8	25	.03	
71365	9/64	25	.03	
71366	5/32	25	.04	
71367	3/16	25	.04	
71368	7/32	25	.04	
71369	1/4	25	.04	
71373	5/16	25	.05	
71387	3/8	25	.06	

### 733 Hex Metric Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item	Hex	Double End	Double End	Double End
No.	mm	mm	lbs.	
73302	2.0	25	.03	
73303	2.5	25	.03	
73304	3.0	25	.03	
73305	4.0	25	.03	
73306	5.0	25	.03	
73307	6.0	25	.04	
73308	8.0	25	.05	
73309	10.0	25	.06	

## Wiha Hex Inch & Metric Insert Bits



10 bit pack

### 713 Hex Inch Insert Bits, 1/4"

Item	Hex	Double End	Double End	Double End
No.	Inch	mm	pkg.	lbs.
71329	.050	25	10	.12
71326	1/16	25	10	.12
71328	5/64	25	10	.12
71330	3/32	25	10	.12
71333	7/64	25	10	.12
71336	1/8	25	10	.12
71339	9/64	25	10	.12
71342	5/32	25	10	.12
71345	3/16	25	10	.13
71348	7/32	25	10	.13
71351	1/4	25	10	.13
71353	5/16	25	10	.20
71356	3/8	25	10	.25



### 713 Hex Metric Insert Bits, 1/4"

Item	Hex	Double End	Double End	Double End
No.	mm	mm	pkg.	lbs.
71303	1.5	25	10	.12
71306	2.0	25	10	.12
71308	2.5	25	10	.12
71309	3.0	25	10	.12
71312	4.0	25	10	.12
71315	5.0	25	10	.14
71318	6.0	25	10	.14
71321	8.0	25	10	.20
71324	10.0	25	10	.27

### 725 Hex Metric Insert Contractor Grade, 1/4"

Item	Hex	Double End	Double End	Double End
No.	Size	mm	pkg.	lbs.
72582	2.0	25	30 pc	.85
72583	2.5	25	30 pc	.85
72584	3.0	25	30 pc	.85
72585	4.0	25	30 pc	.85
72586	5.0	25	30 pc	.85
72587	6.0	25	30 pc	.85

### 725 Hex Inch Insert Contractor Grade, 1/4"

Item	Hex	Double End	Double End	Double End
No.	Size	mm	pkg.	lbs.
72502	1/16	25	30 pc	.85
72503	5/64	25	30 pc	.85
72504	3/32	25	30 pc	.85
72506	7/64	25	30 pc	.85
72507	1/8	25	30 pc	.85
72508	9/64	25	30 pc	.85
72509	5/32	25	30 pc	.85
72511	3/16	25	30 pc	.85
72512	7/32	25	30 pc	.85
72513	1/4	25	30 pc	.85



### 71397 Hex Metric Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

71397 Set includes the following bits:

Hex Metric:	wt.	2.1	2.0, 2.5, 3.0, 4.0, 5.0, 6.0

### Hex Metric Long Insert Bit On 5/16"



### 72388 Hex Metric Bit On 5/16" Stock

Item	Hex	Double End	Double End	Double End
No.	mm	mm	pkg.	lbs.
72388	12.0	75	10	.14

2 bit pack



### 777 Hex Inch Double End Insert Bit Packs, 1/4" CVM S2 modified tool steel

Item	Hex	Double End	Double End
No.	Inch	mm	
77723	3/32 + 7/64"	30	
77724	1/8 + 9/64"	30	
77725	5/32 + 3/16"	30	
77726	7/32 + 1/4"	30	

### 777 Hex Metric Double End Insert Bit Packs, 1/4" CVM S2 modified tool steel

Item	Hex	Double End	Double End
No.	Metric	mm	
77719	2.0 + 2.5mm	30	
77720	3.0 + 4.0mm	30	
77721	5.0 + 6.0mm	30	



### 71396 Hex Inch Insert Bit Packs, 1"

6 pc. bit pack.

71396 Set includes the following bits:

Hex Inch:	wt.	1/16, 3/32, 1/8, 5/32	3/16, 1/4" x 1" (25mm)
	.13		

## Wiha Hex Inch & Metric Power Bits



**743 Hex Inch Power Bits. 1/4" Hex Drive, Length 2.0"/50mm**

Item	No.	Inch	mm	pkg.	lbs.
74311	3/32	50	10	.30	
74312	7/64	50	10	.30	
74313	1/8	50	10	.30	
74314	9/64	50	10	.30	
74315	5/32	50	10	.30	
74316	3/16	50	10	.30	
74317	7/32	50	10	.30	
74318	1/4	50	10	.30	



**743 Hex Metric Power Bits. 1/4" Hex Drive, Length 2.0"/50mm**

Item	No.	mm	mm	pkg.	lbs.
74325	2.5	50	10	.25	
74330	3.0	50	10	.25	
74340	4.0	50	10	.25	
74350	5.0	50	10	.25	
74360	6.0	50	10	.25	
74380	8.0	50	10	.38	



**743 Hex Inch Power Bits 1/4" Hex Drive, Length 2.75"/70mm**

Item	No.	Inch	mm	pkg.	lbs.
74343	7/64	70	10	.36	
74344	1/8	70	10	.36	
74345	9/64	70	10	.36	
74346	5/32	70	10	.36	
74348	7/32	70	10	.36	
74349	1/4	70	10	.36	




**743 Hex Metric Power Bits 1/4" Hex Drive, Length 2.75"/70mm**

Item	No.	mm	mm	pkg.	lbs.
74351	2.0	70	10	.36	
74352	2.5	70	10	.36	
74353	3.0	70	10	.36	
74354	4.0	70	10	.36	
74355	5.0	70	10	.36	
74356	6.0	70	10	.36	
74357	8.0	70	10	.36	



**743 Hex Inch Power Bit Packs, 2"**

Item	No.	Inch	mm	lbs.
74381	3/32	50	.07	
74382	7/64	50	.07	
74383	1/8	50	.07	
74384	9/64	50	.07	
74385	5/32	50	.07	
74386	3/16	50	.07	
74387	7/32	50	.07	
74388	1/4	50	.07	



**743 Hex Metric Power Bit Packs, 2"**

Item	No.	mm	mm	lbs.
74361	2.5	50	.07	
74362	3.0	50	.07	
74363	4.0	50	.07	
74364	5.0	50	.07	
74365	6.0	50	.07	
74366	8.0	50	.09	



**739 Hex Inch Power Bits 1/4" Hex Drive, Length 2.75"/70mm**

Item	No.	Inch	mm	pkg.	lbs.
73920	7/64	70	1	.36	
73921	1/8	70	1	.36	
73922	9/64	70	1	.36	
73923	5/32	70	1	.36	
73924	3/16	70	1	.36	
73925	7/32	70	1	.36	
73926	1/4	70	1	.36	



**739 Hex Metric Power Bits 1/4" Hex Drive, Length 2.75"/70mm**

Item	No.	mm	mm	pkg.	lbs.
73928	2.0	70	1	.36	
73929	2.5	70	1	.36	
73930	3.0	70	1	.36	
73931	4.0	70	1	.36	
73932	5.0	70	1	.36	
73933	6.0	70	1	.36	
73934	8.0	70	1	.36	



**743 Hex Metric Power Bits 1/4" Hex Drive, Length 3.5"/90mm**

Item	No.	mm	mm	pkg.	lbs.
74332	2.0	90	1	.40	
74333	2.5	90	1	.40	
74334	3.0	90	1	.40	
74335	4.0	90	1	.40	
74336	5.0	90	1	.40	
74337	6.0	90	1	.40	

## Wiha Ball End Hex Inch Insert Bits



**717 Ball End Hex Inch Insert Bits, 1/4"**

Item	No.	Inch	mm	pkg.	lbs.
71701	3/32	25	10	.12	
71702	7/64	25	10	.12	
71703	1/8	25	10	.12	
71704	9/64	25	10	.12	
71705	5/32	25	10	.12	
71706	3/16	25	10	.13	
71707	7/32	25	10	.14	
71708	1/4	25	10	.15	



**717 Ball End Hex Inch Insert Bit Packs, 1"**

Item	No.	Inch	mm	lbs.
71711	3/32	25	.03	
71712	7/64	25	.03	
71713	1/8	25	.03	
71714	9/64	25	.03	
71715	5/32	25	.04	
71716	3/16	25	.04	
71717	7/32	25	.04	
71718	1/4	25	.04	



**717 Ball End Hex Metric Insert Bits 1/4" Hex Drive, Length 1.5"/38mm**

Item	No.	mm	mm	pkg.
71719	1.5	38	2	
71720	2.0	38	2	
71721	2.5	38	2	
71722	3.0	38	2	
71723	4.0	38	2	
71724	5.0	38	2	
71725	6.0	38	2	

### Wiha Security Hex Insert Bits



#### 719 Security Hex Inch Insert Bits, 1/4"

Item					
No.	Inch	mm	pkg.	lbs.	
71930	5/64	25	10	.12	
71932	3/32	25	10	.12	
71934	7/64	25	10	.12	
71936	1/8	25	10	.12	
71938	9/64	25	10	.12	
71940	5/32	25	10	.12	
71955	3/16	25	10	.13	
71956	7/32	25	10	.14	
71960	1/4	25	10	.15	



#### 719 Security Hex Inch Insert Bit Packs, 1"


CVM S2 modified tool steel.

Item				
No.	Inch	mm	lbs.	
71970	5/64	25	.03	
71971	3/32	25	.03	
71972	7/64	25	.03	
71973	1/8	25	.03	
71974	9/64	25	.03	
71975	5/32	25	.03	
71976	3/16	25	.04	
71977	7/32	25	.04	
71978	1/4	25	.04	



#### 719 Security Hex Metric Insert Bits, 1/4"

Item				
No.	mm	mm	pkg.	lbs.
71939	2.0	25	10	.12
71941	2.5	25	10	.12
71942	3.0	25	10	.12
71943	4.0	25	10	.12
71944	5.0	25	10	.15
71945	6.0	25	10	.15
71946	8.0	25	10	.20




#### 719 Security Hex Metric Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item				
No.	mm	mm	lbs.	
71979	2.0	25	.03	
71980	2.5	25	.03	
71981	3.0	25	.03	
71982	4.0	25	.03	
71983	5.0	25	.04	
71984	6.0	25	.04	
71985	8.0	25	.05	

### MagicRing Insert & Power Bits



#### 713 MagicRing Metric Insert Bits, 1/4"

Item				
No.	mm	mm	pkg.	lbs.
71304	3.0	25	1	.01
71307	4.0	25	1	.01
71310	5.0	25	1	.01
71311	6.0	25	1	.01



#### 743 MagicRing Metric Power Bits, 1/4"

Item				
No.	mm	mm	pkg.	lbs.
74301	3.0	50	1	.02
74305	4.0	50	1	.02
74307	5.0	50	1	.03
74319	6.0	50	1	.03



#### 713 MagicRing Inch Insert Bits, 1/4"

Item					
No.	Inch	mm	pkg.	lbs.	
71343	1/8	25	1	.01	
71346	9/64	25	1	.01	
71349	5/32	25	1	.01	
71352	3/16	25	1	.01	
71354	7/32	25	1	.01	



#### 743 MagicRing Inch Power Bits, 1/4"

Item					
No.	Inch	mm	pkg.	lbs.	
74369	1/8	50	1	.02	
74371	9/64	50	1	.02	
74373	5/32	50	1	.02	
74375	3/16	50	1	.03	
74379	1/4	50	1	.03	

### Wiha Stainless Steel Hex Metric Insert Bits



#### 701 Stainless Steel Hex MM Insert Bits, 1/4"

Item				
No.	mm	mm	pkg.	
70175	5.0	25	1	

### 1/4" Ball End MagicRing Bits

Screw Holding Hex Bits



#### 717 MagicRing Metric Power Ball End Bits

Item				
No.	mm	mm	pkg.	lbs.
71730	3.0	50	1	.02
71740	4.0	50	1	.02
71750	5.0	50	1	.03
71760	6.0	50	1	.03


Screw Holding Hex Bits



#### 717 MagicRing Inch Power Ball End Bits

Item					
No.	Inch	mm	pkg.	lbs.	
71726	1/8	50	1	.02	
71728	9/64	50	1	.02	
71732	5/32	50	1	.02	
71734	3/16	50	1	.03	
71736	7/32	50	1	.03	
71738	1/4	50	1	.03	

### Screw Holding Hex Bits



## Wiha Hex Inch & Metric Bit Sets



**79246 Bit-Selector With Hex Inch Bits Set Includes Magnetic 1/4" Bit Holder & The Following 10 Bits:** lbs. .32

**Hex Inch:** 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

**79256 Bit-Selector With Hex Metric Bits Set Includes Magnetic 1/4" Bit Holder & The Following 8 Bits:** lbs. .30

**Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm



**38058 Hex Inch SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.** lbs. .22

**Includes the following 1/4" bits:**

**Hex Inch:** 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"



**38057 Hex Metric SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.** lbs. .21

**Includes The Following 1/4" Bits:**

**Hex Metric:** 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm



**79446 XSelector Bit Set With Hex Inch Bits Set Includes Magnetic Bit Holder & The Following 10 Bits:** lbs. .27

**Hex Inch:** 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Bit holder stainless steel, magnetic



**38049 Hex Inch & Metric Pop-Up Bit Screwdriver Set Cushion Grip handle, multi-component. Compact storage holds 12 bits.**

**Includes The Following 1/4" Bits:**

**Hex Inch:** 5/64, 3/32, 1/8, 5/32, 3/16, 1/4"

**lbs. Hex Metric:** 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm



**74986 Power Bit Belt Pack With Inch & Metric Hex Bits Set Includes The Following 10 Bits:** lbs. .34

**Inch:** 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

**Metric:** 3.0, 4.0, 5.0, 6.0mm

## Wiha Security Hex Inch & Metric Bit Sets



**79266 Bit-Selector With Security Hex Inch Bits Set Includes Magnetic 1/4" ClicFix Bit Holder & The Following 9 Bits:**

**Security Hex Inch:** lbs. 5/64, 3/32, 7/64, 1/8, 9/64, .32 5/32, 3/16, 7/32, 1/4"



**38014 Security Hex Inch Multi-Bit Screwdriver, 6 Pc. Set With Wiha Powerhandle & CVM steel, hardened shaft.** lbs. .40

**Set includes the following 1/4" bits:**

**Security Hex:**

3/32, 1/8, 5/32, 3/16, 7/32"



**71998 PokitPak - Security Hex Inch Insert Bits In Molded Case - Set Includes 6 - 1/4" Insert Bits** lbs. .12

**Inch Security Hex:**

3/32, 7/64, 1/8, 9/64, 5/32, 3/16"



**71995 PokitPak - Security Hex Metric Insert Bits In Molded Case - Set Includes 6 - 1/4" Insert Bits** lbs. .21

**Metric Security Hex:**

2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm

## Wiha Insert Bit Blister Pack



**72596 10 Pack Hex Inch Insert Bit Pack**

CVM S2 modified tool steel.

**Hex Inch:** lbs.

1/16, 5/64, 3/32, 7/64, 1/8, .16

9/64, 5/32, 3/16, 7/32, 1/4"



### Wiha Hex Inch & Metric Power Blades



#### 760 Hex Inch Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item			
No.	Inch	lbs.	pkg.
76045	1/16	.01	1
76005	5/64	.01	1
76006	3/32	.02	1
76007	7/64	.02	1
76014	1/8	.03	1
76016	9/64	.03	1
76017	5/32	.04	1
76018	3/16	.04	1
76019	7/32	.05	1
76021	1/4	.06	1

### Wiha Ball End Hex Inch & Metric Bit Sets



#### 79276 Bit-Selector With Ball End Hex Inch Bits Includes Magnetic 1/4" Bit Holder & The Following 8 Bits:

**Ball End Hex Inch:** 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



#### 38056 Ball End Hex SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.

**Set Includes The Following 1/4" Bits:** lbs. **Ball End Hex Inch:** 1/8, 9/64, 5/32, .21 3/16, 7/32, 1/4"

### Wiha MagicRing Hex Inch & Metric Bit Sets



#### 74999 Power Bit Belt Pack With Ball End Screw Holding Hex Bits

**Inch:** 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" **Metric:** 3.0, 4.0, 5.0, 6.0mm

### Wiha Security Hex Inch & Metric Power Blades



#### 760 Security Hex Metric Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item			
No.	mm	lbs.	pkg.
76001	2.5	.02	1
76002	3.0	.02	1
76003	4.0	.03	1
76004	5.0	.04	1



#### 760 Security Hex Inch Power Blades

Item			
No.	Inch	lbs.	pkg.
76046	5/64	.01	1
76047	3/32	.02	1
76048	7/64	.02	1
76049	1/8	.03	1
76050	9/64	.03	1
76051	5/32	.04	1
76052	3/16	.04	1
76053	7/32	.05	1
76054	1/4	.06	1



#### 76090 4 Piece Security Hex Blade Set

Item			
No.	lbs.	Metric:	
76090	.12	4.0, 5.0 x 90mm	



#### 76096 10 Piece Security Hex Blade Set

Item			
No.	lbs.	Inch:	
76096	.32	1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 90mm	

\*1/16" Standard Inch Hex Only

### Wiha Power Blade Holder



#### 76000 CentroFix Cushion Grip Blade Holder

Wiha-SoftFinish® impact resistant, with roll off protection. Quick release bit holder with magnet.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
76000	6.0	149	5.9	34.6	1.36	.26

### Wiha Square Power Blades



#### 760 Square Power Blades

Item			
No.	Size	lbs.	pkg.
76056	1	.02	1
76057	2	.03	1
76058	3	.04	1



#### 76095 3 Piece Square Blade Set


Item			
No.	lbs.	Square:	
76095	.11	#1, 2, 3 x 90mm	

## Square Insert & Power Bits

### Square Bits



CVM, tool steel, hardened





 Square

Suitable for all applications for both manual & machine hardness HRC 59-61







10 bit pack

#### 718 Square Insert Bits, 1/4"

Item				
No.	Size	mm	pkg.	lbs.
71801	1	25	10	.11
71802	2	25	10	.11
71803	3	25	10	.11

#### 30 Piece Contractor Grade Bits

#### 725 Square Insert Contractor Grade, 1/4"





Item				
No.	mm	mm	pkg.	lbs.
72537	1	25	30 pc	.85
72538	2	25	30 pc	.85
72539	3	25	30 pc	.85



2 bit pack

#### 718 Square Insert Bit Packs, 1"

CVM S2 modified tool steel.


Item				
No.	Size	mm	lbs.	
71851	1	25	.03	
71852	2	25	.03	
71853	3	25	.03	



#### 71854 Square Insert Bit Packs, 1"

CVM S2 modified tool steel. 3 pc. bit pack



71854 Set includes the following bits:

 Square: wt. .04 1, 2, 3 x 1" (25mm)



2 bit pack





#### 777 Square Double End Insert Bit Packs, 1/4" CVM S2 modified tool steel

Item		
No.	Size	mm
77712	#1 + #2	30
77713	#0 + #3	30



10 bit pack

#### 748 Square Power Bits, 1/4" Hex Drive, Length 2.0"/50mm




Item				
No.	Size	mm	pkg.	lbs.
74813	1	50	10	.20
74816	2	50	10	.20
74819	3	50	10	.20



2 bit pack

#### 748 Square Power Bit Packs, 2"


CVM S2 modified tool steel.

Item			
No.	Size	mm	lbs.
74860	1	50	.05
74861	2	50	.05
74862	3	50	.05



#### 74890 Square Power Bit Packs, 2" CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.


74890 Set includes the following bits:

 Square: wt. .08 1, 2, 3 x 2.0" (50mm)






#### 74895 Square Power Bit Packs, 2.0" CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

74895 Set includes the following bits:

 Square: 2 of each sizes wt. 1.2 1, 2, 3 x 2.0" (50mm)



#### 748 Square Power Bit, 1/4" Hex Drive, Length 3.5"/90mm CVM S2 modified tool steel.

Item			
No.	Size	mm	lbs.
74811	1	90	.08
74812	2	90	.08
74814	3	90	.08

## Slotted Bits

The ideal multi-purpose bits for all around quality & performance

Made by Wiha - Production Quality

Highly resistant to wear and tear for a long tool life






Impact resistant modified CVM, tool steel, hardened

 Slotted







10 bit pack


#### 710 Slotted Insert Bits, 1/4" Hex Drive, Length 25mm/.984"

Item					
No.	mm	Inch	mm	Inch	pkg.
71001	4.5	.177	0.6	.024	10
71004	5.5	.216	0.8	.030	10
71002	6.5	.255	1.2	.039	10
71003	8.0	.315	1.6	.063	10

#### 30 Piece Contractor Grade Bits






#### 725 Slotted Insert Contractor Grade, 1/4"

Item				
No.	mm	mm	pkg.	lbs.
72534	4.5	25	30 pc	.85
72535	5.5	25	30 pc	.85
72536	6.0	25	30 pc	.85



2 pc. bit pack!



#### 710 Slotted Insert Bits, 1/4" Hex Drive, Length 1.54"/39mm 2 pc. Bit pack.

Item					
No.	mm	Inch	mm	Inch	pkg.
71030	3.0	.118	0.5	.020	2
71031	3.5	.139	0.6	.024	2
71032	4.0	.157	0.8	.031	2
71035	6.5	.255	1.2	.047	2
71036	8.0	.315	1.6	.063	2



2 bit pack

#### 777 Slotted Double End Insert Bit Packs, 1/4" CVM S2 modified tool steel

Item		
No.	Size	mm
77715	3.0 + 4.5mm	30
77716	4.0 + 6.0mm	30
77717	5.5 + 6.5mm	30


**Wiha Slotted Insert & Power Bits**



**720 Slotted Insert Bits, 5/16" Hex Drive,**

Length 41mm

Item	↕	↕	↕	↕	↕
No.	mm	Inch	mm	pkg.	lbs.
72049	8.0	.315	1.6	10	.31
72050	10.0	.393	1.6	10	.46
72051	12.0	.472	2.0	10	.56



**720 Slotted Insert Bit Packs, 1"**

CVM S2 modified tool steel. 5/16" Hex Drive.

Item	↕	↕	↕	↕	↕
No.	mm	mm	Inch	mm	lbs.
72031	1.6	8.0	.315	41	.08
72039	1.6	10.0	.393	41	.10
72047	2.0	12.0	.472	41	.12



**740 Slotted Power Bits,**

1/4" Hex Drive, Length 2.75"/70mm

Item	↕	↕	↕	↕	↕
No.	mm	Inch	mm	Inch	pkg.
74033	2.5	.098	0.4	.015	10
74034	3.0	.118	0.5	.020	10
74035	3.5	.139	0.6	.024	10
74036	4.0	.157	0.8	.020	10
74039	5.5	.216	1.0	.032	10
74041	6.5	.255	1.2	.039	10



**739 Slotted Power Bits,**

1/4" Hex Drive, Length 2.75"/70mm 2 bit pack

Item	↕	↕	↕	↕	↕
No.	mm	Inch	mm	Inch	pkg.
73905	2.5	.098	0.4	.015	1
73906	3.0	.118	0.5	.020	1
73907	3.5	.139	0.6	.024	1
73908	4.0	.157	0.8	.020	1
73909	5.5	.216	1.0	.032	1
73910	6.5	.255	1.2	.039	1



**710 Slotted Insert Bit Packs, 1" CVM S2**

modified tool steel.

Item	↕	↕	↕	↕	↕
No.	mm	mm	Inch	mm	lbs.
71051	0.6	4.5	.177	25	.03
71052	0.8	5.5	.216	25	.03
71053	1.2	6.0	.255	25	.03
71054	1.6	8.0	.315	25	.03



**740 Slotted Power Bits, 1/4" Hex Drive,**

Length 2.0"/50mm 10pk. weight .20 lbs.

Item	↕	↕	↕	↕	↕
No.	mm	Inch	mm	Inch	pkg.
74003	3.0	.118	0.5	.020	10
74006	3.5	.139	0.6	.024	10
74009	4.0	.157	0.5	.020	10
74010	4.0	.157	0.8	.030	10
74012	4.5	.177	0.6	.024	10
74015	5.5	.216	0.8	.032	10
74018	6.5	.255	1.2	.039	10
74021	8.0	.315	1.2	.039	10
74023	8.0	.315	1.6	.063	10



**740 Slotted Power Bit Packs, 2"**

CVM S2 modified tool steel.

Item	↕	↕	↕
No.	mm	mm	lbs.
74061	3.0	50	.05
74062	3.5	50	.05
74063	4.0	50	.05
74064	4.0	50	.05
74065	4.5	50	.05
74066	5.5	50	.05
74067	6.5	50	.06
74068	8.0	50	.08
74069	8.0	50	.08




**74050 Slotted Power Bit Packs, 2" CVM**

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

**74050 Set includes the following bits:**

↕	↕	↕
wt. .08	4.5, 5.5, 6.5 x 2"	(50mm)



**743 Slotted and Phillips Double End Bits,**  
1/4" Hex Drive, Length 2.36"/60mm

Item	↕	↕	↕	↕	↕
No.	mm	Size	mm	pkg.	lbs.
74303	4.5 x	1	60	10	.22
74306	5.5 x	2	60	10	.30

**Wiha Slotted Power Blades**



**760 Slotted Power Blades**

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item	↕	↕	↕
No.	mm	lbs.	pkg.
76035	2.5	.02	1
76036	3.0	.02	1
76037	4.5	.03	1
76038	5.5	.03	1
76039	6.0	.04	1



**76093 5 Piece Slotted Blade Set**

Item	↕	↕	↕
No.	lbs.	Slotted:	Set includes:
76093	.16	2.5, 3.0, 4.5, 5.5, 6.0mm x 90mm	

## Pozidriv® Bits

The ideal multi-purpose tools to meet production requirements for both quality and performance

Impact resistant modified CVM, tool steel, hardened



 Pozidriv®





Suitable for all applications for both manual and machine  
Hardness HRC 59-61

### PoziDriv® Insert & Power Bits



10 bit pack





#### 712 Pozidriv® Insert Bits, 1/4"

Item				
No.	Size	mm	pkg.	lbs.
71200	0	25	10	.10
71201	1	25	10	.10
71202	2	25	10	.10
71203	3	25	10	.10



10 bit pack

#### 742 Pozidriv® Power Bits. 1/4" Hex Drive, Length 2.0"/50mm





Item				
No.	Size	mm	pkg.	lbs.
74203	1	50	10	.24
74212	2	50	10	.25
74221	3	50	10	.26



2 bit pack

#### 712 Pozidriv® Insert Bit Packs, 1"

CVM S2 modified tool steel.





Item				
No.	Size	mm	lbs.	
71250	0	25	.03	
71251	1	25	.03	
71252	2	25	.03	
71253	3	25	.04	



2 bit pack

#### 742 Pozidriv® Power Bit Packs, 2"

CVM S2 modified tool steel.


Item				
No.	Size	mm	lbs.	
74261	1	50	.06	
74262	2	50	.06	
74263	3	50	.07	



#### 71254 Pozidriv® Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

71254 Set includes the following bits:


 Pozidriv®:  
wt. .04 1, 2, 3 x 1" (25mm)



2 bit pack





#### 777 Pozidriv® Double End Insert Bit Packs, 1/4" CVM S2 modified tool steel

Item		
No.	Size	mm
77710	#1 + #2	30



10 bit pack





#### 742 Pozidriv® Power Bits. 1/4" Hex Drive, Length 2.75"/70mm

Item				
No.	Size	mm	pkg.	
74201	0	70	10	
74205	1	70	10	
74214	2	70	10	







2 bit pack

#### 739 Pozidriv® Power Bits. 1/4" Hex Drive, Length 2.75"/70mm 2 bit pack

Item				
No.	Size	mm	pkg.	
73901	0	70	1	
73902	1	70	1	
73903	2	70	1	







#### 742 Pozidriv® Power Bits. 1/4" Hex Drive, Length 3.5"/90mm Single Pack

Item				
No.	Size	mm	pkg.	lbs.
74231	1	90	1	.03
74232	2	90	1	.04
74233	3	90	1	.05



10 bit pack

#### 742 Pozidriv® Power Bits. 1/4" Hex Drive, Length 3.5"/90mm 10 Bit Pack





Item				
No.	Size	mm	pkg.	lbs.
74236	1	90	10	.34
74237	2	90	10	.46
74238	3	90	10	.53

### Wiha Pozidriv® Power Blades




#### 760 Pozidriv® Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item				
No.	Size	lbs.	pkg.	
76011	1	.03	1	
76012	2	.04	1	
76013	3	.04	1	




#### 76091 3 Piece Pozidriv® Blade Set

Item		Set includes:
No.	lbs.	Pozidriv®: #1, 2,
76091	.12	3 x 90mm

# Specialty

Highly resistant to wear and tear for a long tool life







 Tri-Wing

## Tri-Wing Bits



10 bit pack




### 719 Triwing Insert Bits, 1/4"/25mm

Item				
No.	Size	mm	pkg.	lbs.
71900	0	25	10	.10
71901	1	25	10	.10
71902	2	25	10	.10
71903	3	25	10	.10
71904	4	25	10	.13



2 bit pack

### 719 Tri-Wing Insert Bit Packs, 1"


Item			
No.	Size	mm	lbs.
71949	0	25	.03
71950	1	25	.03
71951	2	25	.03
71952	3	25	.03
71953	4	25	.03
71913	5	25	.04



### 71954 Tri-Wing Insert Bit Packs, 1"

6 pc. bit pack.

71954 Set includes the following bits:

 Triwing: 0, 1, 2, wt. .07 3, 4, 5 x 1" (25mm)

# Bits







 Torq Set

Suitable for all applications for both manual & machine Hardness HRC 59-61

10 bit pack






### 749 Tri-Wing Power Bits, 1/4"/50mm

Item				
No.	Size	mm	pkg.	lbs.
74901	3	50	10	.24
74903	5	50	10	.24
74904	6	50	10	.46

2 bit pack



### 749 Tri-Wing Power Bit Packs, 2"




Item			
No.	Size	mm	lbs.
74961	4	50	.06
74962	5	50	.06
74963	6	50	.10

## Wiha Tri-Wing Power Blades




### 760 Tri-Wing Power Blades

S2 modified tool steel. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item			
No.	Size	lbs.	pkg.
76031	1	.02	1
76032	2	.02	1
76033	3	.03	1
76034	4	.04	1



### 76088 4 Piece Tri-Wing Blade Set





Item		Set includes:
No.	lbs.	Tri-Wing: #1, 2,
76088	.16	3, 4 x 90mm

## Torq Set Bits



10 bit pack





### 719 Torq Set Insert Bits, 1/4"

Item				
No.	Size	mm	pkg.	lbs.
71921	0	25	10	.10
71922	1	25	10	.10
71923	2	25	10	.10
71924	3	25	10	.10
71907	4	25	10	.10
71909	5	25	10	.10
71906	6	25	10	.10
71908	8	25	10	.13
71910	10	25	10	.13



10 bit pack




### 749 Torq Set Power Bits, 1/4"/50mm

Item				
No.	Size	mm	pkg.	lbs.
74911	4	50	10	.03
74912	5	50	10	.03
74913	6	50	10	.03
74914	8	50	10	.04
74915	10	50	10	.04



2 bit pack




### 719 Torq Set Insert Bit Packs, 1"

Item			
No.	Size	mm	lbs.
71911	4	25	.03
71912	5	25	.03
71957	6	25	.03
71958	8	25	.04
71959	10	25	.04



2 bit pack

### 749 Torq Set Power Bit Packs, 2"

Item			
No.	Size	mm	lbs.
74964	4	50	.06
74965	5	50	.06
74966	6	50	.06
74967	8	50	.07
74968	10	50	.07

## Specialty Bits

Highly resistant to wear & tear for a long tool life

 Spanner





Suitable for all applications for both manual and machine  
Hardness HRC 59-61



### Spanner Bits







#### 719 Spanner Insert Bits, 1/4"

Item				
No.	Size	mm	pkg.	lbs.
71914	4	25	10	.11
71916	6	25	10	.12
71918	8	25	10	.12
71920	10	25	10	.12



#### 719 Spanner Insert Bit Packs, 1"

CVM S2 modified tool steel.




Item				
No.	Size	mm	lbs.	
71963	4	25	.03	
71964	6	25	.03	
71965	8	25	.04	
71966	10	25	.04	

### Wiha Spanner Power Blades




#### 760 Spanner Power Blades

S2 modified tool steel. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item			
No.	Size	lbs.	pkg.
76022	6	.03	1
76023	8	.04	1
76024	10	.04	1



#### 76089 3 Piece Spanner Blade Set

Item		Set includes:
No.	lbs.	Spanner: #6, 8,
76089	.12	10 x 90mm

### XZN Insert Bits


## Specialty Bits

Suitable for all applications for both manual and machine Hardness HRC 59-61

Highly resistant to wear and tear for a long tool life







Impact resistant modified CVM, tool steel, hardened

 Triple Square







#### 701 XZN Insert Bits, 1/4"

Item				
No.	Size	mm	pkg.	lbs.
70143	M3	25	2	.04
70144	M4	25	2	.04
70145	M5	25	2	.04
70146	M6	25	2	.04
70147	M8	25	2	.04



#### 355 XZN Triple Square L-key

Item				
No.	Size	mm	pkg.	lbs.
35512	M12	124	1	.02
35516	M16	156	1	.07

### Countersink & Drill Bits




High quality HSS steel, ground with radial relief. Universal application in metal, plastic and wood. Guarantees outstanding chip removal, chatter free operation & smooth surface finish.

### 90° Countersink Bit - 1/4" Shank



#### 786 HSS 1/4" Drive Countersinks

High quality HSS steel, ground with radial relief. 1/4" Hex shank according to DIN 3126 C 6.3.




Item						
No.	Size	Inch	mm	Inch	size	pkg
78615	6.3	.26	35	1.38	M3	1
78617	8.3	.33	35	1.38	M4	1
78619	10.4	.41	35	1.38	M5	1
78621	12.4	.49	35	1.38	M6	1
78622	16.5	.65	35	1.38	M8	1
78624	20.5	.81	35	1.38	M10	1

### 1/4" Shank High Speed Drill Bits



#### 780 1/4" Shank Stubby High Speed Drill Bits

DIN 3126 C 6.3.






Item				
No.	Size	Inch	pkg	lbs.
78002	1/16	1.26	1	.02
78005	3/32	1.41	1	.02
78008	1/8	1.57	1	.02
78011	5/32	1.73	1	.03
78015	3/16	1.97	1	.03
78018	1/4	1.97	1	.03

### High Precision Tool Holder For Countersinks & Drill Bits



Quick release tool holder for Drills, Countersinks & Power bits

#### 71480 CentroFix Bit Holder

Item					
No.	Size	Size	mm	Inch	lbs.
71480	1/4"	1/4"	60	2.3	.09


### Dura Torsion Insert and Power Bits

#### Carbide Coated

**Positive location in the screw head with decrease of:**

- necessary pressure forces
- working time
- costs
- wear & tear of bits & screw heads
- anti-cam-out effect

With the Dura bit Wiha has again proved it's power of innovation. The extra hard, elastic Quattro Torsion bit is equipped with an extremely wear resistant tungsten carbide coating that grips the screw head.



#### 741 Dura Phillips Power Bits 1/4" Hex Drive, Length 2.0"/50mm

Item	⊕	≡	↺
No.	Size	mm	lbs.
74141	1	50	.04
74142	2	50	.04



#### 710 Dura Bits, Slotted, 1/4"

Item	⊕	≡	↺	↻	≡
No.	mm	Inch	mm	Inch	mm
71010	0.6	.024	4.5	.177	25
71013	1.2	.039	6.5	.255	25



#### 715 Dura Bits, TORX®, 1/4"

Item	⊕	≡	↺
No.	Size	mm	lbs.
71576	T15	25	.02
71582	T30	25	.02



#### 742 Dura Pozidriv® Power Bits 1/4" Hex Drive, Length 2.0"/50mm

Item	⊕	≡	↺
No.	Size	mm	lbs.
74241	1	50	.04
74242	2	50	.04



#### 711 Dura Bits, Phillips, 1/4"

Item	⊕	≡	↺
No.	Size	mm	lbs.
71112	2	25	.02

### Diamond Torsion Insert and Power Bits

Diamond bits supplement Wiha's range of high-quality special bits. When used with machines, the increased tool life of the Wiha Diamond bit reduces cost.

- High wear resistance
- Micro particle coating with sapphire and diamond contents
- Optimized torsion zone

#### Reduction of:

- pressure forces to be applied
- wear and tear of bit and screw head
- working time & costs
- Cam-out effect



The ideal bit even for the most difficult of applications




#### 710 Diamond Bits, Slotted, 1/4"

Item	⊕	≡	↺	↻	≡
No.	mm	Inch	mm	Inch	mm
71020	4.5	.177	0.6	.024	25
71021	5.5	.216	0.8	.030	25
71023	6.5	.255	1.2	.039	25

**Wiha TiN Coated Insert/Power Bits**




The abbreviation TiN stands for Titanium-Nitride, which has a hardness up to 85 HRC. This coating guarantees a high wear and tear resistance.



- Tough, hard torsion quality with very hard TiN coating
- Optimized torsion zone
- High wear resistance



**715 TORX® TiN Coated Insert Bits, 1/4"**




Item			
No.	Size	mm	lbs.
71585	T5	25	.02
71587	T7	25	.02
71564	T15	25	.02

TiN - Titanium Nitride



**741 Phillips TiN Coated Power Bits**

**1/4" Hex Drive, Length 2.0"/50mm**


Item			
No.	Size	mm	lbs.
74101	1	50	.04
74105	2	50	.04
74108	3	50	.04

TiN - Titanium Nitride

NOTES:

*(This area contains multiple horizontal lines for taking notes.)*

**Wear Characteristics**











**Wiha Power Blade Sets**

Blade Holder For Power Blades






**76000 CentroFix Cushion Grip Blade Holder** Wiha-SoftFinish® impact resistant, with roll off protection. Ergonomic cushion grip handle. Quick release bit holder with magnet.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
<b>76000</b>	6.0	149	5.9	34.6	1.36	.26




**76079 Canvas Folding Wallet**

Holds 38 90mm power blades.

Item			
No.	Size	lbs.	pkg.
<b>76079</b>	7-1/8" x 6" x 2"	.42	1




**76099 37 Pc. Power Blade Set, In Durable Belt Pack** Set includes cushion grip CentroFix Blade Holder & 36 interchangeable blades.

**Item No. 76099**  lbs. 2.06  
**Slotted:** 2.5, 3.0, 4.5, 5.5, 6.0mm  
**Phillips:** #0, 1, 2, 3  
**Security TORX®:** T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s  
**Security Hex Inch:** 1/16\*, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"  
**Pozidriv®:** #1, 2, 3 & **Square:** #1, 2, 3  
**4" Nut Setters:** 1/4, 5/16, 3/8"  
 Cushion Grip CentroFix Blade Holder  
 \* 1/16" Standard Inch Hex Only




**76085 9 Pc. Power Blade Nut Driver Set** 30mm deep drilled Nut drivers. Use with #76000 CentroFix Blade Holder. 100mm OAL

**Item No. 76085**  lbs. .96  
**Inch:** 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"




**76086 12 Pc. Power Blade Nut Driver Set** 30mm deep drilled Nut drivers. Use with #76000 CentroFix Blade Holder. 100mm OAL

**Item No. 76086**  lbs. 1.22  
**Metric:** 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0mm




**76087 61 Pc. Power Blade Service Kit, In Durable Zipper Case** Set includes Bit Holding Handle, MicroBit Storage Handle, 4mm to 1/4" Magnetic Adapter, 9 power blades, 46 bits & 3 nut setters.

**Item No. 76087**  lbs. 1.34  
**90mm Power Blades:** **Slotted:** 4.5, 5.5, 6.0mm  
**Phillips:** #1, 2, 3 & **Square:** #1, 2, 3  
**75mm Security TORX® Bits:** T10s, T15s, T20s, T25s, T27s, T30s  
**MicroBits:** **Phillips:** #000, 00, 0, 1, 2,  
**Slotted:** .8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm  
**Hex Inch:** .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"  
**Hex Metric:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm  
**TORX®:** T1, T2, T3, T4, T5, T6, T7, T8, T9, T10  
**Magnetic Nut Setters:** 1/4, 5/16, 3/8"




**76098 36 Pc. Power Blade Set, In Durable Belt Pack** Set includes cushion grip CentroFix Blade Holder & 35 interchangeable blades.

**Item No. 76098**  lbs. 1.86  
**Slotted:** 2.5, 3.0, 4.5, 5.5, 6.0mm  
**Phillips:** #0, 1, 2, 3  
**Security TORX®:** T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s  
**Security Hex Metric:** 2.5, 3.0, 4.0, 5.0mm  
**Pozidriv®:** #1, 2, 3 & **Square:** #1, 2, 3  
**Spanner:** #6, 8, 10 & **Tri-Wing:** #1, 2, 3, 4  
 Cushion Grip CentroFix Blade Holder



**76084 12 Pc. Power Blade Inch & Metric Nut Driver Set** 30mm deep drilled Nut drivers. Use with #76000 CentroFix Blade Holder. 100mm OAL

**Item No. 76084**  lbs. 2.97  
**Inch:** 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"  
**Metric:** 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0mm  
 Cushion Grip CentroFix Blade Holder



# 26inOne!

- Includes:
- 13 double end bits
- Locking bit holder
- Pop-up bit access
- Rugged Industrial Design
- Cushion grip handle
- Professional quality



**Twenty-Six  
Screwdrivers  
in One**

**Ultra Lite!  
Ultra Compact!  
Ultra Fast Access!  
Ultra Quality!**

## “Grab & Go Tool Box”



Tradesman



Technician's



Industrial

### 77790 Cushion Grip Ultra Driver 26inOne

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

Includes the following 1/4" double end bits:

- Slotted: 3.0+4.5, 5.5+6.5mm
- Phillips: #1+2, #0+3 lbs.
- Pozidriv®: #1+2 .45
- Square: #1+2, #0+3
- TORX®: T10+T15, T20+T25
- Hex Inch: 1/8+9/64, 5/32+3/16"
- Hex Metric: 3.0+4.0, 5.0+6.0mm

#### Tradesman Bit Reload



### 77780 13 Pc. Double End Insert Bit Reload

For the 26inOne (For #77790)

Includes the following 1/4" double end bits:

- Slotted: 3.0+4.5, 5.5+6.5mm
- Phillips: #1+2, #0+3 lbs.
- Pozidriv®: #1+2 .14
- Square: #1+2, #0+3
- TORX®: T10+T15, T20+T25
- Hex Inch: 1/8+9/64, 5/32+3/16"
- Hex Metric: 3.0+4.0, 5.0+6.0mm

### 77791 Cushion Grip Ultra Driver 26inOne

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

Includes the following 1/4" double end bits:

- Slotted: 3.0+4.5, 4.0+6.0, 5.5+6.5mm
- Phillips: #1+2, #0+3 lbs.
- Pozidriv®: #1+2 .45
- Square: #1+2, #0+3
- TORX®: T6+T7, T8+T9, T10+T15, T20+T25, T27+T30

#### Technician's Bit Reload



### 77781 13 Pc. Double End Insert Bit Reload

For the 26inOne (For #77791)

Includes the following 1/4" double end bits:

- Slotted: 3.0+4.5, 4.0+6.0, 5.5+6.5mm
- Phillips: #1+2, #0+3 lbs.
- Pozidriv®: #1+2 .14
- Square: #1+2, #0+3
- TORX®: T6+T7, T8+T9, T10+T15, T20+T25, T27+T30

### 77792 Cushion Grip Ultra Driver 26inOne

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

Includes the following 1/4" double end bits:

- Slotted: 4.0+6.0mm
- Phillips: #1+2 lbs.
- TORX®: T8+T9, T10+T15, T20+T25, T27+T30 .45
- Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16, 7/32+1/4"
- Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0mm

#### Industrial Bit Reload



### 77782 13 Pc. Double End Insert Bit Reload

For the 26inOne (For #77792)

Includes the following 1/4" double end bits:

- Slotted: 4.0+6.0mm
- Phillips: #1+2 lbs.
- TORX®: T8+T9, T10+T15, T20+T25, T27+T30 .14
- Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16, 7/32+1/4"
- Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0mm

## Ultra Driver Accessories




Fits 26inOne  
Ultra Driver



Fits 26inOne  
Ultra Driver

### 77740 Valve Stem Double End Tool,

2 Pack CVM steel, hardened.

Item			
No.	mm	Inch	lbs.
77740	30	1.18	.02

### 77741 1/4" Socket Adapter 1/4" Hex to 1/4"

Square Drive. CVM steel, hardened.

Item			
No.	mm	Inch	lbs.
77741	30	1.18	.01

## 26inOne! Ultra Driver Displays



### 30 Piece Display "Tradesman"

**97790 30 Ultra Drivers Display**

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

Item No. 97790

Tradesman 1/4" Double End Bits:

- Slotted: 3.0+4.5, 5.5+6.5mm
- ⊕ Phillips: #1+2, #0+3
- ⊕ Pozidriv®: #1+2
- Square: #1+2, #0+3
- ⊗ TORX®: T10+T15, T20+T25
- Hex Inch: 1/8+9/64, 5/32+3/16"
- Hex Metric: 3.0+4.0, 5.0+6.0mm



### 30 Piece Display "Technician's"

**97791 30 Ultra Drivers Display**

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

Item No. 97791

Technician's 1/4" Double End Bits:

- Slotted: 3.0+4.5, 4.0+6.0, 5.5+6.5mm
- ⊕ Phillips: #1+2, #0+3
- ⊕ Pozidriv®: #1+2
- Square: #1+2, #0+3
- ⊗ TORX®: T6+T7, T8+T9, T10+T15, T20+T25, T27+T30



### 30 Piece Display "Industrial"

**97792 30 Ultra Drivers Display**

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

Item No. 97792

Industrial 1/4" Double End Bits:

- Slotted: 4.0+6.0mm
- ⊕ Phillips: #1+2
- ⊗ TORX®: T8+T9, T10+T15, T20+T25, T27+T30
- Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16, 7/32+1/4"
- Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0mm



### 6 Pack "Tradesman"

**97780 6 Pack Ultra Drivers Display Reorder**

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

Item No. 97780

Tradesman 1/4" Double End Bits:

- Slotted: 3.0+4.5, 5.5+6.5mm
- ⊕ Phillips: #1+2, #0+3
- ⊕ Pozidriv®: #1+2
- Square: #1+2, #0+3
- ⊗ TORX®: T10+T15, T20+T25
- Hex Inch: 1/8+9/64, 5/32+3/16"
- Hex Metric: 3.0+4.0, 5.0+6.0mm



### 6 Pack "Technician's"

**97781 6 Pack Ultra Drivers Display Reorder**

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

Item No. 97781

Technician's 1/4" Double End Bits:

- Slotted: 3.0+4.5, 4.0+6.0, 5.5+6.5mm
- ⊕ Phillips: #1+2, #0+3
- ⊕ Pozidriv®: #1+2
- Square: #1+2, #0+3
- ⊗ TORX®: T6+T7, T8+T9, T10+T15, T20+T25, T27+T30



### 6 Pack "Industrial"

**97782 6 Pack Ultra Drivers Display Reorder**

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

Item No. 97782

Industrial 1/4" Double End Bits:

- Slotted: 4.0+6.0mm
- ⊕ Phillips: #1+2
- ⊗ TORX®: T8+T9, T10+T15, T20+T25, T27+T30
- Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16, 7/32+1/4"
- Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0mm

**Ultra Driver Bonus Pack**



**77795 24 Piece Cushion Grip Ultra Driver 26inOne Bonus Pack**

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

**Includes:**

- **Slotted:** 3.0+4.5, 4.0+6.0, 5.5+6.5mm lbs.
- ⊕ **Phillips:** #1+2, #0+3 .60
- ⊕ **Pozidriv®:** #1+2
- ⊖ **Square:** #1+2, #0+3
- ⊕ **TORX®:** T6+T7, T8+T9, T10+T15, T20+T25, T27+T30
- ⬢ **Hex Inch:** 3/32+7/64, 1/8+9/64, 5/32+3/16, 7/32+1/4"
- ⬢ **Hex Metric:** 2.0+2.5, 3.0+4.0, 5.0+6.0mm
- 1/4" Hex to 1/4" Square Socket Adapter
- Double End Valve Stem Tool

**Combo Pliers & Bit Set**

**BiCut SuperCut & Ultra Driver 26inOne!**



**77786 15 Pc. Ultra Driver & Pliers Set With BiCut SuperCut & Ultra Driver Bit Set**

Item No. 77786 lbs. 1.17

**8.0" Soft Grip Vinyl BiCut SuperCut**

For cutting various materials from soft to extremely hard. Double the power at the press of a button.

**Ultra Driver Double End Bits:**

- Slotted:** 3.0+4.5, 5.5+6.5mm
- Phillips:** #1+2, #0+3
- Pozidriv®:** #1+2
- Square:** #1+2, #0+3
- TORX®:** T10+T15, T20+T25
- Hex Inch:** 1/8+9/64, 5/32+3/16"
- Hex MM:** 3.0+4.0, 5.0+6.0mm

**Security Ultra Driver**



**77789 Security Cushion Grip Ultra Driver**

26inOne Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

**Includes 1/4" double end Security bits:**

- ⊕ **Slotted/Phillips:** 5.5mm+#2 lbs.
- ⊖ **Square:** #1+#2 lbs.
- ⊕ **TORX®:** T8s+T9s, T10s+T15s, T20s+T25s, T27s+T30s .45
- ⬢ **Hex Inch:** 1/8+9/64, 5/32+3/16, 7/32+1/4"
- ⬢ **Hex Metric:** 3.0+4.0, 5.0+6.0mm
- ⊖ **Spanner:** #4+#6, #8+#10

**Security Bit Reload**

**77783 13 Pc. Double End Insert Bit Reload For the 26inOne (For #77789)**

Includes the following 1/4" double end bits:

- ⊕ **Slotted/Phillips:** 5.5mm+#2 lbs.
- ⊖ **Square:** #1+#2 lbs.
- ⊕ **TORX®:** T8s+T9s, T10s+T15s, T20s+T25s, T27s+T30s .14
- ⬢ **Hex Inch:** 1/8+9/64, 5/32+3/16, 7/32+1/4"
- ⬢ **Hex Metric:** 3.0+4.0, 5.0+6.0mm
- ⊖ **Spanner:** #4+#6, #8+#10

**NOTES:**

Blank lines for notes.

**1/4" Sockets & Bit Set**

**Tradesman Ultra Driver & 1/4" To 1/4" Sq. Drive Sockets**

26inOne!



**77793 29 Pc. Ultra Driver & Socket Set**

1/4" Sockets, Adapter & Ultra Driver Bit Set

Item No. 77793 lbs. .92

**1/4" Square Drive Sockets**

Inch: 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 3/8"  
Metric: 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0mm

**1/4" x 1/4" Socket Adapter**

**Ultra Driver Double End Bits:**

- Slotted:** 3.0+4.5, 5.5+6.5mm
- Phillips:** #1+2, #0+3
- Pozidriv®:** #1+2
- Square:** #1+2, #0+3
- TORX®:** T10+T15, T20+T25
- Hex Inch:** 1/8+9/64, 5/32+3/16"
- Hex MM:** 3.0+4.0, 5.0+6.0mm



## Wiha Security Bits Collectors



**71990** Bits Collector with Security **TORX**<sup>®</sup>, Tri-Wing, Torq Set, Spanner, Security Hex, Slotted, Phillips, Pozidriv<sup>®</sup> and Square bits. 39 Pc. Set includes: Handle, 1/4" bit holder, 1/4" Bit holding socket adapter, storage box & the following 1/4" bits:

- ⊕ Security **TORX**<sup>®</sup>: T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
- ⊖ Security Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- ⚙ Tri-Wing: 1, 2, 3, 4
- ⊕ Torq Set: 6, 8, 10
- ⊖ Spanner: 4, 6, 8, 10
- ⊖ Slotted: 6.0, 8.0mm
- ⊕ Phillips: 1, 2
- lbs. ⊕ Pozidriv<sup>®</sup>: 0, 1, 2, 3
- 1.03 ⊖ Square: 1, 2, 3



**71991** Bits Collector with Security **TORX**<sup>®</sup>, Tri-Wing, Torq Set, Spanner, Security Hex, Slotted, Phillips, Pozidriv<sup>®</sup> and Square bits. 39 Pc. Set includes: Handle, 1/4" SlimFix bit holder & 1/4" Bit holding socket adapter, storage box & the following 1/4" bits:


- ⊕ Security **TORX**<sup>®</sup>: T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
- ⊖ Security Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- ⚙ Tri-Wing: 1, 2, 3, 4
- ⊕ Torq Set: 6, 8, 10
- ⊖ Spanner: 4, 6, 8, 10
- ⊖ Slotted: 6.5, 8.0mm
- ⊕ Phillips: 1, 2
- lbs. ⊕ Pozidriv<sup>®</sup>: 0, 1, 2, 3
- 1.04 ⊖ Square: 1, 2, 3



**71994** Bits Collector with **TORX**<sup>®</sup>, Slotted, Phillips, Pozidriv<sup>®</sup>, Square & Hex Bits. 38 Pc. Set Includes: Handle, 1/4" bit holder, storage box & the following 1/4" bits:

- ⊕ **TORX**<sup>®</sup>: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40
- ⊖ Square: 1, 2, 3 & Pozidriv<sup>®</sup>: 1, 2, 3
- ⊖ Slotted: 4.5, 5.5, 6.0mm
- ⊕ Phillips: 0, 1, 2, 3
- ⊖ Hex Metric: 2.5, 3.0, 4.0, 5.0, 6.0mm
- lbs. ⊖ Hex Inch: 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4"

## Wiha Security Bits Collector With Extra Fine 72 Tooth Ratchet



**71988** Bits Collector with Security **TORX**<sup>®</sup>, Tri-Wing, Torq Set, Spanner, Security Hex, Slotted, Phillips, Pozidriv<sup>®</sup> and Square bits. 38 Pc. Set includes: 1/4" Bit Holding Ratchet, 1/4" magnetic bit holder, storage box and 1/4" Insert bits:

- ⊕ Security **TORX**<sup>®</sup>: T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
- ⊖ Security Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- ⚙ Tri-Wing: 1, 2, 3, 4
- ⊕ Torq Set: 6, 8, 10
- ⊖ Spanner: 4, 6, 8, 10
- ⊖ Slotted: 6.5, 8.0mm
- ⊕ Phillips: 1, 2
- lbs. ⊕ Pozidriv<sup>®</sup>: 0, 1, 2, 3
- 1.02 ⊖ Square: 1, 2, 3



**71095** Bits Collector with Phillips & Hex Inch bits. 51 Piece Set Includes: 1/4" SlimFix Bit Holder, storage box and the following 1/4" bits:

- ⊕ 10 Each Phillips: 1, 2 & 5 Phillips: 3
- lbs. ⊖ 10 Each Hex Inch: 1/8, 3/16" & 5 Hex Inch: 5/32"



**71992** Bits Collector with Security 1/4" Insert bits. 29 Piece Set Includes: 1/4" Bit Holder, 1/4" Bit holding socket adapter, 1/4" Universal Magnetic Bit Holder, storage box and the following 1/4" bits:

- ⊕ Security **TORX**<sup>®</sup>: T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
- ⊖ Security Hex: 1/8, 3/32, 7/64, 9/64, 5/32, 3/16, 7/32, 1/4"
- ⚙ Tri-Wing: 4, 5 & Torq Set: 5, 8,
- lbs. ⊕ Pozidriv<sup>®</sup>: 2 & Square: 1, 2,
- .99 Spanner: 6, 8, 10

**Wiha Bit Selectors**

Compact size and easy bit selection make the Bit Selector an ideal maintenance tool



Slide out drawer allows quick bit access and secure storage



**Plastic storage box** is compact, durable and light weight  
**1/4" Magnetic Adapter** fits all standard 1/4" bits



**Molded hex cavity in box end**  
 Magnetic adapter fits into opening so tool case can be used as a handle on quick fastening jobs

**792 Sets Bit-Selector Sets**


These handy sets include 10 hardened bits of chrome-vanadium-molybdenum steel. 1/4" magnetic bit holder can be used in power tools. Plastic storage box is compact, durable and light weight. Molded hex cavity turns box into handle for quick fastening jobs. Quick bit access with slide out drawer. Packaged in clear blister pack.






**79243 Bit-Selector With Slotted, Phillips & TORX® Bits, Includes 1/4" Bit Holder & The Following 10 Bits:**  lbs. .32

-  Slotted: 4.5, 5.5, 6.0mm
-  Phillips: #0, 1, 2, 3
-  TORX®: T10, T15, T20



**79248 Bit-Selector With Slotted, Phillips & Square Bits, Includes 1/4" Bit Holder & The Following 10 Bits:**  lbs. .32

-  Slotted: 4.5, 5.5, 6.0mm
-  Phillips: #0, 1, 2, 3
-  Square: #1, 2, 3



**71090 Bit-Selector With Slotted, Phillips & Hex 1/4" Bits, Includes Universal Magnetic 1/4" Bit Holder & The Following 9 Bits:**

-  Slotted: 4.5, 5.5, 6.5mm
-  Phillips: #1, 2, 3
-  Hex Inch: 1/8, 5/32, 3/16"

**Wiha XSelector & XLSelector Bit Sets**

Compact size and easy bit selection make the Wiha XSelector an ideal maintenance tool



Easy bit access with hinged cover







**XLSelector Pocket Sized** 5.3" x 3.1" x .7"  
**XSelector Pocket Sized** 3 1/8" x 2 1/8" x 1/2"

Sets include Clicfix quick release holder

These handy sets include 10 hardened bits of CVM steel. 1/4" Quick Release holder can be used in power tools. Quick bit access through integrated bit-clamp.





**79443 XSelector Bit Set With Slotted, Phillips, and TORX® Bits Set Includes 1/4" Magnetic Holder & the following 10 bits:**

-  Slotted: 5.5, 6.5, 8.0mm 
-  Phillips: #0, 1, 2, 3 lbs.
-  TORX®: T10, T15, T20 .27









**79499 XLSelector 1/4" Ratchet & Bit Set**  
 Wiha 1/4" ratchet bit handle, bit holder &


15 Insert bits Includes:

-  Slotted: 4.5, 5.5, 6.0mm
-  Phillips: #0, 1, 2
-  TORX®: T7, T8, T9, T10, T15, T20, T25
-  Square: #1, 2
-  lbs. .56




**79491 XLSelector 1/4" Ratchet & Bit Set**  
 Wiha 1/4" ratchet bit handle, bit holder &

-  Slotted: 4.5, 6.0mm 
-  Phillips: #1, 2, 3 lbs.
-  Square: #1, 2 .56
-  Pozidriv: #1, 2
-  Hex Metric: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm















**79495 XLSelector Bit Set With Slotted, Phillips, TORX®, Hex Bits, 31 Pc. Set Includes: 1/4" Magnetic Bit Holder & 30 Insert Bits:**

-  Slotted: 4.5, 5.5, 6.0mm
-  Phillips: #0, 1, 2, 3
-  TORX®: T6, T7, T8, T9, T10, T15, T20, T25 
-  Metric Hex: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm .62
-  Inch Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"











**79490 XLSelector Security Bit Set, 31 Pc. Set Includes Universal Bit Holder-magnetic and the following 30 bits:**

-  Slotted: 6.0mm 
-  Phillips: #1, 2
-  Torq Set: #6, 8, 10 
-  Square: #1, 2
-  Triwing: #2, 3, 4, 5 
-  Spanner: #4, 6, 8, 10 
-  Security TORX®: T8s, T10s, T15s, T20s, T25s lbs. .64
-  Security Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"



**79493 XLSelector Security Bit Set, 31 Pc. Set Includes Universal Bit Holder-magnetic and the following 30 bits:**

-  Slotted: 4.5, 5.5, 6.0mm
-  Phillips: #1, 2, 3 
-  Square: #1, 2
-  TORX®: T7, T8, T9, T10, T15, T20, T25
-  Hex Metric: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm
-  Hex Inch: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
-  lbs. .64

## Wiha Multi-Bit Screwdrivers

### Six Tools in One!

**1/4" Magnetic Bit Holder**  
directs magnetism through the bit for powerful screw holding

**Cap snaps**  
on & off, doesn't unscrew while you're using the tool



### Chambered Bit Storage

- Turn the transparent selector to the bit you need
- No time wasted fumbling or sorting to find the right bit

**Cap rotates** eliminating palm blisters

**Allows one handed**  
turning & frees other hand for positioning the work piece



**Ergonomic Powerhandle**  
for maximum comfort & exceptional torque

## Computer Tech Bit Set

### 12 Piece 1/4" Bit Set



**38490 1/4" Computer Tech 12 Pc. Set**  
with Wiha Cushion Grip Bit Holders. CVM steel, hardened shaft.

↓ **Slotted:** 4.5, 5.5, 6.5mm

⊕ **Phillips:** #1, 2

⊛ **TORX:** T6, T15, T20

⊛ **Security TORX:** T8s, T10s

○ **Magnetic Bit holder** 1/4" x 125mm

○ **Stubby Bit Holder** 1/4" x 57mm

↔ lbs. .60

## CentroFix Security Bit Set



### 71987 29pc Security Bit Set With CentroFix Bit Holder Handle

1/4" CRV steel, hardened shaft.

⊛ **Security TORX:** T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s

⊖ **Security Hex:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

⊕ **Tri-Wing:** #4, 5

⊕ **Torq Set:** #5, 8

⊖ **Spanner:** #6, 8, 10

⊕ **Pozidriv:** #2

○ **Square:** #1, 2

**CentroFix Cushion Grip Handle**

○ **Magnetic Bit holder** 1/4"

**Socket Adapter** 1/4"

↔ lbs. 1.18

## Wiha 1/4" Ratchet & Bit Sets

Insulated Bit Holder



**38006 Slotted/Phillips Multi-Bit Screwdriver**  
with Wiha Powerhandle and insulated shaft.

Set includes the following 1/4" bits:

↓ **Slotted:** 5.5, 6.0mm ↔ lbs.

⊕ **Phillips:** 0, 1, 2, 3 .39



**38033 Slotted/Phillips & ClicFix Quick Release Magnetic Bit Holder 7 Pc. Set**

with Wiha Powerhandle and CVM steel, hardened shaft.

↓ **Slotted:** 6.5, 8.0mm ↔ lbs.

⊕ **Phillips:** 0, 1, 2, 3 .43



**74992 Ratchet Bit Set, 29 Pcs. In Canvas Pouch.** Includes Wiha 1/4" ratchet bit handle, bit holder & 27 Insert bits.

Item No. 1/4" Ratchet Bit Set

**74992 Set includes the following bits:**

↓ ⊕ **Slotted:** 5.5, 6.0mm/Phillips: #0, 1, 2

○ ⊕ **Square:** #1, 2 / Pozidriv®: #1, 2

⊛ **TORX:** T8, T9, T10, T15, T20, T25

⬢ **Hex Metric:** 2.0, 2.5, 3.0, 4.0, 5.0mm

⬢ **Hex Inch:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"

○ **1/4" Bit Holder**

↔ lbs. .90

In metal storage box



**74996 Ratchet Bit Set, 35 Pcs. Includes:**  
Wiha 1/4" ratchet bit handle, bit holder, Hex/Sqr. Adapter & 33 Insert bits.

Item No. 74996 1/4" Ratchet Bit Set

↓ **Slotted:** 5.5, 6.0mm

⊕ **Phillips:** #0, 1, 2, 3

○ **Square:** #1, 2

⊛ **TORX:** T8, T10, T15, T20, T25, T27, T30

⬢ **Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm

⬢ **Hex Inch:** 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

○ **1/4" Magnetic Bit Holder**

**1/4" Hex to 1/4" Square Adapter**

↔ lbs. .80



Wiha Insert Bit Blister Pack



**72593 10 Pack Slotted, Phillips & Square Insert Bit Pack** CVM S2 modified tool steel.

- **Slotted:** 4.5, 5.5, 6.0mm lbs.
- ⊕ **Phillips:** #1, 2, 3 .16
- **Square:** #1, 2, 3

Wiha Adjustable TorqueControl Tool Sets In Durable Storage Box



With Certificate of Calibration

**28590 24 Pc. TorqueVario-S Micro-Bit Set** Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 21 Micro Bits, Micro Bit holder & Torque adjustment tool. Packed in a compact durable storage box.

**Item No. Slotted:** 1.5, 2.0, 3.0, 4.0mm

**28590 Phillips:** #00, #0, #1

**TORX®:** T6, T7, T8, T9, T10, T15

**Hex Inch:** .050, 1/16, 5/64, 3/32, 1.35

**28504 - Handle Range** 7.5-20 In/lbs.



With Certificate of Calibration

**28593 24 Pc. TorqueVario-S Micro-Bit Set** Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 21 Micro Bits, Micro Bit holder and Torque adjustment tool. Packed in a compact durable storage box.

**Item No. Slotted:** 1.5, 2.0, 3.0, 4.0mm

**28593 Phillips:** #00, #0, #1

**TORX®:** T6, T7, T8, T9, T10, T15

**lbs. Hex Inch:** .050, 1/16, 5/64, 3/32, 1.35

**28501 - TorqueVario-S handle Range** 15 - 80 Inch/oz (+/- 10%)

Wiha Power Bit Belt Packs



**74983 Power Bit Belt Pack With Slotted, Phillips & TORX® Bits** Includes the following 10 bits:

- **Slotted:** 4.5, 5.5, 6.5mm
- ⊕ **Phillips:** #1, 2, 3 lbs.
- ⊗ **TORX®:** T10, T15, T20, T25 .30



**74988 Power Bit Belt Pack With Slotted, Phillips & Square Bits** Includes the following 10 bits:

- **Slot:** 3.0, 4.5, 5.5, 6.5mm
- ⊕ **Phillips:** #1, 2, 3 lbs.
- **Square:** #1, 2, 3 .30



With Certificate of Calibration

**28595 53 Pc. TorqueVario-S Bit Set, In Storage Box** Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 50 Insert bits, 1/4" Bit holder and Torque adjustment tool.

**Item No. 28595**

**Slotted:** 4.5, 5.5, 6.5, 8.0mm

**lbs. Phillips:** #0, #1, #2, #3

**2.85 TORX®:** T6, T7, T8, T9, T10, T15, T20, T25, T27, T30

**Hex Inch:** 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"

**Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm

**Pozidriv:** #0, #1, #2, #3

**Torq Set:** #4, #5, #6, #8

**Square:** #1, #2, #3

**Triwing:** #0, #1, #2, #3, #4

**28506-Handle Range** 10 - 50 In/lbs.

**28581 - 1/4" Bit Holder**



59 Pc. Set

With Certificate of Calibration

**28589 59 Piece TorqueVario-S Bit Set, In Storage Box** Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes 3 ergonomic multi-component adjustable TorqueVario-S handles, 39 Insert bits, 15 Sockets, 1/4" Bit holder, 1/4" Hex to 1/4" Square adapter and Torque adjustment tool.

**Item No. Slotted:** 4.5, 5.5, 6.5mm

**28589 Phillips:** #0, 1, 2

**TORX®:** T5, T6, T7, T8, T9, T10, T15, T20, T25, T30

**lbs. Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

**Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm

**Pozidriv:** #1, 2 & **Square:** #1, 2, 3

**Inch Sockets:** 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 3/8"

**Metric Sockets:** 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0mm

**3 Handles:** 15-80 Inch/oz., 5-10 & 10-50 In/lbs.


## Wiha Bit Holders

For working in confined spaces




**28103 Magnetic 1/4" Bit Holder With Wiha SoftFinish® Stubby Handle** Stainless steel with strong magnet. Wiha-SoftFinish® handle multi-component, cushion grips.

Item	○	▬	▬	▬	▬	▬	▬
No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
<b>28103</b>	1/4"	57	2.2	.11	1		



**38800 Bit Holder With Wiha T-handle** Retainer out of stainless steel. Wiha-T-handle high quality plastic, impact resistant.

Item	○	▬	▬	▬	▬	▬	▬
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
<b>38800</b>	1/4"	150	6.0	80	3.0	.18	1



**38801 Bit Holders With Wiha Soft Grip T-handle** Chrome-V-Moly, hardened, hard chrome finish. Wiha soft grips are molded on with through the handle side torque drive.

Item	○	▬	▬	▬	▬	▬	▬
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
<b>38801</b>	1/4"	178	7.0	102	4.0	.18	1



**48400 1/4" Bit Holding Screwdriver, With Wiha Protturn Handle** Magnetic, holds bit and screw. Shaft CVM steel, nickel-plated. Handle, molded on, impact resistant.

Item	○	▬	▬	▬	▬	▬	▬
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
<b>48400</b>	1/4	125	5.0	243	9.6	.24	10



Plastic coated flexible metal  
with stainless steel retaining ring  
**38600 Bit Holder 1/4" with Retaining Ring With Flexible Shaft** Wiha-SoftFinish® handle multi-component, cushion grips.

Item	○	▬	▬	▬	▬	▬	▬
No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
<b>38600</b>	1/4"	150	5.9	268	10.6	.30	1




Adjustable Blade Length  
Magnetic Bit Holder  
**28489 Drive-Loc VI Bit Holder** High alloy CVM steel, through hardened, hard chrome finish. Wiha-SoftFinish® handle multi-component, cushion grips.

Item	○	▬	▬	▬	▬	▬	▬
No.	Inch	Extends	lbs.	pkg.			
<b>28489</b>	1/4"	1-3/4" to 4-7/8"	.36	1			



Magnetic  
Retainer out of stainless steel  
**384 1/4" Magnetic Bit Holding Drivers, With Wiha SoftFinish® Handle** Ergonomic cushion grip, magnetic, holds bit and screw. Shaft CVM steel, nickel-plated.

Item	○	▬	▬	▬	▬	▬	▬
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
<b>38450</b>	1/4"	125	5.0	240	9.46	.23	
<b>38460</b>	1/4"	300	11.8	400	15.69	.37	



Non-slip grip, magnetic  
Holds bit and screw  
**52650 1/4" Bit holding Screwdriver, With Wiha MicroFinish Handle** Retainer out of stainless steel. Shaft CVM steel, nickel-plated. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil & grease resistant.

Item	○	▬	▬	▬	▬	▬	▬
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
<b>52650</b>	1/4"	125	5.0	244	9.6	.24	1




Holds 6 bits  
(bits not included)  
**38025 Magnetic Bit Holder, 1/4"** Wiha-Powerhandle, Insulated, impact resistant. Snap-lock rotatable cap. Chambered bit holder equipped with transparent selector for easy selection of bits. 1/4" bit holder, shielded, magnetic, holds bit and screw.

Item	○	▬	▬	▬	▬	▬	▬
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
<b>38025</b>	1/4"	120	4.7	230	9.0	.26	1



**66850 1/4" Bit Holding Screwdriver, With Wiha Protturn Precision handle.** Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM steel, nickel-plated.

Item	○	▬	▬	▬	▬	▬	▬
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
<b>66850</b>	1/4"	60	2.36	170	6.7	.07	



**714 Protturn 1/4" Quick Release Bit Holder**

Item	○	▬	▬	▬	▬	▬	▬
No.	Size	mm	Inch	lbs.			
<b>71475</b>	2.4"	60	2.4	.06			
<b>71476</b>	3.9"	100	3.9	.09			
<b>71477</b>	5.9"	150	5.9	.11			
<b>71478</b>	7.9"	200	7.8	.14			
<b>71479</b>	9.9"	250	9.8	.17			

**71474 5 Pc. Protturn 1/4" Quick Release Bit Holder Set** With magnets

Includes: 60mm, 100mm, 150mm, 200mm, 250mm



**714 Screw Cap Bit Holder with O-Ring**

Item	○	▬	▬	▬	▬	▬	▬
No.	Size	Size	mm	Inch	lbs.		
<b>71492</b>	1/4"	1/4"	62	2.4	.10	Non Magnetic	
<b>71493</b>	1/4"	1/4"	76	3.0	.10	Magnetic	

**Wiha Bit Holders**

**“SlimFix”  
Impact Rated**



Rated to  
70Nm / 600 In.lbs.

**71496 “SlimFix” Impact Rated Locking**

**1/4” Bit Holder For 1/4” Insert Bits** Faster, sleeker, more productive “SlimFix” for instant bit changes. Just 10.9mm / 0.42 Diameter. Bit Locks securely in place. CV hardened sleeve.

Item					
No.	Size	Size	mm	Inch	lbs.
71496	1/4”	1/4”	66.5	2.62	.06




**711 Universal Magnetic Bit Holder,  
1/4” For Insert Bits**

Item					
No.	Size	Size	mm	Inch	lbs.
71130	1/4”	1/4”	74	2.9	.06
71131	1/4”	1/4”	59	2.3	.05



**71139 Magnetic Bit Holder, 1/4”  
For Insert Bits**

Item					
No.	Size	Size	mm	Inch	lbs.
71139	1/4”	1/4”	100	4.0	.08



**Retaining Ring  
Bit Holders**

Magnetic

**714 Bit Holder, Retaining Ring & Magnetic**

Item					
No.	Size	Size	mm	Inch	lbs.
71431	1/4”	1/4”	60	2.4	.05
71433	1/4”	1/4”	67	2.6	.05
71435	1/4”	1/4”	100	3.9	.07
71437	1/4”	1/4”	150	5.9	.11
71439	1/4”	1/4”	200	7.8	.13
71441	1/4”	1/4”	253	10.0	.16

**71499 5 Pc. Bit Holder Set In Vinyl Pouch**  
Includes: 60mm, 100mm, 150mm, 200mm, 253mm lbs. .60



**38060 Mini Bit Ratchet & SlimFix Set**

Extra fine 72 tooth ratchet, rugged drop forged steel. SlimFix impact rated locking 1/4” bit holder. Accepts 1/4” Bits.


Item No. Includes Phillips: #2  
38060 lbs. .28

**High Precision Tool Holder**



**71480 CentroFix Bit Holder**

Item					
No.	Size	Size	mm	Inch	lbs. pkg.
71480	1/4”	1/4”	60	2.4	.09 1



- Narrow Profile
- One handed bit changes
- Internal bit lock mechanism



**71491 ClicFix Bit Holder,  
Magnetic For Insert Bits**

Item					
No.	Size	Size	mm	Inch	lbs. pkg.
71491	1/4”	1/4”	75	2.9	.07 1



**71494 Stainless Steel Bit Holder,  
1/4” For Insert Bits**

Internal C-ring for bit holding & magnet.

Item					
No.	Size	Size	mm	Inch	lbs.
71494	1/4”	1/4”	54	2.1”	.05

 **ESD Safe** Bit holders - non-magnetic



For working on static sensitive components

Dissipative material offers protection against electrostatic discharge  
Surface resistance of handles is 10<sup>6</sup> - 10<sup>9</sup> Ohms

 **ESD Safe Stubby 1/4” Bit Holder With Ring Retainer, Wiha-SoftFinish® Cushion Grip Handle, IEC 61340-5-1, DIN 3126, ISO 1173** Dissipative SoftFinish® cushion grip handle, multi-component, ESD Safe surface resistance 10<sup>6</sup> - 10<sup>9</sup> Ohm.



Item					
No.	Inch	mm	Inch	lbs.	pkg.
28180	1/4”	57	2.2	.11	1

 **ESD Safe Quick Release 1/4” Bit Holder, With Wiha-SoftFinish® Cushion Grip Handle, IEC 61340-5-1, DIN 3126, ISO 1173** Stainless steel with retaining ring bit holder. Dissipative SoftFinish® cushion grip handle, multi-component, ESD Safe surface resistance 10<sup>6</sup> - 10<sup>9</sup> Ohm.



Item						
No.	Inch	mm	Inch	mm	Inch	lbs. pkg.
38701	1/4”	148	5.8	38	1.5	.24 1

 Surface resistance of handle is 10<sup>6</sup> - 10<sup>9</sup> Ohms



**38790 ESD Safe 1/4” Quick Release Blade Holder Set 20 Pc. Set With Interchangeable Blades & Quick Release Blade Holder Extension** Blades are CVM tool steel, hardened.

Item No. 38790 lbs. .67

Slotted: 2.5, 3.0, 3.5, 4.0, 5.5, 6.5mm

Phillips: #0, 1, 2

TORX®: T6, T7, T8, T9, T10, T15

Pozidriv®: 0, 1, 2



Micro Bits Made in Germany

## Wiha SYSTEM 4 Micro Bits - 10 Bit Packs

CVM steel, hardened, on 4 mm hex stock.

Bits High alloy CVM steel, hardened

Tips Exact fit, precision machined

Use bits directly in handle or with 4" bit extension



### 756 SYSTEM 4 Hex Metric Micro Bits

Item	Hex	mm	Inch	lbs.
No.		mm	Inch	lbs.
75616	.7	28	1.1	.06
75617	.9	28	1.1	.06
75618	1.3	28	1.1	.06
75619	1.5	28	1.1	.07
75620	2.0	28	1.1	.07
75621	2.5	28	1.1	.07
75622	3.0	28	1.1	.08
75623	4.0	28	1.1	.08



### 756 SYSTEM 4 TORX Micro Bits

Item	TORX	mm	Inch	lbs.
No.	Size	mm	Inch	lbs.
75660	T1	28	1.1	.06
75661	T2	28	1.1	.06
75662	T3	28	1.1	.06
75663	T4	28	1.1	.06
75664	T5	28	1.1	.06
75665	T6	28	1.1	.06
75666	T7	28	1.1	.06
75667	T8	28	1.1	.07
75668	T9	28	1.1	.07
75669	T10	28	1.1	.07
75670	T15	28	1.1	.08
75671	T20	28	1.1	.08



### 756 SYSTEM 4 Slotted Micro Bits

Item	Slotted	mm	Inch	lbs.
No.		mm	Inch	lbs.
75602	0.8	28	1.1	.06
75603	1.2	28	1.1	.06
75604	1.5	28	1.1	.06
75605	1.8	28	1.1	.06
75606	2.0	28	1.1	.07
75607	2.5	28	1.1	.07
75608	3.0	28	1.1	.07
75609	3.5	28	1.1	.07
75610	4.0	28	1.1	.08



### 756 SYSTEM 4 Hex Inch Micro Bits

Item	Hex	Inch	mm	Inch	lbs.
No.		Inch	mm	Inch	lbs.
75628	.028	28	1.1	.06	
75629	.035	28	1.1	.06	
75630	.050	28	1.1	.06	
75631	1/16	28	1.1	.06	
75632	5/64	28	1.1	.06	
75633	3/32	28	1.1	.07	
75634	7/64	28	1.1	.07	
75635	1/8	28	1.1	.07	
75636	9/64	28	1.1	.08	
75637	5/32	28	1.1	.08	



### 756 SYSTEM 4 Security TORX Micro Bits

Item	Security TORX	mm	Inch	lbs.
No.	Size	mm	Inch	lbs.
75681	T10s	28	1.1	.07
75683	T20s	28	1.1	.08



### 756 SYSTEM 4 Phillips Micro Bits

Item	Phillips	Size	mm	Inch	lbs.
No.		Size	mm	Inch	lbs.
75611	000	28	1.1	.06	
75612	00	28	1.1	.06	
75613	0	28	1.1	.06	
75614	1	28	1.1	.07	
75615	2	28	1.1	.07	



### 756 SYS 4 Metric Security Hex Micro Bits

Item	Hex	mm	mm	Inch	lbs.
No.		mm	mm	Inch	lbs.
75624	2.0	28	1.1	.06	
75626	3.0	28	1.1	.07	
75627	4.0	28	1.1	.08	



### 756 SYSTEM 4 Inch Nut Setters

Item No.	Nut	mm	mm	Inch	lbs.
Inch		mm	mm	Inch	lbs.
75644	5/64	30	1.2	.07	
75645	3/32	30	1.2	.07	
75646	7/64	30	1.2	.07	
75647	1/8	30	1.2	.07	
75648	9/64	30	1.2	.08	
75649	5/32	30	1.2	.08	
75650	3/16	30	1.2	.08	
75651	7/32	30	1.2	.09	



### 756 SYSTEM 4 Pentalobe Micro Bits

Item	Pentalobe	Size	mm	Inch	lbs.
No.		Size	mm <td>Inch</td> <td>lbs.</td>	Inch	lbs.
75672	PL1	28	1.1	.06	
75673	PL2	28	1.1	.06	
75674	PL3	28	1.1	.07	
75675	PL4	28	1.1	.07	
75676	PL5	28	1.1	.07	



### 756 SYS 4 Security Hex Inch Micro Bits

Item	Hex	Inch	mm	Inch	lbs.
No.		Inch	mm	Inch	lbs.
75638	5/64	28	1.1	.06	
75639	3/32	28	1.1	.06	
75641	1/8	28	1.1	.07	



### 756 SYSTEM 4 Metric Nut Setters

Item No.	Nut	mm	mm	Inch	lbs.
Metric		mm	mm	Inch	lbs.
75652	2.0	30	1.2	.07	
75653	2.5	30	1.2	.07	
75654	3.0	30	1.2	.07	
75655	3.5	30	1.2	.07	
75656	4.0	30	1.2	.08	
75657	4.5	30	1.2	.08	
75658	5.0	30	1.2	.08	
75659	5.5	30	1.2	.09	

## Wiha SYSTEM 4 Micro Bits - On 4mm Hex Stock



### 75800 SYSTEM 4 Standard Precision Bit

**Handle** Accepts all SYSTEM 4 Series bits.  
110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
75800	4.0	.1574	14.0	.55	.06



### 75801 SYSTEM 4 ESD Safe Dissipative Precision Bit Handle

110mm/4.3" OAL

#### Advantages:

- For working in ESD sensitive applications  
Surface resistant 10<sup>6</sup>-10<sup>9</sup> Ohms
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits

Item					
No.	mm	Inch	mm	Inch	lbs.
75801	4.0	.1574	14.0	.55	.06



### 758 SYSTEM 4 Inch Nut Setters

CVM steel, hardened, on 4 mm hex stock.

Item No.				
Inch	mm	mm	Inch	lbs.
75810	5/64	30	1.2	.01
75811	3/32	30	1.2	.01
75812	7/64	30	1.2	.01
75813	1/8	30	1.2	.01
75814	9/64	30	1.2	.01
75815	5/32	30	1.2	.01
75816	3/16	30	1.2	.01
75817	7/32	30	1.2	.01



### 758 SYSTEM 4 Metric Nut Setters

CVM steel, hardened, on 4 mm hex stock.

Item No.				
Metric	mm	mm	Inch	lbs.
75820	2.0	30	1.2	.01
75821	2.5	30	1.2	.01
75822	3.0	30	1.2	.01
75823	3.5	30	1.2	.01
75824	4.0	30	1.2	.01
75825	4.5	30	1.2	.01
75826	5.0	30	1.2	.01
75827	5.5	30	1.2	.01



### 750 SYSTEM 4 Slotted Micro Bits

CVM steel, hardened, on 4 mm hex stock.

Item				
No.	mm	mm	Inch	lbs.
75008	0.8	28	1.1	.01
75012	1.2	28	1.1	.01
75015	1.5	28	1.1	.01
75018	1.8	28	1.1	.01
75020	2.0	28	1.1	.01
75025	2.5	28	1.1	.01
75030	3.0	28	1.1	.01
75035	3.5	28	1.1	.01
75040	4.0	28	1.1	.01



### 751 SYSTEM 4 Phillips Micro Bits

CVM steel, hardened, on 4 mm hex stock.

Item				
No.	Size	mm	Inch	lbs.
75105	000	28	1.1	.01
75110	00	28	1.1	.01
75115	0	28	1.1	.01
75120	1	28	1.1	.01
75125	2	28	1.1	.01



### 753 SYSTEM 4 Hex Metric Micro Bits

CVM steel, hardened, on 4 mm hex stock.

Item				
No.	mm	mm	Inch	lbs.
75307	.7	28	1.1	.01
75309	.9	28	1.1	.01
75313	1.3	28	1.1	.01
75315	1.5	28	1.1	.01
75320	2.0	28	1.1	.01
75325	2.5	28	1.1	.01
75330	3.0	28	1.1	.01
75340	4.0	28	1.1	.01

### 753 SYSTEM 4 Hex Inch Micro Bits

CVM steel, hardened, on 4 mm hex stock.

Item				
No.	Inch	mm	Inch	lbs.
75307	.028	28	1.1	.01
75309	.035	28	1.1	.01
75313	.050	28	1.1	.01
75350	1/16	28	1.1	.01
75352	5/64	28	1.1	.01
75354	3/32	28	1.1	.01
75356	7/64	28	1.1	.01
75358	1/8	28	1.1	.01
75360	9/64	28	1.1	.01
75340	5/32	28	1.1	.01



### 757 SYSTEM 4 TORX® Micro Bits

CVM steel, hardened, on 4 mm stock.

Item				
No.	Size	mm	Inch	lbs.
75701	T1	28	1.1	.01
75702	T2	28	1.1	.01
75703	T3	28	1.1	.01
75704	T4	28	1.1	.01
75705	T5	28	1.1	.01
75706	T6	28	1.1	.01
75707	T7	28	1.1	.01
75708	T8	28	1.1	.01
75709	T9	28	1.1	.01
75710	T10	28	1.1	.01
75715	T15	28	1.1	.01
75720	T20	28	1.1	.01



### 757 SYSTEM 4 Security TORX® Micro Bits

CVM steel, hardened, on 4 mm stock.

Item				
No.	Size	mm	Inch	lbs.
75735	T10s	28	1.1	.01
75742	T20s	28	1.1	.01



### 757 SYSTEM 4 Pentalobe Micro Bits

CVM steel, hardened, on 4 mm hex stock.

Item				
No.	Size	mm	Inch	lbs.
75743	PL1	28	1.1	.01
75744	PL2	28	1.1	.01
75745	PL3	28	1.1	.01
75746	PL4	28	1.1	.01
75747	PL5	28	1.1	.01
75748	PL6	28	1.1	.01



### 753 SYS 4 Metric Security Hex Micro Bits

CVM steel, hardened, on 4 mm hex stock.

Item				
No.	mm	mm	Inch	lbs.
75322	2.0	28	1.1	.01
75332	3.0	28	1.1	.01
75342	4.0	28	1.1	.01

### 753 SYS 4 Security Hex Inch Micro Bits

Item				
No.	Inch	mm	Inch	lbs.
75362	5/64	28	1.1	.01
75364	3/32	28	1.1	.01
75366	7/64	28	1.1	.01
75368	1/8	28	1.1	.01
75370	9/64	28	1.1	.01
75372	5/32	28	1.1	.01

## SYSTEM 4 Micro Bit Extension Blades



**75900** Extension Blade For SYS 4 Micro Bits  
Shaft CVM steel, hardened, corrosion protected.  
Ball retainer bit extension for 4mm bits.

Item	No.	Size	mm	mm	lbs.
	<b>75900</b>	4.0	100	4.0	.07



**75901** Magnetic Bit Extension Blade For  
SYS 4 Micro Bits Shaft CVM steel, hardened,  
corrosion protected. Magnetic bit holder.

Item	No.	Size	mm	mm	lbs.
	<b>75901</b>	4.0	100	4.0	.04

## Micro Bit 4mm To 1/4" Socket Adapter



**75806** Micro Bit 4mm to 1/4" Socket  
Adapter CVM steel, hardened.

Item	No.	mm	Inch	lbs.
	<b>75806</b>	28	1.125	.02

## 1/4" Drive Micro Bit Tool Adapters



**75802** Micro Bit To 1/4" Drive Insert Bit  
Adapter magnets to hold 4mm Micro Bits

Item	No.	Size	mm	mm	lbs.
	<b>75802</b>	4.0	25	4.0	.01



**75803** Long Micro Bit To 1/4" Drive Insert  
Bit Adapter Uses spring clip non-magnetic to  
hold 4mm Micro Bits

Item	No.	Size	mm	mm	lbs.
	<b>75803</b>	4.0	38	4.0	.02


## Micro Bit 1/4" Drive Power Tool Adapter



**75902** Micro Bit 1/4" Drive Power Tool  
Adapter Shaft CVM steel, hardened,  
corrosion protected. For 4mm bits. 2.3" OAL

Item	No.	Size	mm	mm	lbs.
	<b>75902</b>	4.0	60	4.0	.07

## Wiha SYSTEM 4 Micro Bit Replacement Packs On 4mm Hex Stock



**75982** SYSTEM 4 Hex Inch Micro Bit  
Replacement Pack, 10 Pcs.

CVM steel, hardened, on 4 mm hex stock.

Item No.	75982	SYSTEM 4 Micro Bit Set
	<b>Hex Inch:</b>	.028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	<b>lbs.</b>	.06



**75984** SYSTEM 4 Slotted Micro Bit  
Replacement Pack, 10 Pcs.

CVM steel, hardened, on 4 mm hex stock.

Item No.	75984	SYSTEM 4 Micro Bit Set
	<b>Slotted:</b>	0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
	<b>lbs.</b>	.06


## Wiha SYSTEM 4 Micro Bit Replacement Packs On 4mm Hex Stock



**75986** SYSTEM 4 Phillips & Pentalobe  
Micro Bit Replacement Pack, 10 Pcs.

CVM steel, hardened, on 4 mm hex stock.


Item No.	75986	SYSTEM 4 Micro Bit Set
	<b>Phillips:</b>	#000, 00, 0, 1
	<b>Pentalobe:</b>	PL1, PL2, PL3, PL4, PL5, PL6
	<b>lbs.</b>	.06



**75987** SYSTEM 4 Slotted & Phillips  
Micro Bit Replacement Pack, 10 Pcs.

CVM steel, hardened, on 4 mm hex stock.

Item No.	75987	SYSTEM 4 Micro Bit Set
	<b>Slotted:</b>	1.5, 2.0, 2.5, 3.0, 3.5mm
	<b>Phillips:</b>	#000, 00, 0, 1
	<b>lbs.</b>	.06




**75988** SYSTEM 4 **TORX** Micro Bit  
Replacement Pack, 10 Pcs.

CVM steel, hardened, on 4 mm hex stock.


Item No.	75988	SYSTEM 4 Micro Bit Set
	<b>TORX:</b>	T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
	<b>lbs.</b>	.06

Wiha SYSTEM 4 Micro Bits & Compact Bit Sets



**75996 SYSTEM 4 Interchangeable Bit Set, 40 Pcs.** Includes Wiha precision handle, bit extension & 38 interchangeable bits.

Item	SYSTEM 4
No.	Combination Bit Set
75996	Set with ESD Safe Precision Handle
<b>Set includes the following bits:</b>	
↓ ↻	<b>Slotted:</b> 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
⊕	<b>Phillips:</b> 000, 00, 0, 1
⊗	<b>TORX®:</b> T3, T4, T5, T6, T7, T8, T9, T10, T15
⬡	<b>Hex Metric:</b> 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
⬢	<b>Hex Inch:</b> .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
○	<b>100mm Bit Extension</b>
↔	<b>lbs.</b> 1.04



**75994 SYSTEM 4 Slotted/Phillips/Hex Metric/TORX® Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box.**

Set includes Wiha precision handle, bit extension & 25 Wiha interchangeable bits.

Item	SYSTEM 4
No.	Combination Bit Set
75994	Set with ESD Safe Precision Handle
<b>Set includes the following bits:</b>	
↓ ↻	<b>Slotted:</b> 1.5, 2.0, 3.0, 4.0mm
⊕	<b>Phillips:</b> 000, 00, 0, 1
⊗	<b>TORX®:</b> T3, T4, T5, T6, T7, T8, T9, T10, T15
⬡	<b>Hex Metric:</b> .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
○	<b>100mm Bit Extension</b>
↔	<b>lbs.</b> .64



**75995 SYS 4 Precision Interchangeable Bit Set, 26 Pcs. In Compact Fold Out Box**

Sets includes Wiha precision handle, bit extension & 24 Wiha interchangeable bits.

Item	SYSTEM 4 Micro Bit Set
No.	Set with ESD Safe Precision Handle
75995	and the following bits:
⊗	<b>TORX®:</b> T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
⬢	<b>Pentalobe:</b> PL1, PL2, PL3, PL4, PL5, PL6
↓ ↻	<b>Slotted:</b> 1.5, 2.0, 2.5, 3.0mm
⊕	<b>Phillips:</b> #000, 00, 0, 1
○	<b>100mm Bit Extension</b>
↔	<b>lbs.</b> .54




**75999 SYSTEM 4 Slotted, Phillips, Hex Inch & Metric Precision Interchangeable Bit Set, 26Pc.** Wiha precision handle, bit extension & 24 interchangeable bits.

Item No.	Combination Bit Set
75999	Set with Standard Precision Handle
<b>Set includes the following bits:</b>	
↓ ↻	<b>Slotted:</b> 1.5, 2.0, 3.0, 4.0mm
⊕	<b>Phillips:</b> 000, 00, 0, 1
⬡	<b>Hex Metric:</b> .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
⬢	<b>Hex Inch:</b> .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
○	<b>100mm Bit Extension</b>
↔	<b>lbs.</b> .64



**75395 SYS 4 Hex Inch & Metric Precision Interchangeable Bit Set, 18 Pcs. In Compact Fold Out Box.** Wiha precision handle, bit extension and 16 Wiha interchangeable bits.

Item No.	Combination Bit Set
75395	Set with Standard Precision Handle
<b>Includes the following bits:</b>	
⬡	<b>Hex Metric:</b> .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
⬢	<b>Hex Inch:</b> .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
○	<b>100mm Bit Extension</b>
↔	<b>lbs.</b> .58



**759 sets SYS 4 Slotted / Phillips / Hex In / TORX® Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box.** Sets include your choice of Wiha precision handle, bit extension & 25 Wiha interchangeable bits.

Item	Handle Options for SYSTEM 4
No.	Combination Bit Sets
75991	Set with Standard Precision Handle
75992	Set with ESD Safe Precision Handle
<b>Sets include the following bits:</b>	
↓ ↻	<b>Slotted:</b> 1.5, 2.0, 3.0, 4.0mm
⊕	<b>Phillips:</b> 000, 00, 0, 1
⊗	<b>TORX®:</b> T3, T4, T5, T6, T7, T8, T9, T10, T15
⬢	<b>Hex Inch:</b> .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
○	<b>100mm Bit Extension</b>
↔	<b>lbs.</b> .64

## Wiha SYSTEM 4 Micro Bit Sets



**75980 SYSTEM 4 Master Tech Micro Bit Set, 68 Pcs.** Includes Wiha ESD Safe Precision Handle, 1/4" to 4mm Adapter, 100mm Bit Extension & 36 Micro Bits.

**Item No. SYSTEM 4 Micro Bit Set**

**75980 Includes The Following Bits:**

- ↓ **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- Phillips:** 000, 00, 0, 1, 2
- TORX®:** T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
- Hex Metric:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- Pentalobe:** PL1, PL2, PL3, PL4, PL5, PL6
- lbs.** .38



**75968 SYSTEM 4 Master Tech Micro Bit Set, 68 Pcs.** Includes Wiha ESD Safe Precision Handle, Micro Bit Storage Handle, 1/4" to 4mm Adapter, 100mm Bit Extension & 64 Micro Bits.

**Item No. SYSTEM 4 Micro Bit Set**

**75968 Includes The Following Bits:**

- ↓ **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- Phillips:** 000, 00, 0, 1, 2
- TORX®:** T1, T2, T3, T4, T5, T6, T7, T8, T9, T10, T15, T20
- Hex Metric:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- Hex Inch:** .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- Pentalobe:** PL1, PL2, PL3, PL4, PL5, PL6
- Nut Driver Metric:** 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm
- Nut Driver Inch:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32"
- lbs.** .70

In Zipper Storage Case



**75993 SYSTEM 4 Premium ESD Safe Micro Bit Set, 28 Pcs.** Includes Wiha ESD Safe Precision Handle, 1/4" to 4mm Adapter, 100mm Bit Extension, ESD Safe Tweezers & 21 Micro Bits.

**Item No. SYSTEM 4 Micro Bit Set**

**75993 Micro Bits:**

- ↓ **Slotted:** 0.8, 1.5, 2.0, 2.5, 3.0, 3.5mm
- Phillips:** 000, 00, 0, 1, 2
- TORX®:** T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
- ESD Safe Tweezers:**
- 5SA ESD, 7aSA ESD, 2ASA ESD, AASA ESD, OOSA ESD**
- lbs.** .95



**75971 SYSTEM 4 Master Tech Micro Bit Set, 68 Pcs.** Includes Wiha ESD Safe Precision Handle, Micro Bit Storage Handle, 1/4" to 4mm Adapter, 100mm Bit Extension & 64 Micro Bits.

**Item No. SYSTEM 4 Micro Bit Set**

**75971 Includes The Following Bits:**

- ↓ **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- Phillips:** 000, 00, 0, 1, 2
- TORX®:** T1, T2, T3, T4, T5, T6, T7, T8, T9, T10, T15, T20
- Hex Metric:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- Hex Inch:** .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- Pentalobe:** PL1, PL2, PL3, PL4, PL5, PL6
- Nut Driver Metric:** 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm
- Nut Driver Inch:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32"
- lbs.** .96



**75965 SYSTEM 4 Master Tech ESD & Ratchet With Micro Bits, 65 Pieces In Storage Box.** Includes Wiha precision ESD Safe handle, micro bit extension, 72 tooth 1/4" ratchet & 62 interchangeable micro bits.

**Item Includes the following micro bits:**

- No. Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- Phillips:** 000, 00, 0, 1
- lbs. TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15, T20
- Hex Metric:** .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- Nut Drivers Metric:** 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm
- Nut Drivers Inch:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32"
- Pentalobe:** PL1, PL2, PL3, PL4, PL5, PL6
- Magnetic 1/4" to 4mm Adapter**



**75977 SYSTEM 4 Master Tech Micro Bit Set, 68 Pcs.** Includes Wiha ESD Safe Precision Handle, ESD Safe Tweezers, 1/4" to 4mm Adapter, 100mm Bit Extension & 64 Micro Bits.

**Item No. SYSTEM 4 Micro Bit Set**

**75977 Includes The Following Bits:**



- Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- lbs. Phillips:** 000, 00, 0, 1, 2
- TORX®:** T1, T2, T3, T4, T5, T6, T7, T8, T9, T10, T15, T20
- Hex Metric:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- Hex Inch:** .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- Pentalobe:** PL1, PL2, PL3, PL4, PL5, PL6
- Nut Driver Metric:** 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm
- Nut Driver Inch:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32"
- ESD Fine Round Point Tweezers 3cSA**



**Technician's Micro Bit Sets**

- Micro Precision Bits on 4mm Hex Drive
- Bits of Exclusive CRM-72 Tool Steel
- Handle uses non-magnetic ball retainer
- Use bits in extension only
- Standard extension adds 4" to length
- Non-magnetic bit extension

Surface resistance of handles is 10<sup>6</sup> - 10<sup>9</sup> Ohms



**Micro Bit Handle Storage Sets**




**75093 SYSTEM 4 Slotted, Phillips, TORX® Compact ESD Precision Interchangeable Bit Set, 16 Pcs.** Wiha precision handle, bit extension & 14 interchangeable bits.

**Item No. Combination Bit Set**

**75093** Set with ESD Safe Precision Handle

- **Slotted:** 1.5, 2.0, 2.5, 3.0mm
- ⊕ **Phillips:** 00, 0, 1
- ⚙ **TORX®:** T6, T7, T8, T9, T10, T15, T20
- lbs. .17
- **100mm Bit Extension**




**75096 SYSTEM 4 Hex Inch & Metric Compact ESD Precision Interchangeable Bit Set, 16 Pcs.** Wiha precision handle, bit extension & 14 interchangeable bits.

**Item No. Combination Bit Set**

**75096** Set with ESD Safe Precision Handle

- **Hex Inch:** 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- ⚙ **Hex Metric:** .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- lbs. .17
- **100mm Bit Extension**



**75094 SYS 4 Slotted, Phillips, Hex Inch Compact ESD Precision Interchangeable Bit Set, 16 Pcs.** Wiha precision handle, bit extension & 14 interchangeable bits.

**Item No. Combination Bit Set**

**75094** Set with ESD Safe Precision Handle

- **Slotted:** 1.5, 2.0, 2.5, 3.0mm
- ⊕ **Phillips:** 00, 0, 1
- ⚙ **Hex Inch:** .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8"
- lbs. .17
- **100mm Bit Extension**



**75097 SYS 4 Slotted, Phillips & 5Point Compact ESD Precision Interchangeable Bit Set, 16 Pcs.** Wiha precision handle, bit extension & 14 interchangeable bits.

**Item No. Combination Bit Set**

**75097** Set with ESD Safe Precision Handle

- **Slotted:** 1.2, 1.5, 2.0, 2.5, 3.0mm
- ⊕ **Phillips:** 000, 00, 0, 1, 2
- ⚙ **Pentalobe:** PL1, PL2, PL3, PL4
- lbs. .17
- **100mm Bit Extension**



**75095 SYS 4 Slotted, Phillips, Hex Metric Compact ESD Precision Interchangeable Bit Set, 16 Pcs.** Wiha precision handle, bit extension & 14 interchangeable bits.

**Item No. Combination Bit Set**

**75095** Set with ESD Safe Precision Handle

- ⊕ **Slotted:** 1.5, 2.0, 2.5, 3.0mm
- ⊕ **Phillips:** 00, 0, 1
- ⚙ **Hex Metric:** .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- lbs. .17
- **100mm Bit Extension**



**91109 Black Cartridge Holder**

Holds 14 Micro bits 4mm. 1" OAL

Item No.	mm	mm	lbs.
91109	4.0	25.4	.01



**75981 Micro Bit Handle Storage Slotted & Phillips Bit Set, 7 Pcs.** Wiha precision storage handle & 6 interchangeable bits.

**Item No. Set with Precision Storage Handle**

**75981** ● **Slotted:** 1.2, 1.5, 2.0mm  
lbs. .12 ⊕ **Phillips:** 000, 00, 0



**75983 Micro Bit Handle Storage Hex Inch Bit Set, 7 Pcs.** Wiha precision storage handle & 6 interchangeable bits.

**Item No. Set with Precision Storage Handle**

**75983** ● **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8"



**75985 Micro Bit Handle Storage TORX® Bit Set, 7 Pcs.** Wiha precision storage handle & 6 interchangeable bits.

**Item No. Set with Precision Storage Handle**

**75985** ⚙ **TORX®:** T3, T4, T5, T6, T7, T8  
lbs. .12



**75805 SYS 4 Micro Bit Storage Handle**

Accepts SYS 4 Series bits. 108mm/4.25" OAL

Item No.	mm	Inch	lbs.
75805	4.0	.1574	.05





## Wiha Inch & Metric Nut Setters



### 704 Inch Color Coded Hex Inch Nut Setter With Permanent Industrial Magnets

Item No.	Size	mm	lbs.
70480	1/4"	152	.20
70481	5/16"	152	.20
70482	3/8"	152	.21
70483	7/16"	152	.22
70484	1/2"	152	.28
70485	9/16"	152	.30

High visibility color coded for fast selection  
Rugged corrosion resistant black oxide finish

**70486 6 pc. Color Coded Hex Inch Nut Setter Set** Powerful magnet for secure holding of fasteners. 6"/152mm OAL

Item No.	lbs.	Set includes
70486	1.18	1/4" R, 5/16" Y, 3/8" Bl 7/16" Br, 1/2" O, 9/16" Bk

Magnetic 1/4"



### 704 Metric Nut Setters Standard With Permanent Industrial Magnet, 1/4" Hex Metric Nut Setters

Item No.	Size	mm	lbs.
70437	5.0	55	.04
70438	5.5	55	.05
70440	6.0	55	.05
70442	7.0	55	.05
70445	8.0	55	.05
70448	10.0	55	.06
70450	13.0	55	.07



### 704 Nut Setters Standard. 1/4" Hex Inch Permanent industrial magnet.

Item No.	Length	mm	lbs.
70462	2.5"	65	.06
70463	4.0"	102	.10
70464	6.0"	152	.15
70466	12.0"	305	.27



### 704 Nut Setters Standard. 5/16" Hex Inch Permanent industrial magnet.

Item No.	Length	mm	lbs.
70468	2.5"	65	.07
70469	4.0"	102	.12
70470	6.0"	152	.17
70472	12.0"	305	.28



### 704 Nut Setters Standard. 3/8" Hex Inch Permanent industrial magnet.

Item No.	Length	mm	lbs.
70474	2.5"	65	.08
70476	4.0"	102	.14
70477	6.0"	152	.18
70479	12.0"	305	.41

Non Magnetic



### 704 Nut Setters Standard. 1/4" Hex Inch


Item No.	Size	mm	lbs.
70424	1/4	55	.05
70427	5/16	55	.05
70430	3/8	55	.06



### 70494 3 pc. Hex Metric Nut Setter Set

Permanent industrial magnet. 55mm OAL  
Hex Metric Nut Setters.

Item No.	lbs.	Set includes
70494	.21	7, 8, 10 x 55mm



### 70490 3 pc. Hex Inch Nut Setter Set

Permanent industrial magnet. 65mm OAL  
Hex Inch Nut Setters.

Item No.	lbs.	Set includes
70490	.25	1/4, 5/16, 3/8 x 2.5"



### 70491 3 pc. Hex Inch Nut Setter Set

Permanent industrial magnet. 102mm OAL

Item No.	lbs.	Set includes
70491	.39	the following: 1/4, 5/16, 3/8 x 4.0"



### 70492 3 pc. Hex Inch Nut Setter Set

Permanent industrial magnet. 152mm OAL

Item No.	lbs.	Set includes
70492	.54	the following: 1/4, 5/16, 3/8 x 6.0"



### 70493 3 pc. Hex Inch Nut Setter Set

Permanent industrial magnet. 305mm OAL

Item No.	lbs.	Set includes
70493	1.03	the following: 1/4, 5/16, 3/8 x 12.0"



Canvas Belt Clip Pouch



### 74990 19 Pc. Quick Change Bit Belt Pack Set, Includes: 1/4" SlimFix bit holder and the following 1/4" bits and Nut Setters:

- Slotted - Power: 4.5, 5.5, 6.5mm x 50mm
  - ⊕ Phillips - Power: #1, #2, #3 x 50mm
  - ⊞ Square - Power: #1, #2, #3 x 50mm
  - ⊛ Torx® - Insert: T10, T15, T20, T25, T27, T30 x 25mm
  - Nut Setters-Power: 1/4, 5/16, 3/8" Magnetic
- ↳ lbs. .93

**Wiha TORX®, TORXPlus® & Security TORX® Bit Sockets**



**Set Screw Replaceable Bits**

**761 TORX® Sockets** 1/4" Square Drive

Item	No.	Size	mm	lbs.
	76106	T6	38	.04
	76107	T7	38	.04
	76109	T8	38	.04
	76111	T9	38	.04
	76113	T10	38	.04
	76117	T15	38	.04
	76119	T20	38	.04
	76121	T25	38	.04
	76123	T27	38	.04
	76129	T30	38	.05
	76131	T40	38	.05



**763 TORX® Sockets** 3/8" Square drive, Set screw replaceable bit. 1/4" bits.

Item	No.	Size	mm	lbs.
	76312	T9	42	.09
	76314	T10	42	.09
	76316	T15	42	.09
	76318	T20	42	.09
	76322	T25	42	.09
	76324	T27	42	.09
	76326	T30	42	.09
	76328	T40	42	.09



**763 TORX® Sockets** 3/8" Square drive, Set screw replaceable bit. 5/16" bits. 2" OAL

Item	No.	Size	mm	lbs.
	76346	T40	51	.11
	76348	T45	51	.11
	76352	T50	51	.11
	76354	T55	51	.13

**1/2" Square Drive Sockets**



**Set Screw Replaceable Bits**

**764 TORX® Sockets** 1/2" Square Drive

Item	No.	Size	mm	lbs.	pkg.
	76403	T30	59	.10	1
	76404	T40	59	.10	1
	76405	T45	59	.10	1
	76406	T50	59	.10	1
	76407	T55	59	.11	1



**Set Screw Replaceable Bits**

**763 Security TORX® Sockets** 3/8" Square drive, 5/16" bits.

Item	No.	Size	mm
	76339	T40s	51
	76340	T45s	51
	76341	T50s	51
	76342	T55s	51



**Set Screw Replaceable Bits**

**763 Security TORX® Sockets** 1/4" Square drive, 1/4" bits.

Item	No.	Size	mm
	76330	T8s	38
	76331	T9s	38
	76332	T10s	38
	76333	T15s	38
	76334	T20s	38
	76335	T25s	38
	76336	T27s	38
	76337	T30s	38
	76338	T40s	38



**Set Screw Replaceable Bits**

**701 Security TORX® Sockets** 3/8" Square drive, 1/4" bits. 2" OAL

Item	No.	Size	mm	lbs.
	70107	T7s	42	.09
	70108	T8s	42	.09
	70109	T9s	42	.09
	70110	T10s	42	.09
	70113	T15s	42	.09
	70115	T20s	42	.09
	70117	T25s	42	.09
	70119	T27s	42	.09
	70121	T30s	42	.09
	70123	T40s	42	.09



**716 TORXPlus® Sockets** 1/4" Square Drive, Set Screw Replaceable Bit. 1/4" bits

Item	No.	Size	mm	lbs.
	71661	IP6	38	.04
	71662	IP7	38	.04
	71663	IP8	38	.04
	71664	IP9	38	.04
	71665	IP10	38	.04
	71666	IP15	38	.04
	71667	IP20	38	.04
	71668	IP25	38	.04
	71669	IP27	38	.04
	71670	IP30	38	.04
	71671	IP40	38	.04



**716 TORXPlus® Sockets** 3/8" Square Drive, Set Screw Replaceable Bit. 1/4" bits

Item	No.	Size	mm	lbs.
	71674	IP10	42	.09
	71675	IP15	42	.09
	71678	IP27	42	.09
	71680	IP30	42	.09
	71681	IP40	42	.09

**1/2" Square Drive Sockets**



**Set Screw Replaceable Bits**

**764 Slotted Bit Sockets** 1/2" Square Drive

Item	No.	mm	mm	lbs.	pkg.
	76417	8	59	.12	1
	76418	10	59	.12	1
	76419	12	59	.12	1



**Set Screw Replaceable Bits**

**764 Phillips Bit Sockets** 1/2" Square Drive

Item	No.	Size	mm	lbs.	pkg.
	76422	2	59	.15	1
	76423	3	59	.15	1
	76424	4	59	.15	1

## Hex Inch/Metric Bit Sockets



**713 Hex Sockets** 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	Inch	mm	lbs.
71371	1/16	38	.05
71370	5/64	38	.05
71372	3/32	38	.05
71374	7/64	38	.05
71376	1/8	38	.05
71378	9/64	38	.05
71380	5/32	38	.05
71382	3/16	38	.05
71384	7/32	38	.05
71386	1/4	38	.05



**713 Hex Sockets** 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM tool steel.

Item			
No.	Inch	mm	lbs.
71375	1/8	42	.09
71377	9/64	42	.09
71379	5/32	42	.09
71381	3/16	42	.09
71383	7/32	42	.09
71385	1/4	42	.09
71388	5/16	42	.10
71390	3/8	42	.10



**713 Hex Metric Sockets** 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	mm	mm	lbs.
71301	1.5	38	.04
71302	2.0	38	.04
71305	2.5	38	.04
71313	3.0	38	.04
71314	4.0	38	.04
71317	5.0	38	.05
71319	6.0	38	.05
71327	8.0	38	.05
71340	10.0	38	.05



**713 Hex Metric Sockets** 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	mm	mm	lbs.
71300	2.0	42	.09
71316	2.5	42	.09
71341	3.0	42	.09
71331	4.0	42	.09
71323	5.0	42	.09
71325	6.0	42	.09
71320	8.0	42	.10
71322	10.0	42	.11



**713 Hex Metric Sockets** 3/8" Square drive socket. Replaceable bit. 5/16" bits CVM steel.

Item			
No.	mm	mm	lbs.
71332	12.0	75	.22



**761 Security Hex Inch Sockets** 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	Inch	mm	lbs.
76164	5/64	42	.09
76165	3/32	42	.09
76166	7/64	42	.09
76167	1/8	42	.09
76168	9/64	42	.09
76169	5/32	42	.09
76170	3/16	42	.09
76171	7/32	42	.09
76172	1/4	42	.09



**761 Security Hex Metric Sockets** 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	mm	mm	lbs.
76132	2.0	42	.09
76133	2.5	42	.09
76134	3.0	42	.09
76135	4.0	42	.09
76136	5.0	42	.09
76137	6.0	42	.09
76138	8.0	42	.09

## Wiha Ball End Hex Inch & Metric Bit Sockets



**717 Ball End Hex Inch Sockets** 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	Inch	mm	lbs.
71761	3/32	38	.05
71762	7/64	38	.05
71763	1/8	38	.05
71764	9/64	38	.05
71765	5/32	38	.05
71766	3/16	38	.05
71767	7/32	38	.05
71768	1/4	38	.05



**717 Ball End Hex Metric Sockets** 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	mm	mm	lbs.
71771	1.5	51	.11
71772	2.0	51	.11
71773	2.5	51	.11
71774	3.0	51	.11
71775	4.0	51	.11
71776	5.0	51	.12
71777	6.0	51	.12

## Socket Adapters



**721 Hex To Square** 1/4" socket bit adapter.

Item				
No.	Size	mm	Drive	lbs.
72110	1/4"	25	1/4"	.03
72115	1/4"	30	3/8"	.05







**724 Tool Shaft** 1/4" drive socket power adapter.

Item				
No.	Drive	mm	Drive	lbs.
72401	1/4"	100	1/4"	.09
72405	1/4"	50	1/4"	.03
72410	1/4"	100	3/8"	.17
72415	1/4"	50	3/8"	.06

**Wiha Bit Holding Socket Replacements**







**72014 1/4" Drive Bit Holding Socket With Retaining Ring** For 1/4" drive bits.

Item				
No.	Bit	mm	Drive	lbs.
72014	1/4"	25	1/4"	.04






**72038 3/8" Drive Bit Holding Socket With Retaining Ring** For 1/4" drive bits.

Item				
No.	Bit	mm	Drive	lbs.
72038	1/4"	25	3/8"	.08

**Wiha Long Blade Sockets & Sets**






**771 Hex Inch Sockets**  
1/4" Drive 6" Long Bit Socket

Item			
No.	Inch	Inch	lbs.
77128	3/32	6	.12
77130	7/64	6	.12
77132	1/8	6	.12
77134	9/64	6	.12
77136	5/32	6	.12
77138	3/16	6	.12
77139	7/32	6	.12
77141	1/4	6	.12

**77191 8 Pc. Hex Inch Socket Blade Set**  
Inch: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"  wt. .97






**771 Hex Inch Sockets**  
3/8" Drive 6" Long Bit Socket

Item			
No.	Inch	Inch	lbs.
77165	3/32	6	.12
77167	7/64	6	.12
77169	1/8	6	.12
77171	9/64	6	.12
77173	5/32	6	.12
77175	3/16	6	.12
77177	7/32	6	.12
77179	1/4	6	.12







**771 Hex Metric Sockets**  
3/8" Drive 6" Long Bit Socket

Item			
No.	Inch	Inch	lbs.
77180	2.5	6	.12
77182	3.0	6	.12
77184	4.0	6	.12
77186	5.0	6	.12
77188	6.0	6	.12

**Impact Bit Holding Sockets**






**720 Impact Bit Holding Socket With Retaining Ring** For 5/16" drive bits.


Item				
No.	Bit	mm	Drive	lbs.
72004	5/16"	25	1/4"	.04
72005	5/16"	30	3/8"	.04
72006	5/16"	35	1/2"	.04

**Wiha Long Blade Sockets & Sets**






**771 Hex Metric Sockets**  
1/4" Drive 6" Long Bit Socket


Item			
No.	mm	Inch	lbs.
77140	2.5	6	.12
77142	3.0	6	.12
77144	4.0	6	.12
77146	5.0	6	.12
77148	6.0	6	.12

**77192 5 Pc. Hex Metric Socket Blade Set**  
Metric: 2.5, 3.0, 4.0, 5.0, 6.0mm  lbs. .51







**771 TORX Sockets**  
1/4" Drive 6" Long Bit Socket

Item			
No.	Size	Inch	lbs.
77151	T8	6	.12
77153	T9	6	.12
77152	T10	6	.12
77154	T15	6	.12
77156	T20	6	.12
77158	T25	6	.12
77160	T27	6	.12
77162	T30	6	.12
77164	T40	6	.12

**77193 7 Pc. TORX Socket Blade Set**  
TORX: T10, T15, T20, T25, T27, T30, T40  wt. .69







**72040 3/8" Drive Bit Holding Socket With Retaining Ring** For 5/16" drive bits.


Item				
No.	Bit	mm	Drive	lbs.
72040	5/16"	25	3/8"	.08

**Impact Bit Holding Sockets**






**720 Impact Bit Holding Socket With Retaining Ring** For 1/4" drive insert bits.


Item				
No.	Bit	mm	Drive	lbs.
72001	1/4"	25	1/4"	.05
72002	1/4"	30	3/8"	.10
72003	1/4"	35	1/2"	.21

**72090 3 Piece Bit Holding Socket Set**  
for use with 1/4" insert bits  
Drive:  lbs.  
1/4", 3/8", 1/2" .40




**771 TORX Sockets**  
3/8" Drive 6" Long Bit Socket

Item			
No.	Size	Inch	lbs.
77101	T8	6	.12
77103	T9	6	.12
77105	T10	6	.12
77107	T15	6	.12
77109	T20	6	.12
77111	T25	6	.12
77113	T27	6	.12
77115	T30	6	.12
77117	T40	6	.12

**77195 9 Pc. TORX Socket Blade Set**  
TORX: T8, T9, T10, T15, T20, T25, T27, T30, T40  wt. 1.08



**77198 22 Pc. Hex & TORX Long Blade Socket Set, 1/4" Drive**  
Inch Hex: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"  
Metric Hex: 2.5, 3.0, 4.0, 5.0, 6.0mm  
TORX: T8, T9, T10, T15, T20, T25, T27, T30, T40  lbs. 2.82

Notes:


Blank lined area for notes.

## Wiha Socket Sets On Molded Rails



**76194** 6 pc. **TORX**® Socket Set  
1/4" Square Drive Replaceable Bit Socket.  
Bits CVM tool steel.

Item No.	lbs.	Set includes the following:
76194	.20	T10, T15, T20, T25, T27, T30



**76490** 6 pc. **TORX**® Socket Set  
1/2" Square Drive Replaceable Bit Socket.  
Bits CVM tool steel.

Item No.	lbs.	Set includes the following:
76490	1.06	T30, T40, T45, T50, T55, T60



**76395** 8 pc. **TORX**® Socket Set  
3/8" Square Drive Replaceable Bit Socket.  
Bits CVM tool steel. OAL 1.5"

Item No.	lbs.	Set includes the following:
76395	.75	T9, T10, T15, T20, T25, T27, T30, T40



**76396** 8 pc. **TORX**® Socket Set  
3/8" Square Drive Replaceable Bit Socket.  
1/4" & 5/16" Bits CVM tool steel. OAL 1.65"

Item No.	lbs.	Set includes the following:
76396	.84	1/4": T20, T25, T27, T30, T40, 5/16": T45, T50, T55



**71698** 8 pc. **TORXPlus**® Socket Set On Rail, In Vinyl Pouch 1/4" & 3/8" Square Drive Replaceable Bit Socket. Bits CVM tool steel.

Item No.	lbs.	Set includes the following:
71698	.60	1/4": IP9, IP10, IP15, IP20 3/8": IP25, IP27, IP30, IP40



**76397** 9 pc. **Security TORX**® Socket Set  
1/4" & 3/8" Sq. Drive Replaceable Bit Socket.  
1/4" & 5/16" Bits CVM tool steel.

Item No.	lbs.	Set includes the following:
76397	.85	1/4": T10s, T15s, T20s, T25s, T27s, T30s 3/8": T40s (1/4" bit) 3/8": T45s, T50s (5/16" bit)



**76399** 12 pc. **Security TORX**® Socket Set  
1/4" & 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel.

Item No.	lbs.	Set includes the following:
76399	.80	1/4": T7s, T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s 5/16": T45s, T50s, T55s

## Wiha Socket Sets On Molded Rails



**71798 8 Pc. Ball End Hex Inch Socket Set**  
1/4" Square Drive Replaceable Bit Socket.  
1/4" Bits CVM tool steel.

Item No. ↕↔

**71798** lbs. **Set includes the following:**  
.80 3/32, 7/64, 1/8, 9/64, 5/32,  
3/16, 7/32, 1/4"



**71393 5 Piece Hex Inch Socket Set**  
3/8" Square Drive Replaceable Bit Socket.  
1/4" Bits CVM tool steel.

Item No. ↕↔

**71393** lbs. **Set includes the following:**  
.54 Hex Inch: 1/8, 3/16, 1/4,  
5/16, 3/8"



**71999 9 Pc. Security Hex Inch Socket Set**  
3/8" Square Drive Replaceable Bit Socket.  
1/4" Bits CVM tool steel.

Item No. ↕↔

**71999** lbs. **Set includes the following:**  
.86 Inch: 5/64, 3/32, 7/64, 1/8,  
9/64, 5/32, 3/16, 7/32, 1/4"



**71398 7 Pc. Ball End Hex Inch Socket Set**  
1/4" Square Drive Replaceable Bit Socket.  
1/4" Bits CVM tool steel.

Item No. ↕↔

**71398** lbs. **Set Includes:** 3/32, 1/8,  
.48 9/64, 5/32, 3/16, 7/32, 1/4"



**71394 5 Piece Hex Metric Socket Set**  
3/8" Square Drive Replaceable Bit Socket.  
1/4" Bits CVM tool steel.

Item No. ↕↔

**71394** lbs. **Set includes the following:**  
.56 Hex Metric: 4.0, 5.0, 6.0,  
8.0, 10.0mm



**71989 7 Pc. Security Hex Metric Socket Set**  
3/8" Square Drive Replaceable Bit Socket.  
1/4" Bits CVM tool steel.

Item No. ↕↔

**71989** lbs. **Set includes the following:**  
.72 Metric: 2.0, 2.5, 3.0, 4.0,  
5.0, 6.0, 8.0mm

## Wiha Universal Socket Rail System



**91095 Universal Rail For 1/4, 3/8 and 1/2" Sockets** Select any combination of socket drive sizes. Socket snaps firmly into place for a secure hold. Clips required.

Item No.	lbs.	pkg.	lbs.
91095	.057	1	.06



**91110 Replacement 1/4" Clips For The Universal Socket Rail** Package of 10 pieces.

Item No. ↕↔ lbs.  
**91110** .03



**91112 Replacement 3/8" Clips For The Universal Socket Rail** Package of 10 pieces.

Item No. ↕↔ lbs.  
**91112** .03



**91114 Replacement 1/2" Clips For The Universal Socket Rail** Package of 10 pieces.

Item No. ↕↔ lbs.  
**91114** .05



**71797 7 Pc. Ball End Hex Metric Socket Set**  
1/4" Square Drive Replaceable Bit Socket.  
1/4" Bits CVM tool steel.

Item No. ↕↔

**71797** lbs. **Set includes the following:**  
.72 Hex Metric: 1.5, 2.0, 2.5, 3.0,  
4.0, 5.0, 6.0mm



**71996 9 Piece Hex Metric Socket Set**  
1/4" & 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel. OAL 1.65"

Item No. ↕↔

**71996** lbs. **Set includes the following:**  
.66 1/4": 1.5, 2.0, 2.5, 3.0, 4.0mm  
3/8": 5.0, 6.0, 8.0, 10.0mm



**71392 8 Piece Hex Inch Socket Set**  
3/8" Square Drive Replaceable Bit Socket.  
1/4" Bits CVM tool steel. OAL 1.65"

Item No. ↕↔

**71392** lbs. **Set includes the following:**  
.78 1/8, 9/64, 5/32, 3/16,  
7/32, 1/4, 5/16, 3/8"

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
28103	42	70156	14	70564	14	71315	21	71431	43	71603	16
28180	43	70157	14	70565	14	71316	52	71433	43	71604	16
28489	42	70158	14	70566	14	71317	52	71435	43	71605	16
28589	41	70159	14	70567	14	71318	21	71437	43	71606	16
28590	41	70160	14	70568	14	71319	52	71439	43	71607	16
28593	41	70163	14	71001	26	71320	52	71441	43	71608	16
28595	41	70168	14	71002	26	71321	21	71452	20	71609	16
35512	30	70175	23	71003	26	71322	52	71453	20	71610	16
35516	30	70190	15	71004	26	71323	52	71455	20	71615	16
38003	12	70416	12	71010	31	71324	21	71456	20	71620	16
38006	40	70424	50	71013	31	71325	52	71464	20	71625	16
38009	15	70427	50	71020	31	71326	21	71465	20	71627	16
38014	24	70430	50	71021	31	71327	52	71466	20	71630	16
38025	42	70437	50	71023	31	71328	21	71474	42	71631	16
38032	34	70438	50	71030	26	71329	21	71475	42	71632	16
38033	40	70440	50	71031	26	71330	21	71476	42	71633	16
38035	34	70442	50	71032	26	71331	52	71477	42	71634	16
38041	34	70445	50	71035	26	71332	52	71478	42	71635	16
38042	15	70448	50	71036	26	71333	21	71479	42	71636	16
38043	34	70450	50	71051	27	71336	21	71480	30,43	71637	16
38044	12	70462	50	71052	27	71339	21	71491	43	71638	16
38045	12	70463	50	71053	27	71340	52	71492	42	71639	16
38046	15	70464	50	71054	27	71341	52	71493	42	71640	16
38047	15	70466	50	71056	18	71342	21	71494	43	71641	16
38048	34	70468	50	71090	39	71343	23	71496	43	71642	16
38049	24	70469	50	71095	38	71345	21	71499	43	71643	16
38050	34	70470	50	71100	18	71346	23	71505	10	71644	16
38051	34	70472	50	71101	18	71348	21	71506	10	71645	16
38056	25	70474	50	71102	18	71349	23	71507	10	71648	17
38057	24	70476	50	71103	18	71351	21	71508	10	71650	17
38058	24	70477	50	71107	19	71352	23	71509	10	71652	17
38060	43	70479	50	71112	31	71353	21	71510	10	71654	17
38450	42	70480	50	71125	18	71354	23	71515	10	71656	17
38460	42	70481	50	71126	19	71356	21	71520	10	71657	17
38490	40	70482	50	71130	43	71359	21	71523	10	71658	17
38600	42	70483	50	71131	43	71360	21	71524	10	71660	17
38701	43	70484	50	71132	18	71361	21	71525	10	71661	51
38790	43	70485	50	71139	43	71362	21	71527	10	71662	51
38800	42	70486	50	71149	18	71363	21	71530	10	71663	51
38801	42	70490	50	71150	18	71364	21	71536	13	71664	51
48400	42	70491	50	71151	18	71365	21	71537	13	71665	51
52650	42	70492	50	71152	18	71366	21	71538	13	71666	51
66850	42	70493	50	71153	18	71367	21	71540	10	71667	51
70107	51	70494	50	71155	18	71368	21	71541	13	71668	51
70108	51	70507	14	71195	12	71369	21	71542	13	71669	51
70109	51	70508	14	71198	19	71370	52	71543	13	71670	51
70110	51	70509	14	71199	18	71371	52	71544	13	71671	51
70113	51	70510	14	71200	28	71372	52	71545	13	71674	51
70115	51	70515	14	71201	28	71373	21	71546	13	71675	51
70117	51	70520	14	71202	28	71374	52	71547	13	71678	51
70119	51	70525	14	71203	28	71375	52	71548	10	71680	51
70121	51	70527	14	71250	28	71376	52	71549	10	71681	51
70123	51	70530	14	71251	28	71377	52	71550	10	71690	16
70127	14	70533	14	71252	28	71378	52	71551	10	71692	16
70128	14	70534	14	71253	28	71379	52	71552	10	71698	54
70129	14	70535	14	71254	28	71380	52	71553	10	71701	22
70135	14	70536	14	71300	52	71381	52	71554	10	71702	22
70139	14	70537	14	71301	52	71382	52	71555	10	71703	22
70142	14	70538	14	71302	52	71383	52	71556	10	71704	22
70143	30	70539	14	71303	21	71384	52	71557	10	71705	22
70144	30	70540	14	71304	23	71385	52	71558	10	71706	22
70145	30	70545	14	71305	52	71386	52	71559	10	71707	22
70146	30	70550	14	71306	21	71387	21	71560	10	71708	22
70147	30	70556	14	71307	23	71388	52	71561	10	71711	22
70148	14	70557	14	71308	21	71390	52	71564	32	71712	22
70150	14	70558	14	71309	21	71392	55	71570	10	71713	22
70151	14	70559	14	71310	23	71393	55	71571	10	71714	22
70152	14	70560	14	71311	23	71394	55	71576	31	71715	22
70153	14	70561	14	71312	21	71396	21	71582	31	71716	22
70154	14	70562	14	71313	52	71397	21	71585	32	71717	22
70155	14	70563	14	71314	52	71398	55	71587	32	71718	22




Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
71719	22	71943	23	72347	9	72590	12	73940	11	74221	28
71720	22	71944	23	72351	9	72593	41	73941	11	74231	28
71721	22	71945	23	72354	9	72595	12	73942	11	74232	28
71722	22	71946	23	72378	9	72596	24	73943	11	74233	28
71723	22	71949	29	72391	9	73302	21	73944	11	74236	28
71724	22	71950	29	72388	21	73303	21	73945	11	74237	28
71725	22	71951	29	72401	52	73304	21	73946	11	74238	28
71726	23	71952	29	72405	52	73305	21	74003	27	74241	31
71728	23	71953	29	72410	52	73306	21	74006	27	74242	31
71730	23	71954	29	72415	52	73307	21	74009	27	74261	28
71732	23	71955	23	72502	21	73308	21	74010	27	74262	28
71734	23	71956	23	72503	21	73309	21	74012	27	74263	28
71736	23	71957	29	72504	21	73310	13	74015	27	74301	23
71738	23	71958	29	72506	21	73311	13	74018	27	74303	20,27
71740	23	71959	29	72507	21	73312	13	74021	27	74304	20
71750	23	71960	23	72508	21	73314	13	74023	27	74305	23
71760	23	71963	30	72509	21	73315	13	74033	27	74306	20,27
71761	52	71964	30	72511	21	73316	13	74034	27	74307	23
71762	52	71965	30	72512	21	73317	13	74035	27	74308	20
71763	52	71966	30	72513	21	73318	13	74036	27	74310	20
71764	52	71970	23	72514	14	73319	13	74039	27	74311	22
71765	52	71971	23	72515	14	73501	8	74041	27	74312	22
71766	52	71972	23	72516	14	73502	8	74050	27	74313	22
71767	52	71973	23	72519	18	73507	8	74061	27	74314	22
71768	52	71974	23	72521	18	73508	8	74062	27	74315	22
71771	52	71975	23	72522	18	73509	8	74063	27	74316	22
71772	52	71976	23	72523	18	73510	8	74064	27	74317	22
71773	52	71977	23	72525	10	73511	8	74065	27	74318	22
71774	52	71978	23	72527	10	73522	8	74066	27	74319	23
71775	52	71979	23	72530	10	73523	8	74067	27	74325	22
71776	52	71980	23	72531	10	73525	8	74068	27	74330	22
71777	52	71981	23	72534	26	73526	8	74069	27	74332	22
71797	55	71982	23	72535	26	73531	8	74101	32	74333	22
71798	55	71983	23	72536	26	73532	8	74102	19	74334	22
71801	26	71984	23	72537	26	73533	8	74103	19	74335	22
71802	26	71985	23	72538	26	73534	8	74104	19	74336	22
71803	26	71987	40	72539	26	73535	8	74105	32	74337	22
71851	26	71988	38	72540	10	73546	8	74106	19	74340	22
71852	26	71989	55	72542	14	73547	8	74107	19	74343	22
71853	26	71990	38	72545	10	73901	28	74108	32	74344	22
71854	26	71991	38	72547	14	73902	28	74109	19	74345	22
71900	29	71992	38	72550	10	73903	28	74111	19	74346	22
71901	29	71994	38	72551	10	73905	27	74112	19	74348	22
71902	29	71995	24	72555	10	73906	27	74113	19	74349	22
71903	29	71996	55	72558	14	73907	27	74115	19	74350	22
71904	29	71998	24	72559	14	73908	27	74116	19	74351	22
71906	29	71999	55	72560	14	73909	27	74118	19	74352	22
71907	29	72001	53	72561	14	73910	27	74121	19	74353	22
71908	29	72002	53	72562	14	73912	19	74123	19	74354	22
71909	29	72003	53	72563	14	73913	19	74124	19	74355	22
71910	29	72004	53	72564	14	73914	19	74126	19	74356	22
71911	29	72005	53	72567	14	73915	19	74127	19	74357	22
71912	29	72006	53	72568	14	73916	19	74130	19	74360	22
71913	29	72014	53	72569	10	73920	22	74131	19	74361	22
71914	30	72031	27	72570	10	73921	22	74133	19	74362	22
71916	30	72038	53	72572	10	73922	22	74136	19	74363	22
71918	30	72039	27	72573	10	73923	22	74141	31	74364	22
71920	30	72040	53	72574	10	73924	22	74142	31	74365	22
71921	29	72047	27	72575	10	73925	22	74150	19	74366	22
71922	29	72049	27	72576	10	73926	22	74157	19	74369	23
71923	29	72050	27	72577	10	73928	22	74158	19	74371	23
71924	29	72051	27	72578	10	73929	22	74164	19	74373	23
71930	23	72090	53	72579	10	73930	22	74165	19	74375	23
71932	23	72102	19	72580	10	73931	22	74166	19	74379	23
71934	23	72103	19	72581	10	73932	22	74167	19	74380	22
71936	23	72104	19	72582	21	73933	22	74168	19	74381	22
71938	23	72110	52	72583	21	73934	22	74201	28	74382	22
71939	23	72115	52	72584	21	73936	11	74203	28	74383	22
71940	23	72304	9	72585	21	73937	11	74205	28	74384	22
71941	23	72328	9	72586	21	73938	11	74212	28	74385	22
71942	23	72343	9	72587	21	73939	11	74214	28	74386	22

58 Tools that work for you

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
74387	22	74568	14	74814	26	75366	45	75674	44	76003	25
74388	22	74569	11	74816	26	75368	45	75675	44	76004	25
74413	11	74570	14	74819	26	75370	45	75676	44	76005	25
74415	11	74571	11	74860	26	75372	45	75681	44	76006	25
74419	11	74572	14	74861	26	75395	47	75683	44	76007	25
74431	11	74573	11	74862	26	75602	44	75701	45	76008	15
74433	11	74574	14	74890	26	75603	44	75702	45	76009	15
74461	11	74575	11	74895	26	75604	44	75703	45	76010	15
74462	11	74576	14	74901	29	75605	44	75704	45	76011	28
74464	11	74577	11	74903	29	75606	44	75705	45	76012	28
74465	11	74579	11	74904	29	75607	44	75706	45	76013	28
74501	11	74580	11	74911	29	75608	44	75707	45	76014	25
74502	11	74581	11	74912	29	75609	44	75708	45	76015	15
74503	11	74582	11	74913	29	75610	44	75709	45	76016	25
74504	11	74583	11	74914	29	75611	44	75710	45	76017	25
74506	11	74584	11	74915	29	75612	44	75715	45	76018	25
74508	11	74585	11	74961	29	75613	44	75720	45	76019	25
74510	11	74586	11	74962	29	75614	44	75735	45	76020	15
74511	11	74587	11	74963	29	75615	44	75742	45	76021	25
74512	11	74588	11	74964	29	75616	44	75743	45	76022	30
74513	11	74589	11	74965	29	75617	44	75744	45	76023	30
74514	11	74590	11	74966	29	75618	44	75745	45	76024	30
74515	11	74591	11	74967	29	75619	44	75746	45	76025	15
74516	11	74601	16	74968	29	75620	44	75747	45	76027	15
74517	11	74602	16	74981	13	75621	44	75748	45	76030	15
74518	11	74603	16	74982	16	75622	44	75800	45	76031	29
74519	11	74604	16	74983	41	75623	44	75801	45	76032	29
74520	17	74608	16	74985	12	75624	44	75802	46	76033	29
74521	11	74611	16	74986	24	75626	44	75803	46	76034	29
74522	17	74612	16	74987	15	75627	44	75805	49	76035	27
74523	11	74613	16	74988	41	75628	44	75806	46	76036	27
74524	17	74614	16	74990	50	75629	44	75810	45	76037	27
74525	11	74616	16	74992	40	75630	44	75811	45	76038	27
74526	17	74617	16	74996	40	75631	44	75812	45	76039	27
74527	11	74620	16	74999	25	75632	44	75813	45	76040	15
74528	17	74624	16	75008	45	75633	44	75814	45	76041	20
74529	11	74628	16	75012	45	75634	44	75815	45	76042	20
74530	11	74632	16	75015	45	75635	44	75816	45	76043	20
74531	11	74636	16	75018	45	75636	44	75817	45	76044	20
74532	17	74659	16	75020	45	75637	44	75820	45	76045	25
74533	11	74660	16	75025	45	75638	44	75821	45	76046	25
74534	17	74661	16	75030	45	75639	44	75822	45	76047	25
74535	11	74662	16	75035	45	75641	44	75823	45	76048	25
74536	11	74663	16	75040	45	75644	44	75824	45	76049	25
74537	17	74664	16	75093	49	75645	44	75825	45	76050	25
74538	11	74665	16	75094	49	75646	44	75826	45	76051	25
74539	17	74666	16	75095	49	75647	44	75827	45	76052	25
74540	11	74667	16	75096	49	75648	44	75900	46	76053	25
74541	17	74668	16	75097	49	75649	44	75901	46	76054	25
74542	11	74669	16	75105	45	75650	44	75902	46	76056	25
74543	17	74670	16	75110	45	75651	44	75965	48	76057	25
74544	11	74711	13	75115	45	75652	44	75968	48	76058	25
74545	17	74714	13	75120	45	75653	44	75971	48	76079	33
74546	11	74717	13	75125	45	75654	44	75977	48	76084	33
74547	17	74721	13	75307	45	75655	44	75980	48	76085	33
74548	11	74724	13	75309	45	75656	44	75981	49	76086	33
74549	17	74728	13	75313	45	75657	44	75982	46	76087	33
74550	17	74732	13	75315	45	75658	44	75983	49	76088	29
74551	11	74736	13	75320	45	75659	44	75984	46	76089	30
74552	17	74739	13	75322	45	75660	44	75985	49	76090	25
74553	11	74742	13	75325	45	75661	44	75986	46	76091	28
74554	17	74760	13	75330	45	75662	44	75987	46	76092	15
74555	17	74761	13	75332	45	75663	44	75988	46	76093	27
74556	11	74762	13	75340	45	75664	44	75991	47	76094	20
74557	17	74763	13	75342	45	75665	44	75992	47	76095	25
74558	11	74764	13	75350	45	75666	44	75993	48	76096	25
74559	11	74765	13	75352	45	75667	44	75994	47	76098	33
74561	11	74766	13	75354	45	75668	44	75995	47	76099	33
74563	11	74767	13	75356	45	75669	44	75996	47	76106	51
74564	17	74768	13	75358	45	75670	44	75999	47	76107	51
74565	11	74811	26	75360	45	75671	44	76000	15,20,25,33	76109	51
74566	14	74812	26	75362	45	75672	44	76001	25	76111	51
74567	11	74813	26	75364	45	75673	44	76002	25	76113	51

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
76117	51	76508	4	76614	7	76861	9	77195	53	91095	55
76119	51	76510	4	76615	7	76863	6	77198	53	91109	49
76121	51	76511	4	76616	7	76864	6	77701	10	91110	55
76123	51	76512	4	76641	7	76865	6	77702	10	91112	55
76129	51	76513	4	76642	7	76866	6	77703	10	91114	55
76131	51	76514	4	76643	7	76870	6	77704	10	97780	36
76132	52	76516	4	76645	7	76871	6	77705	10	97781	36
76133	52	76517	4	76650	7	76872	6	77707	18	97782	36
76134	52	76523	5	76651	7	76873	6	77708	18	97790	36
76135	52	76524	5	76652	7	76874	6	77710	28	97791	36
76136	52	76525	5	76653	7	76875	6	77712	26	97792	36
76137	52	76526	5	76654	7	76876	5	77713	26		
76138	52	76530	5	76655	7	76877	5	77715	26		
76164	52	76531	5	76656	7	76878	6	77716	26		
76165	52	76532	5	76647	7	76879	6	77717	26		
76166	52	76533	5	76648	7	76880	6	77719	21		
76167	52	76534	5	76649	7	76881	5	77720	21		
76168	52	76535	5	76663	7	76890	5	77721	21		
76169	52	76538	4	76664	7	76891	5	77723	21		
76170	52	76539	4	76665	7	76892	6	77724	21		
76171	52	76540	4	76666	7	76893	5	77725	21		
76172	52	76543	6	76670	7	76894	6	77726	21		
76194	54	76544	6	76671	7	76895	5	77740	35		
76312	51	76545	6	76672	7	76896	6	77741	35		
76314	51	76548	6	76673	7	76897	5	77780	35		
76316	51	76549	6	76674	7	76899	5	77781	35		
76318	51	76550	6	76675	7	77101	53	77782	35		
76322	51	76553	6	76801	4	77103	53	77783	37		
76324	51	76554	6	76802	4	77105	53	77786	37		
76326	51	76555	6	76803	4	77107	53	77789	37		
76328	51	76556	6	76806	4	77109	53	77790	35		
76330	51	76557	6	76807	4	77111	53	77791	35		
76331	51	76558	6	76808	4	77113	53	77792	35		
76332	51	76559	6	76810	4	77115	53	77793	37		
76333	51	76563	6	76811	4	77117	53	77795	37		
76334	51	76564	6	76812	4	77128	53	78002	30		
76335	51	76565	6	76813	4	77130	53	78005	30		
76336	51	76566	6	76814	4	77132	53	78008	30		
76337	51	76570	6	76816	4	77134	53	78011	30		
76338	51	76571	6	76817	4	77136	53	78015	30		
76339	51	76572	6	76823	5	77138	53	78018	30		
76340	51	76573	6	76824	5	77139	53	78615	30		
76341	51	76574	6	76825	5	77140	53	78617	30		
76342	51	76575	6	76826	5	77141	53	78619	30		
76346	51	76578	6	76830	5	77142	53	78621	30		
76348	51	76579	6	76831	5	77144	53	78622	30		
76352	51	76580	6	76832	5	77146	53	78624	30		
76354	51	76581	8	76833	5	77148	53	79242	12		
76395	54	76582	8	76834	5	77151	53	79243	39		
76396	54	76583	8	76835	5	77152	53	79245	12		
76397	54	76584	8	76838	4	77153	53	79246	24		
76399	54	76585	8	76839	4	77154	53	79247	15		
76403	51	76586	8	76840	4	77156	53	79248	39		
76404	51	76587	8	76841	9	77158	53	79256	24		
76405	51	76588	8	76842	9	77160	53	79266	24		
76406	51	76589	8	76843	6	77162	53	79276	25		
76407	51	76590	8	76844	6	77164	53	79283	13		
76411	51	76591	8	76845	6	77165	53	79443	39		
76412	51	76592	8	76846	9	77167	53	79445	12		
76413	51	76593	8	76847	9	77169	53	79446	24		
76414	51	76594	8	76848	6	77171	53	79447	15		
76417	51	76595	8	76849	6	77173	53	79450	17		
76418	51	76596	8	76850	6	77175	53	79490	39		
76419	51	76597	8	76851	9	77177	53	79491	39		
76422	51	76598	8	76852	9	77179	53	79493	39		
76423	51	76601	7	76853	6	77180	53	79495	39		
76424	51	76602	7	76854	6	77182	53	79499	39		
76490	54	76603	7	76855	6	77184	53				
76501	4	76605	7	76856	6	77186	53				
76502	4	76610	7	76857	6	77188	53				
76503	4	76611	7	76858	6	77191	53				
76506	4	76612	7	76859	6	77192	53				
76507	4	76613	7	76860	9	77193	53				

 **Prop65 WARNING:** This product can expose you to chemicals including Diisononyl Phthalate, Vinyl Chloride, Ethylene Glycol, Nickel or Hexavalent Chromium Six, which is known to the State of California to cause cancer or reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



# PROFESSIONAL QUALITY BITS



(800) 494-6104  
fax: (800) 494-7456  
cservice@wihatools.com  
www.wihatools.com


Catalog Item No. 99951.wo  
version - 9/15/19

**Subject to change  
without notice**

©2019 Willi Hahn Corporation

®Torx is a registered trademark of  
Acument Intellectual Properties LLC.

	<p><b>Wiha Quality Tools</b> 1348 Dundas Circle Monticello, MN 55362 tel: 763.295.6591 fax: 763.295.6598</p>	<p><b>Wiha Tools Canada Ltd.</b> www.wihatools.ca Brampton, ONT L6T 4X4 tel: 866.494.0096 or 763.295.6591 fax: 763.295.6598</p>	<p>Like Us On </p>
<p>To:</p>			



99977.wo - Pliers/Crimpers Catalog



99914.wo - TORX Catalog



99001.wo - TorqueControl Catalog



99004.wo - Shop Tools Catalog



99919.wo - Insulated Catalog



99002.wo - Screwdrivers Catalog



99934.wo - Hex Tools Catalog



99006.wo - Tech Tools Catalog



99945.wo - ESD Catalog



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.