

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0674921327

Status:

Active

Overview:

serial_ata_127_host_receptacles

Description:

1.27mm (.050") Pitch Serial ATA Host Receptacle, Right Angle, SMT, Mating Height 5.25mm (.207"), 0.38µm (15µ") Gold (Au) Plating, 22 Circuits, with Cap, Embossed Tape on Reel Packaging, Lead Free




image - Reference only

Series

Documents:

- [3D Model](#)
- [Drawing \(PDF\)](#)
- [Product Specification PS-67492-001 \(PDF\)](#)
- [RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	PCB Receptacles
Series	67492
Application	Board-to-Board
Comments	With Cap
Overview	serial_ata_127_host_receptacles
Product Name	Serial ATA

Physical

Circuits (Loaded)	22
Circuits (maximum)	22
Color - Resin	Black
Durability (mating cycles max)	500
Glow-Wire Compliant	No
Guide to Mating Part	Yes
Keying to Mating Part	Yes
Lock to Mating Part	None
Material - Metal	Copper Alloy
Material - Plating Mating	Gold
Material - Plating Termination	Tin
Material - Resin	High Temperature Thermoplastic
Number of Rows	1
Orientation	Right Angle
PCB Locator	Yes
PCB Retention	Yes
PCB Thickness Recommended (in)	0.045 In
PCB Thickness Recommended (mm)	1.20 mm
Packaging Type	Embossed Tape on Reel
Pitch - Mating Interface (in)	0.050 In
Pitch - Mating Interface (mm)	1.27 mm
Pitch - Term. Interface (in)	0.050 In
Pitch - Term. Interface (mm)	1.27 mm
Plating min: Mating (µin)	15
Plating min: Mating (µm)	0.38
Plating min: Termination (µin)	50
Plating min: Termination (µm)	1.27
Polarized to Mating Part	Yes
Polarized to PCB	Yes
Robotic Placement	Pick and Place Cap
Stackable	No
Temperature Range - Operating	-35°C to +85°C
Termination Interface: Style	Surface Mount

Electrical

Current - Maximum per Contact	1.5A
-------------------------------	------

EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Not Reviewed
Halogen-Free
Status

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
67492Series

Mates With
87703 , 87672 Serial ATA Plugs

Voltage - Maximum

15V DC

Material Info

Reference - Drawing Numbers

Packaging Specification

PK-67492-008

Product Specification

PS-67492-001

Sales Drawing



SD-67492-001

This document was generated on 05/31/2010




PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

10 9 8 7 6 5 4 3 2 1

F





DETAIL1



67492-1430/1431/1432
/1325/1326/1327
/1440/1441/1442
/1224/1225/1226
/1450/1451/1452.

E



DETAIL1

NOTES:

1. MATERIAL:

HOUSING: HIGH TEMPERATURE THERMAL PLASTIC, UL94V-0, COLOR: BLACK;
TERMINAL: COPPER ALLOY;
FORKLOCK: COPPER ALLOY.

2. TERMINAL PLATING:

CONTACT AREA:

(A) GOLD FLASH,
(B) GOLD, THICKNESS=0.76 MICRONS MINIMUM,
(C) GOLD, THICKNESS=0.38 MICRONS MINIMUM,
SOLDER AREA: TIN, THICKNESS=1.27 MICRONS MINIMUM;
UNDER PLATE: NICKEL, THICKNESS=1.27 MICRONS MINIMUM.

3. FORKLOCK PLATING:

SOLDER AREA: TIN, THICKNESS=1.27 MICRONS MINIMUM;
UNDER PLATE: NICKEL, THICKNESS=1.27 MICRONS MINIMUM.



4. PRODUCT SPECIFICATION: REFER TO PS-67492-001.

5. PACKAGING METHOD: TRAY, USE DRYER IN HDPE BAGE TO PREVENT BLISTER.

6. MATING PARTS: 87703/87672.

7. PRODUCT COMPLIANT TO RoSH DIRECTIVE 2002/95/EC AND ELV DIRECTIVE 2000/53/EC.


D



67492-1430/1431/1432
/1325/1326/1327
/1440/1441/1442
/1224/1225/1226
/1450/1451/1452.

OTHER DIMENSION PER OTHER VIEW

C



RECOMMENDED P.C.B. LAYOUT (THICKNESS=1.2mm)
CONNECTOR SIDE

ADD PART NUMBER EC NO: 2009/07/29 DRWN:XQZHANG 2009/08/07 CHK'D:GLI 2009/08/07 APPR:XJ.SONG 2009/09/03 REV	DESCRIPTION	QUALITY SYMBOLS ▽=0 C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
				mm	INCH	DRAWN BY GRATE MA	DATE 2003/10/10	TITLE SATA HOST RECEPTACLE R/A SMT TYPE		
			4 PLACES	± ---	± ---	CHECKED BY	DATE			
			3 PLACES	± ---	± ---	YA JUN	2003/10/10			
			2 PLACES	± 0.15	± ---	APPROVED BY	DATE			
			1 PLACE	± 0.25	± ---	SAM	2003/10/10	 MOLEX INCORPORATED		
			ANGULAR ± 3 °			MATERIAL NO.		DOCUMENT NO.		SHEET NO.
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE SHEET 2		SD-67492-001		1 OF 2
			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

9 8 7 6 5 4 3 2 1

	10	9	8	7	6	5	4	3	2	1																																																																																																																											
F	<table><tr><td>P/N</td><td>PLATING</td><td>DIM'A'</td><td>DIM'B'</td><td>DIM'C'</td><td>DIM'D'</td><td>DIM'E'</td><td>REMARK</td></tr><tr><td>67492-1420</td><td>NOTES 2 (A)</td><td rowspan="3">4.15</td><td rowspan="3">5.90</td><td rowspan="3">4.25</td><td rowspan="3">5.90</td><td rowspan="3">2.45±0.10</td><td rowspan="12">TRAY PACKAGE PK-67492-001</td></tr><tr><td>67492-1421</td><td>NOTES 2 (B)</td></tr><tr><td>67492-1422</td><td>NOTES 2 (C)</td></tr><tr><td>67492-1320</td><td>NOTES 2 (A)</td><td rowspan="3">3.50</td><td rowspan="3">5.25</td><td rowspan="3">3.60</td><td rowspan="3">5.25</td><td rowspan="3">2.45±0.10</td></tr><tr><td>67492-1321</td><td>NOTES 2 (B)</td></tr><tr><td>67492-1322</td><td>NOTES 2 (C)</td></tr><tr><td>67492-1120</td><td>NOTES 2 (A)</td><td rowspan="3">1.80</td><td rowspan="3">3.55</td><td rowspan="3">1.90</td><td rowspan="3">3.55</td><td rowspan="3">2.45±0.10</td></tr><tr><td>67492-1121</td><td>NOTES 2 (B)</td></tr><tr><td>67492-1122</td><td>NOTES 2 (C)</td></tr><tr><td>67492-9220</td><td>NOTES 2 (A)</td><td rowspan="3">4.99</td><td rowspan="3">6.74</td><td rowspan="3">5.09</td><td rowspan="3">6.74</td><td rowspan="3">2.45±0.10</td></tr><tr><td>67492-9221</td><td>NOTES 2 (B)</td></tr><tr><td>67492-9222</td><td>NOTES 2 (C)</td></tr><tr><td>67492-1220</td><td>NOTES 2 (A)</td><td rowspan="3">4.99</td><td rowspan="3">6.74</td><td rowspan="3">5.09</td><td rowspan="3">6.74</td><td rowspan="3">2.45±0.10</td><td rowspan="3">TAPE&REEL PACKAGE PK-67492-002</td></tr><tr><td>67492-1221</td><td>NOTES 2 (B)</td></tr><tr><td>67492-1222</td><td>NOTES 2 (C)</td></tr><tr><td>67492-1224</td><td>NOTES 2 (A)</td><td rowspan="3">4.99</td><td rowspan="3">6.74</td><td rowspan="3">5.09</td><td rowspan="3">6.74</td><td rowspan="3">2.33±0.05</td><td rowspan="3">TAPE&REEL PACKAGE WITH CAP PK-67492-002</td></tr><tr><td>67492-1225</td><td>NOTES 2 (B)</td></tr><tr><td>67492-1226</td><td>NOTES 2 (C)</td></tr><tr><td>67492-1430</td><td>NOTES 2 (A)</td><td rowspan="3">4.15</td><td rowspan="3">5.90</td><td rowspan="3">4.25</td><td rowspan="3">5.90</td><td rowspan="3">2.45±0.10</td><td rowspan="17">TAPE&REEL PACKAGE WITH CAP PK-67492-008</td></tr><tr><td>67492-1431</td><td>NOTES 2 (B)</td></tr><tr><td>67492-1432</td><td>NOTES 2 (C)</td></tr><tr><td>67492-1325</td><td>NOTES 2 (A)</td><td rowspan="3">3.50</td><td rowspan="3">5.25</td><td rowspan="3">3.60</td><td rowspan="3">5.25</td><td rowspan="3">2.45±0.10</td></tr><tr><td>67492-1326</td><td>NOTES 2 (B)</td></tr><tr><td>67492-1327</td><td>NOTES 2 (C)</td></tr><tr><td>67492-1440</td><td>NOTES 2 (B)</td><td rowspan="3">4.15</td><td rowspan="3">5.90</td><td rowspan="3">4.25</td><td rowspan="3">5.90</td><td rowspan="3">2.33±0.05</td></tr><tr><td>67492-1441</td><td>NOTES 2 (A)</td></tr><tr><td>67492-1442</td><td>NOTES 2 (C)</td></tr><tr><td>67492-1450</td><td>NOTES 2 (A)</td><td rowspan="3">4.10</td><td rowspan="3">5.85</td><td rowspan="3">4.20</td><td rowspan="3">5.85</td><td rowspan="3">2.33±0.05</td></tr><tr><td>67492-1451</td><td>NOTES 2 (B)</td></tr><tr><td>67492-1452</td><td>NOTES 2 (C)</td></tr></table>										P/N	PLATING	DIM'A'	DIM'B'	DIM'C'	DIM'D'	DIM'E'	REMARK	67492-1420	NOTES 2 (A)	4.15	5.90	4.25	5.90	2.45±0.10	TRAY PACKAGE PK-67492-001	67492-1421	NOTES 2 (B)	67492-1422	NOTES 2 (C)	67492-1320	NOTES 2 (A)	3.50	5.25	3.60	5.25	2.45±0.10	67492-1321	NOTES 2 (B)	67492-1322	NOTES 2 (C)	67492-1120	NOTES 2 (A)	1.80	3.55	1.90	3.55	2.45±0.10	67492-1121	NOTES 2 (B)	67492-1122	NOTES 2 (C)	67492-9220	NOTES 2 (A)	4.99	6.74	5.09	6.74	2.45±0.10	67492-9221	NOTES 2 (B)	67492-9222	NOTES 2 (C)	67492-1220	NOTES 2 (A)	4.99	6.74	5.09	6.74	2.45±0.10	TAPE&REEL PACKAGE PK-67492-002	67492-1221	NOTES 2 (B)	67492-1222	NOTES 2 (C)	67492-1224	NOTES 2 (A)	4.99	6.74	5.09	6.74	2.33±0.05	TAPE&REEL PACKAGE WITH CAP PK-67492-002	67492-1225	NOTES 2 (B)	67492-1226	NOTES 2 (C)	67492-1430	NOTES 2 (A)	4.15	5.90	4.25	5.90	2.45±0.10	TAPE&REEL PACKAGE WITH CAP PK-67492-008	67492-1431	NOTES 2 (B)	67492-1432	NOTES 2 (C)	67492-1325	NOTES 2 (A)	3.50	5.25	3.60	5.25	2.45±0.10	67492-1326	NOTES 2 (B)	67492-1327	NOTES 2 (C)	67492-1440	NOTES 2 (B)	4.15	5.90	4.25	5.90	2.33±0.05	67492-1441	NOTES 2 (A)	67492-1442	NOTES 2 (C)	67492-1450	NOTES 2 (A)	4.10	5.85	4.20	5.85	2.33±0.05	67492-1451	NOTES 2 (B)	67492-1452	NOTES 2 (C)	F
P/N	PLATING	DIM'A'	DIM'B'	DIM'C'	DIM'D'	DIM'E'	REMARK																																																																																																																														
67492-1420	NOTES 2 (A)	4.15	5.90	4.25	5.90	2.45±0.10	TRAY PACKAGE PK-67492-001																																																																																																																														
67492-1421	NOTES 2 (B)																																																																																																																																				
67492-1422	NOTES 2 (C)																																																																																																																																				
67492-1320	NOTES 2 (A)	3.50	5.25	3.60	5.25	2.45±0.10																																																																																																																															
67492-1321	NOTES 2 (B)																																																																																																																																				
67492-1322	NOTES 2 (C)																																																																																																																																				
67492-1120	NOTES 2 (A)	1.80	3.55	1.90	3.55	2.45±0.10																																																																																																																															
67492-1121	NOTES 2 (B)																																																																																																																																				
67492-1122	NOTES 2 (C)																																																																																																																																				
67492-9220	NOTES 2 (A)	4.99	6.74	5.09	6.74	2.45±0.10																																																																																																																															
67492-9221	NOTES 2 (B)																																																																																																																																				
67492-9222	NOTES 2 (C)																																																																																																																																				
67492-1220	NOTES 2 (A)	4.99	6.74	5.09	6.74	2.45±0.10	TAPE&REEL PACKAGE PK-67492-002																																																																																																																														
67492-1221	NOTES 2 (B)																																																																																																																																				
67492-1222	NOTES 2 (C)																																																																																																																																				
67492-1224	NOTES 2 (A)	4.99	6.74	5.09	6.74	2.33±0.05	TAPE&REEL PACKAGE WITH CAP PK-67492-002																																																																																																																														
67492-1225	NOTES 2 (B)																																																																																																																																				
67492-1226	NOTES 2 (C)																																																																																																																																				
67492-1430	NOTES 2 (A)	4.15	5.90	4.25	5.90	2.45±0.10	TAPE&REEL PACKAGE WITH CAP PK-67492-008																																																																																																																														
67492-1431	NOTES 2 (B)																																																																																																																																				
67492-1432	NOTES 2 (C)																																																																																																																																				
67492-1325	NOTES 2 (A)	3.50	5.25	3.60	5.25	2.45±0.10																																																																																																																															
67492-1326	NOTES 2 (B)																																																																																																																																				
67492-1327	NOTES 2 (C)																																																																																																																																				
67492-1440	NOTES 2 (B)	4.15	5.90	4.25	5.90	2.33±0.05																																																																																																																															
67492-1441	NOTES 2 (A)																																																																																																																																				
67492-1442	NOTES 2 (C)																																																																																																																																				
67492-1450	NOTES 2 (A)	4.10	5.85	4.20	5.85	2.33±0.05																																																																																																																															
67492-1451	NOTES 2 (B)																																																																																																																																				
67492-1452	NOTES 2 (C)																																																																																																																																				
E											E																																																																																																																										
D											D																																																																																																																										
C											C																																																																																																																										
B											B																																																																																																																										
A	<table><tr><td rowspan="8">ADD PART NUMBER EC NO: DRWN:XQZHANG CHKD:GLI APPR:XJ SONG K</td><td rowspan="8">2009/07/29 2009/08/07 2009/09/03 DESCRIPTION REV</td><td rowspan="8">QUALITY SYMBOLS ▼=0 ◻=0</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE 1:1</td><td>DESIGN UNITS METRIC</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td></td><td>mm</td><td>INCH</td><td>DRAWN BY GRATE MA</td><td>DATE 2003/10/10</td><td colspan="3" rowspan="2">SATA HOST RECEPTACLE R/A SMT TYPE</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td><td>CHECKED BY YAJUN</td><td>DATE 2003/10/10</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td><td>APPROVED BY SAM</td><td>DATE 2003/10/10</td><td colspan="3" rowspan="2">MOLEX INCORPORATED</td></tr><tr><td>2 PLACES</td><td>± 0.15</td><td>± ---</td><td>MATERIAL NO.</td><td>DOCUMENT NO.</td></tr><tr><td>1 PLACE</td><td>± 0.25</td><td>± ---</td><td colspan="2">SEE TABLE</td><td colspan="2">SD-67492-001</td><td>SHEET NO. 2 OF 2</td></tr><tr><td colspan="3">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td>SIZE A3</td><td colspan="5">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td colspan="3"></td><td colspan="5"></td><td></td></tr></table>										ADD PART NUMBER EC NO: DRWN:XQZHANG CHKD:GLI APPR:XJ SONG K	2009/07/29 2009/08/07 2009/09/03 DESCRIPTION REV	QUALITY SYMBOLS ▼=0 ◻=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			mm	INCH	DRAWN BY GRATE MA	DATE 2003/10/10	SATA HOST RECEPTACLE R/A SMT TYPE			4 PLACES	± ---	± ---	CHECKED BY YAJUN	DATE 2003/10/10	3 PLACES	± ---	± ---	APPROVED BY SAM	DATE 2003/10/10	MOLEX INCORPORATED			2 PLACES	± 0.15	± ---	MATERIAL NO.	DOCUMENT NO.	1 PLACE	± 0.25	± ---	SEE TABLE		SD-67492-001		SHEET NO. 2 OF 2	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														A																																																											
ADD PART NUMBER EC NO: DRWN:XQZHANG CHKD:GLI APPR:XJ SONG K	2009/07/29 2009/08/07 2009/09/03 DESCRIPTION REV	QUALITY SYMBOLS ▼=0 ◻=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																																																																																												
				mm	INCH	DRAWN BY GRATE MA	DATE 2003/10/10	SATA HOST RECEPTACLE R/A SMT TYPE																																																																																																																													
			4 PLACES	± ---	± ---	CHECKED BY YAJUN	DATE 2003/10/10																																																																																																																														
			3 PLACES	± ---	± ---	APPROVED BY SAM	DATE 2003/10/10	MOLEX INCORPORATED																																																																																																																													
			2 PLACES	± 0.15	± ---	MATERIAL NO.	DOCUMENT NO.																																																																																																																														
			1 PLACE	± 0.25	± ---	SEE TABLE		SD-67492-001		SHEET NO. 2 OF 2																																																																																																																											
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																														
	9	8	7	6	5	4	3	2	1																																																																																																																												



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.