



PLATING CONTACT AREA:	
DASH NR:	PERFORMANCE LEVEL
-1YY/1YYLF	TELCORDIA CO
-2YY/2YYLF	CUSTOMER SPECIAL
-3YY/3YYLF	CUSTOMER SPECIAL








RECOMMENDED HOLE PATTERN, COMPONENT SIDE.



PRODUCT AFTER PC BOARD APPLICATION



NOTES:
1 BODY MAT'L:LIQUID CRYSTAL POLYMER 30% GLASS FLAME RETARDANT ACC. UL 94-V0
2 TERMINAL MATERIAL: PHOSPHOR BRONZE.
3 PLATING SOLDERTAILS 2-8 um SnPb 90-97
4 INDICATED HOLES ARE UNPLATED.
5 PRODUCT MARKING PART NUMBER & BATCH ID.
⑥ DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.

ltr	ecn no	dr	date
A	V30761	SCS	920517
B	V00242	LSS	1/19/00
C	DG06-0448	Cenh	11/03/06
D	DG07-0171	Cenh	05/25/07
E	DG08-0171	TER	8/21/08
F	DG09-0068	Cenh	06/06/09

sheet index	revision		
	sheet	1	2
		F	F
		3	

mat'l. code

tolerances unless otherwise specified
linear .X±.3 / .XX±.13 / .XXX±.051
angles 0° ±2°

dr	STU STONER	921013
engr	R.DOUTRICH	921013
chr	STU STONER	921013
appd	STU STONER	921013


CUSTOMER COPY
projection
MM
scale 1:1


www.fciconnect.com
title: R.A. FEMALE SIGNAL 84MM SPECIAL
product family METRAL (tm)
code 213
size A4
dwg no 92953
sheet 1 of 3
cage code 22526


Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire.
Propriete de c FCI. Droits de reproduction FCI.
All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
Property of FCI. Copyright FCI.

PDM: Rev:F STATUS: Released Printed: May 18, 2011


PLATING CONTACT AREA:	
DASH NR:	PERFORMANCE LEVEL
-1YY/1YYLF	TELCORDIA CO
-2YY/2YYLF	CUSTOMER SPECIAL
-3YY/3YYLF	CUSTOMER SPECIAL









PRODUCT AFTER PC BOARD APPLICATION



RECOMMENDED HOLE PATTERN,
COMPONENT SIDE.





NOTES:
1 BODY MAT'L:LIQUID CRYSTAL POLYMER 30% GLASS FILLED FLAME RETARDANT ACC. UL 94-V0
2 TERMINAL MATERIAL: PHOSPHOR BRONZE.
3 PLATING SOLDERTAILS 2-8 um SnPb 90-97.
4 INDICATED HOLES ARE UNPLATED.
5 PRODUCT MARKING PART NUMBER & BATCH ID.
6 DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.

⑥ LOCATION PEG FEATURES MAY NOT BE AVAILABLE AS SHOWN.

7 TOP SURFACE OF PRESS BLOCK MAY EXTEND UP TO 0.4MM HIGHER THAN HOUSING. THIS MAY AFFECT THE TAIL LENGTH BEFORE APPLICATION TO A BOARD

mat'l. code				tolerances unless otherwise specified			CUSTOMER COPY	FCI www.fciconnect.com
ltr	ecn no	dr	date	linear	.X±.3		projection	title: R.A. FEMALE SIGNAL 84MM SPECIAL
F					.XX±.13			
					.XXX±.051			
				angles	0° ±2°		MM	product family METRAL (tm) / code 213
				dr	Heaven Cen	11/01/06		
				engr	Collins Lu	11/01/06		
				chr	Beer Fu	11/01/06	scale 1:1	size A4 / dwg no 92953 / sheet 2 of -
				appd	Joseph Hsia	11/01/06		
sheet index	revision sheet							cage code 22526


Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire. Propriete de c FCI. Droits de reproduction FCI.


All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.


Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire.
Propriete de c FCI. Droits de reproduction FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
Property of FCI. Copyright FCI.


PLATING CONTACT AREA:	
DASH NR:	PERFORMANCE LEVEL
-1YY/1YYLF	TELCORDIA CO
-2YY/2YYLF	CUSTOMER SPECIAL
-3YY/3YYLF	CUSTOMER SPECIAL








PRODUCT AFTER PC BOARD APPLICATION



NOTES:
1 BODY MAT'L:LIQUID CRYSTAL POLYMER 30% GLASS FLAME RETARDANT ACC. UL 94-V0
2 TERMINAL MATERIAL: PHOSPHOR BRONZE.
3 PLATING SOLDERTAILS 2-8 um SnPb 90-97 OR 2-8 um PURE Sn
4 INDICATED HOLES ARE UNPLATED.
5 PRODUCT MARKING PART NUMBER & BATCH ID.
⑥ DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.



RECOMMENDED HOLE PATTERN, COMPONENT SIDE.

mat'l. code				tolerances unless otherwise specified			CUSTOMER COPY	www.fciconnect.com
ltr	ecn no	dr	date	linear	.X±.3		projection	title: R.A. FEMALE SIGNAL 84MM SPECIAL
F					.XX±.13			
					.XXX±.051			
				angles	0° ±2°			
				dr	Heaven Cen	11/01/06	MM	product family METRAL (tm) / code 213
				engr	Collins Lu	11/01/06		size A4 / dwg no 92953
				chr	Beer Fu	11/01/06	scale 1:1	sheet 3 of -
				appd	Joseph Hsia	11/01/06		
sheet index	revision sheet							cage code 22526

PDM: Rev:F STATUS: Released Printed: May 18, 2011


Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits,General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)
Факс: 8 (812) 320-02-42
Электронная почта: org@eplast1.ru
Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.