

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT BY - Taipei, Taiwan

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

HY

—

P

LTR

DESCRIPTION

DATE

DWN

APVD


A

FIRST ISSUE

12,AUG,11'

SW

WW



PIN ASSIGNMENT		
CONN.1	COLOR	CONN.2
1	RED	1
2	WHITE	2
3	GREEN	3
4	BLACK	4
5	BLUE	5
6	YELLOW	6
7	DRAIN WIRE	7
8	PURPLE	8
9	ORANGE	9
SHELL	BRAID	SHELL

TEST ALL PRODUCTS AS BELOW:
100% OPEN & SHORT TEST.
CONTACT RESISTANCE:3 OHM MAX.
INSULATION RESISTANCE:10 MOHM MIN.
WITHSTANDING VOLTAGE 300V(DC) 0.1sec.

1-2117154-0	1000±20
PART NUMBER	L

1	PC	USB 3.0 PLUG, B TYPE, AU PLATED 30u" FOR CONTACT AREA	5
AR	MR	COPPER FOIL TAPE	4
AR	KG	OVER MOLDED PVC, COLOR: BLACK.	3
1	PC	USB 3.0 PLUG, A TYPE, AU PLATED 30u" FOR CONTACT AREA	2
AR	MR	USB 3.0 CABLE, OD=4.5 (1P*32#+D+AL+Mylar)*2C+1P*32#+2C*26#+AL+B /UL20276	1
QTY	U/M	DESCRIPTION	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. WU 12,AUG,2011	TE Connectivity	
		CHK CP. ONG 12,AUG,2011		
		APVD W. WANG 12,AUG,2011	NAME	
		PRODUCT SPEC	USB 3.0 A to B Cable Ass'y	
		QUALIFICATION TEST REPORT		
		WEIGHT	SIZE	CAGE CODE
		CUSTOMER DRAWING	A3	00779
			C=2117154	RESTRICTED TO
			SCALE	SHEET
			—	1 OF 2
				REV A

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT BY - Taipei, Taiwan

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

HY

—

P

LTR

DESCRIPTION

DATE

DWN

APVD


A

FIRST ISSUE

12,AUG,11'

SW

WW



PIN ASSIGNMENT		
CONN.1	COLOR	CONN.2
1	RED	1
2	WHITE	2
3	GREEN	3
4	BLACK	4
5	BLUE	5
6	YELLOW	6
7	DRAIN WIRE	7
8	PURPLE	8
9	ORANGE	9
SHELL	BRAID	SHELL

TEST ALL PRODUCTS AS BELOW:
100% OPEN & SHORT TEST.
CONTACT RESISTANCE:3 OHM MAX.
INSULATION RESISTANCE:10 MOHM MIN.
WITHSTANDING VOLTAGE 300V(DC) 0.1sec.

2-2117154-0	2000±20
1-2117154-5	1500±20
PART NUMBER	L

1	PC	USB 3.0 PLUG, B TYPE, AU PLATED 30u" FOR CONTACT AREA	5
AR	MR	COPPER FOIL TAPE	4
AR	KG	OVER MOLDED PVC, COLOR: BLACK	3
1	PC	USB 3.0 PLUG, A TYPE, AU PLATED 30u" FOR CONTACT AREA	2
AR	MR	USB 3.0 CABLE, OD=5.5 (1P*28#+D+AL+Mylar)*2C+1P*28#+2C*24#+AL+B /UL20276	1
QTY	U/M	DESCRIPTION	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. WU 12,AUG,2011	 TE Connectivity	
		CHK CP. ONG 12,AUG,2011		
		APVD W. WANG 12,AUG,2011	NAME	
		PRODUCT SPEC	USB 3.0 A to B Cable Ass'y	
		QUALIFICATION TEST REPORT		
		WEIGHT		
		CUSTOMER DRAWING		
		SCALE		
		SHEET		
		REV		



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.