



Laird's least expensive mobile antennas receive the most detailed attention. Quarterwave models and 3 dB chrome nut models feature a gold plated brass contact and heavy duty specially formulated Stand Up™ grommets that last longer and stay straighter. For any mobile application, you can be sure that Laird has a feature packed solution for you.

FEATURES

- All Quarterwaves are built with gold plated contacts for corrosion resistance and best power transfer
- Stand-up™ grommet will not degrade over time
- High spring temper rod stays straighter longer
- Stainless steel corona ball stays on the rod - no dissimilar metal interaction associated with competitor designs

| Model | Finish | Frequency | Gain | Overall Length | Whip Style |
|--------------------------|-----------|--------------------|-------|----------------|------------|
| Unity Gain Models | | | | | |
| Q27S | Stainless | 27 - 54 MHz | Unity | 102" | 1/4 Wave |
| QW*** | Stainless | Customer Specified | Unity | Customer Spec. | 1/4 Wave |
| QWB*** | Black | Customer Specified | Unity | Customer Spec. | 1/4 Wave |
| QW136 | Stainless | 136 - 144 MHz | Unity | 22" | 1/4 Wave |
| QWB136 | Black | 136 - 144 MHz | Unity | 22" | 1/4 Wave |
| QW144 | Stainless | 144 - 152 MHz | Unity | 19" | 1/4 Wave |
| QWB144 | Black | 144 - 152 MHz | Unity | 19" | 1/4 Wave |
| QW152 | Stainless | 152 - 162 MHz | Unity | 18" | 1/4 Wave |
| QWB152 | Black | 152 - 162 MHz | Unity | 18" | 1/4 Wave |
| QW162 | Stainless | 162 - 174 MHz | Unity | 17" | 1/4 Wave |
| QWB162 | Black | 162 - 174 MHz | Unity | 17" | 1/4 Wave |
| QW220 | Stainless | 220 - 225 MHz | Unity | 12.5" | 1/4 Wave |
| QWB220 | Black | 220 - 225 MHz | Unity | 12.5" | 1/4 Wave |
| QW406 | Stainless | 406 - 430 MHz | Unity | 7" | 1/4 Wave |
| QWB406 | Black | 406 - 430 MHz | Unity | 7" | 1/4 Wave |
| QW430 | Stainless | 430 - 450 MHz | Unity | 6.5" | 1/4 Wave |
| QWB430 | Black | 430 - 450 MHz | Unity | 6.5" | 1/4 Wave |

Americas: +1.847.839.6907
IAS-AmericasEastSales@lairdtech.com

Europe: +44.1628.858941
IAS-EUSales@lairdtech.com

Asia: +86.21.5855.0827.127
IAS-AsiaSales@lairdtech.com

www.lairdtech.com



Smart Technology. Delivered.

Quarterwave Antennas

| Model | Finish | Frequency | Gain | Overall Length | Whip Style |
|-------------------------|-----------|---------------|-------|----------------|--------------------|
| QW450 | Stainless | 450 - 470 MHz | Unity | 6" | 1/4 Wave |
| QWB450 | Black | 450 - 470 MHz | Unity | 6" | 1/4 Wave |
| QW470 | Stainless | 470 - 490 MHz | Unity | 5.75" | 1/4 Wave |
| QWB470 | Black | 470 - 490 MHz | Unity | 5.75" | 1/4 Wave |
| QW490 | Stainless | 490 - 512 MHz | Unity | 5.5" | 1/4 Wave |
| QWB490 | Black | 490 - 512 MHz | Unity | 5.5" | 1/4 Wave |
| QW760 | Stainless | 760 - 870 MHz | Unity | | 1/4 Wave |
| QWB760 | Black | 760 - 870 MHz | Unity | | 1/4 Wave |
| QW800 | Stainless | 806 - 896 MHz | Unity | 3.3" | 1/4 Wave |
| QWB800 | Black | 806 - 896 MHz | Unity | 3.3" | 1/4 Wave |
| QW900 | Stainless | 896 - 970 MHz | Unity | 3" | 1/4 Wave |
| QWB900 | Black | 896 - 970 MHz | Unity | 3" | 1/4 Wave |
| QWFT120 | Stainless | 118 - 970 MHz | Unity | 24" | 1/4 Wave |
| QWFTB120 | Black | 118 - 970 MHz | Unity | 24" | 1/4 Wave |
| 3 dB Gain Models | | | | | |
| QW8063 | Stainless | 806 - 866 MHz | 3 dB | 16.25" | Open Coil Flexible |
| QWB8063 | Black | 806 - 866 MHz | 3 dB | 16.25" | Open Coil Flexible |
| QW8253 | Stainless | 825 - 896 MHz | 3 dB | 15.5" | Open Coil Flexible |
| QWB8253 | Black | 825 - 896 MHz | 3 dB | 15.5" | Open Coil Flexible |
| QW8963 | Stainless | 896 - 970 MHz | 3 dB | 14.5" | Open Coil Flexible |
| QWB8963 | Black | 896 - 970 MHz | 3 dB | 14.5" | Open Coil Flexible |

ANT-DS-Quarterwave 1015

Any information furnished by Laird Inc. and its agents is believed to be accurate and reliable. All specifications are subject to change without notice. Responsibility for the use and application of Laird materials rests with the end user, since Laird and its agents cannot be aware of all potential uses. Laird makes no warranties as to the fitness, merchantability or suitability of any Laird materials or products for any specific or general uses. Laird shall not be liable for incidental or consequential damages of any kind. All Laird products are sold pursuant to the Laird Terms and Conditions of sale in effect from time to time, a copy of which will be furnished upon request. © Copyright 2015 Laird Inc. All Rights Reserved. Laird, Laird Technologies, the Laird Logo, and other marks are trademarks or registered trademarks of Laird Inc. or an affiliate company thereof. Other product or service names may be the property of third parties. Nothing herein provides a license under any Laird or any third party intellectual property rights.



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.