

## Marker carriers - PAB-SK 15 - 1013287

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)


Marker carriers, transparent, Unlabeled, Mounting type: Adhesive, Lettering field: 15 x 4 mm



### Product Features

- These carrier materials can be fitted, e.g., with UC-WMT ... and EMT ...
- Powerful adhesion and optimum grip on standard device surfaces
- Self-adhesive marker carriers for marking devices and components

### Key commercial data

Packing unit	1 PCE
Minimum order quantity	500 PCE
GTIN	 4 017918 013691
Weight per Piece (excluding packing)	0.35 GRM
Custom tariff number	39269097
Country of origin	Italy

### Technical data

#### Dimensions

Length (b)	15 mm
Width (a)	9 mm

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 60 °C
---------------------------------	------------------

#### General

Color	transparent
Components	Silicone-free
Inflammability class according to UL 94	V0
Material	PVC

## Marker carriers - PAB-SK 15 - 1013287

### Classifications

eCl@ss

eCl@ss 4.0	24190218
eCl@ss 4.1	24190218
eCl@ss 5.0	27141137
eCl@ss 5.1	27141137
eCl@ss 6.0	27141137
eCl@ss 7.0	27141137
eCl@ss 8.0	27141137

ETIM

ETIM 2.0	EC000761
ETIM 3.0	EC000761
ETIM 4.0	EC000761
ETIM 5.0	EC000761

UNSPSC

UNSPSC 6.01	30211811
UNSPSC 7.0901	39121410
UNSPSC 11	39121410
UNSPSC 12.01	39121410
UNSPSC 13.2	39121410

### Accessories

Accessories

Conductor marking

Cable marker - UC-WMT (15X4) - 0819398



Cable marker, Sheet, white, Unlabeled, Can be labeled with: BLUEMARK CLED, BLUEMARK LED, Plotter, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Cable marker - UC-WMT (15X4) YE - 0819408



Cable marker, Sheet, yellow, Unlabeled, Can be labeled with: BLUEMARK CLED, BLUEMARK LED, Plotter, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

## Marker carriers - PAB-SK 15 - 1013287

### Accessories

---


#### Cable marker - UC-WMT (15X4) BU - 0821030



Cable marker, Sheet, blue, Unlabeled, Can be labeled with: BLUEMARK CLED, BLUEMARK LED, Plotter, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

#### Cable marker - UC-WMT (15X4) RD - 0821043



Cable marker, Sheet, red, Unlabeled, Can be labeled with: BLUEMARK CLED, BLUEMARK LED, Plotter, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

#### Cable marker - UC-WMT (15X4) OG - 0824037



Cable marker, Sheet, orange, Unlabeled, Can be labeled with: BLUEMARK CLED, BLUEMARK LED, Plotter, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

#### Cable marker - UC-WMT (15X4) GN - 0824040



Cable marker, Sheet, green, Unlabeled, Can be labeled with: BLUEMARK CLED, BLUEMARK LED, Plotter, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

#### Cable marker - UC-WMT (15X4) VT - 0825361



Cable marker, Sheet, violet, Unlabeled, Can be labeled with: BLUEMARK CLED, BLUEMARK LED, Plotter, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

## Marker carriers - PAB-SK 15 - 1013287

### Accessories

#### Cable marker - UC-WMT (15X4) BN - 0829475



Cable marker, Sheet, brown, Unlabeled, Can be labeled with: BLUEMARK CLED, BLUEMARK LED, Plotter, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

#### Conductor marking - UCT-WMT (15X4) - 0801446



Conductor marking, Sheet, white, Unlabeled, Can be labeled with: THERMOMARK CARD PLUS, THERMOMARK CARD, BLUEMARK CLED, BLUEMARK LED, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---


#### Conductor marking - UCT-WMT (15X4) YE - 0801447



Conductor marking, Sheet, yellow, Unlabeled, Can be labeled with: THERMOMARK CARD PLUS, THERMOMARK CARD, BLUEMARK CLED, BLUEMARK LED, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

#### Conductor marking - UCT-WMT (15X4) RD - 0801448



Conductor marking, Sheet, red, Unlabeled, Can be labeled with: THERMOMARK CARD PLUS, THERMOMARK CARD, BLUEMARK CLED, BLUEMARK LED, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

#### Conductor marking - UCT-WMT (15X4) OG - 0801449



Conductor marking, Sheet, orange, Unlabeled, Can be labeled with: THERMOMARK CARD PLUS, THERMOMARK CARD, BLUEMARK CLED, BLUEMARK LED, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

## Marker carriers - PAB-SK 15 - 1013287

### Accessories

#### Conductor marking - UCT-WMT (15X4) GN - 0801450



Conductor marking, Sheet, green, Unlabeled, Can be labeled with: THERMOMARK CARD PLUS, THERMOMARK CARD, BLUEMARK CLED, BLUEMARK LED, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---


#### Conductor marking - UCT-WMT (15X4) VT - 0801451



Conductor marking, Sheet, violet, Unlabeled, Can be labeled with: THERMOMARK CARD PLUS, THERMOMARK CARD, BLUEMARK CLED, BLUEMARK LED, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

#### Conductor marking - UCT-WMT (15X4) BU - 0801452



Conductor marking, Sheet, blue, Unlabeled, Can be labeled with: THERMOMARK CARD PLUS, THERMOMARK CARD, BLUEMARK CLED, BLUEMARK LED, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

#### Insert label - EMT (15X4)R - 0817329



Insert label, Roll, white, Unlabeled, Can be labeled with: THERMOMARK ROLL, THERMOMARK X, THERMOMARK S1.1, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

#### Insert label - EMT (15X4)R RD - 0816249



Insert label, Roll, red, Unlabeled, Can be labeled with: THERMOMARK ROLL, THERMOMARK X, THERMOMARK S1.1, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

## Marker carriers - PAB-SK 15 - 1013287

### Accessories

Insert label - EMT (15X4)R BU - 0817332



Insert label, Roll, blue, Unlabeled, Can be labeled with: THERMOMARK ROLL, THERMOMARK X, THERMOMARK S1.1, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

Insert label - EMT (15X4)R YE - 0817358



Insert label, Roll, yellow, Unlabeled, Can be labeled with: THERMOMARK ROLL, THERMOMARK X, THERMOMARK S1.1, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

### Labeled conductor marker

Cable marker - UC-WMT (15X4) CUS - 0824812



Cable marker, Can be ordered: By sheet, white, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

Cable marker - UC-WMT (15X4) YE CUS - 0824815



Cable marker, Can be ordered: By sheet, yellow, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

Cable marker - UC-WMT (15X4) BU CUS - 0824813



Cable marker, Can be ordered: By sheet, blue, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

## Marker carriers - PAB-SK 15 - 1013287

### Accessories

#### Cable marker - UC-WMT (15X4) RD CUS - 0824814



Cable marker, Can be ordered: By sheet, red, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

#### Cable marker - UC-WMT (15X4) OG CUS - 0824821



Cable marker, Can be ordered: By sheet, orange, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

#### Cable marker - UC-WMT (15X4) GN CUS - 0824820



Cable marker, Can be ordered: By sheet, green, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

#### Cable marker - UC-WMT (15X4) VT CUS - 0826791



Cable marker, Can be ordered: By sheet, violet, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

#### Cable marker - UC-WMT (15X4) BN CUS - 0829478



Cable marker, Can be ordered: By sheet, brown, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

## Marker carriers - PAB-SK 15 - 1013287

### Accessories

#### Conductor marking - UCT-WMT (15X4) CUS - 0801530



Conductor marking, Can be ordered: By sheet, white, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---


#### Conductor marking - UCT-WMT (15X4) YE CUS - 0801531



Conductor marking, Can be ordered: By sheet, yellow, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

#### Conductor marking - UCT-WMT (15X4) RD CUS - 0801533



Conductor marking, Can be ordered: By sheet, red, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

#### Conductor marking - UCT-WMT (15X4) OG CUS - 0801534



Conductor marking, Can be ordered: By sheet, orange, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

#### Conductor marking - UCT-WMT (15X4) GN CUS - 0801535



Conductor marking, Can be ordered: By sheet, green, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---



## Marker carriers - PAB-SK 15 - 1013287

### Accessories


#### Conductor marking - UCT-WMT (15X4) VT CUS - 0801536



Conductor marking, Can be ordered: By sheet, violet, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

#### Conductor marking - UCT-WMT (15X4) BU CUS - 0801537



Conductor marking, Can be ordered: By sheet, blue, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

#### Insert label - EMT (15X4)R CUS - 0824375



Insert label, Can be ordered: By line, white, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

#### Insert label - EMT (15X4)R BU CUS - 0824376



Insert label, Can be ordered: By line, blue, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

#### Insert label - EMT (15X4)R RD CUS - 0824377



Insert label, Can be ordered: By line, red, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

## Marker carriers - PAB-SK 15 - 1013287

### Accessories

Insert label - EMT (15X4)R YE CUS - 0824378



Insert label, Can be ordered: By line, yellow, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

---



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.