

DWG. NO.
SD-54333-002

F

D

C

B

DO NOT SCALE DRAWING

MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
SHELL COVER	56385-1200	1	56385-2000	1	56385-3000	1
SHELL BODY	56384-1200	1	56384-2000	1	56384-3000	1
RECEPTACLE SHELL	56377-1202	1	56377-2002	1	56377-3002	1
REC. SOCKET HS'G ASS'Y	51238-1211	1	51238-2011	1	51238-3011	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54333-1200		54333-2000		54333-3000	
タイプ TYPE	STANDARD TYPE					

54333-3004	54333-**04
54333-2004	
54333-1204	
54333-3003	54333-**03
54333-2003	
54333-1203	
54333-3002	54333-**02
54333-2002	
54333-1202	
54333-3001	54333-**01
54333-2001	
54333-1201	
54333-3000	54333-**00
54333-2000	
54333-1200	

MATERIAL NO.	MODEL NO.
DIMENSIONS:	SHT REV
☐ mm ☐ INCH ☒ mm ONLY	☐ mm ☐ INCH ☒ mm ONLY

04NO. DRWN: CHK: APPR:	03NO. DRWN: CHK: APPR:	REVISED '01/08/06 02NO. J2002-0289 DRWN: N.OMORI CHK: J.MIYAZAWA APPR: YO.ITO	REVISED '01/08/02 01NO. J2002-0255 DRWN: N.OMORI CHK: J.MIYAZAWA APPR: YO.ITO	RELEASED '01/06/21 00NO. JD2001-1709 DRWN: S.SAKIYAMA CHK: J.MIYAZAWA APPR: Y.ITO	DESCRIPTION	MATERIAL 材料	FINISH 仕上げ	WIRE RANGE 適用電線範囲	INS. RANGE 被覆外径	GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差	SCALE	DESIGN UNITS ☒ mm ☐ INCH	THIRD ANGLE PROJECTION	TITLE:	CAD FILENAME	MATERIAL NO.	DRAWING NO.	SHEET NO.
		C	B	A	REV	—#—	—#—	—#—	—#—	10 UNDER 未満	±0.2	DRAWN BY & DATE S. Miyama '01/06/21		COMPACT ROBOT CONN. W/W TYPE SOCKET SET	54333002.S01	SEE CHART	SD-54333-002	1 OF 5
						10 OVER 30 UNDER 以上 未満	—#—	—#—	—#—	10 OVER 30 UNDER 以上 未満	±0.25	CHECKED BY & DATE Y. Ito						
						30 OVER 以上	—#—	—#—	—#—	30 OVER 以上	±0.3	APPROVED BY & DATE Y. Ito						
						ANGLE 角度	—#—	—#—	—#—	ANGLE 角度	±3°							

54333002.S01

DWG. NO.
SD-54333-002

F

D

C

B

DO NOT SCALE DRAWING

MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
SHELL COVER	56385-1200	1	56385-2000	1	56385-3000	1
SHELL BODY	56384-1200	1	56384-2000	1	56384-3000	1
RECEPTACLE SHELL	56377-1202	1	56377-2002	1	56377-3002	1
REC. SOCKET HS'G ASS'Y	51238-1212	1	51238-2012	1	51238-3012	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54333-1201		54333-2001		54333-3001	
タイプ TYPE	A TYPE					

1204 NO. DRWN: CH'K: APPR:		1203 NO. DRWN: CH'K: APPR:		1202 NO. DRWN: CH'K: APPR:		1201 NO. DRWN: CH'K: APPR:		SEE SHEET 1 OF 5 1200 NO. DRWN: CH'K: APPR:		DESCRIPTION		MATERIAL 材料		GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差		SCALE		DESIGN UNITS mm INCH		DIMENSIONS: mm INCH mm ONLY		SHT		REV	
												—#—		10 UNDER 未満		±0.2		DRAWN BY & DATE S. Miyama 01/06/21		TITLE:					
												FINISH 仕上げ		10 OVER 30 UNDER 以上 未満		±0.25		CHECKED BY & DATE Y. Matsuda		COMPACT ROBOT CONN. W/W TYPE SOCKET SET					
												WIRE RANGE 適用電線範囲		30 OVER 以上		±0.3		APPROVED BY & DATE Y. Matsuda		MOLEX INCORPORATED					
												REV		INS. RANGE 被覆外径		—#—		CAD FILENAME 54333002.S02		MATERIAL NO. —#—		DRAWING NO. SD-54333-002		SHEET NO. 2 OF 5	
																		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.				SIZE B			

54333002.S02

DO NOT SCALE DRAWING

MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
SHELL COVER	56385-1200	1	56385-2000	1	56385-3000	1
SHELL BODY	56384-1200	1	56384-2000	1	56384-3000	1
RECEPTACLE SHELL	56377-1202	1	56377-2002	1	56377-3002	1
REC. SOCKET HS'G ASS'Y	51238-1213	1	51238-2013	1	51238-3013	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54333-1202		54333-2002		54333-3002	
タイプ TYPE	B TYPE					

234 NO. DRWN: CHK: APPR:	233 NO. DRWN: CHK: APPR:	232 NO. DRWN: CHK: APPR:	231 NO. DRWN: CHK: APPR:	SEE SHEET 1 OF 5 230 NO. DRWN: CHK: APPR:	DESCRIPTION 材料	MATERIAL 材料	GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	DIMENSIONS: ☐ mm INCH ☐ mm ONLY ☒	SHT 2	REV 1	
							10 UNDER 未満	±0.2		☒ mm ☐ INCH					TITLE: COMPACT ROBOT CONN. W/W TYPE SOCKET SET
							10 OVER 30 UNDER 以上 未満	±0.25	CHECKED BY & DATE 						
							30 OVER 以上	±0.3	APPROVED BY & DATE 						
235 NO. DRWN: CHK: APPR:	236 NO. DRWN: CHK: APPR:	237 NO. DRWN: CHK: APPR:	238 NO. DRWN: CHK: APPR:	239 NO. DRWN: CHK: APPR:	REV 被覆外径	INS. RANGE 被覆外径	ANGLE 角度	±3°	CAD FILENAME	MATERIAL NO.	DRAWING NO.	SHEET NO.	SIZE B		
									54333002.S03		SD-54333-002	3 OF 5			
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.															

DWG. NO.
SD-54333-002

F

D

C

B

DO NOT SCALE DRAWING

MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
SHELL COVER	56385-1200	1	56385-2000	1	56385-3000	1
SHELL BODY	56384-1200	1	56384-2000	1	56384-3000	1
RECEPTACLE SHELL	56377-1202	1	56377-2002	1	56377-3002	1
REC. SOCKET HS'G ASS'Y	51238-1214	1	51238-2014	1	51238-3014	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54333-1203		54333-2003		54333-3003	
タイプ TYPE	C TYPE					

1204 NO. DRWN: CH'K: APPR:		1203 NO. DRWN: CH'K: APPR:		1202 NO. DRWN: CH'K: APPR:		1201 NO. DRWN: CH'K: APPR:		SEE SHEET 1 OF 5 1200 NO. DRWN: CH'K: APPR:		DESCRIPTION MATERIAL 材料 FINISH 仕上げ WIRE RANGE 適用電線範囲 REV INS. RANGE 被覆外径	GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差		SCALE		DESIGN UNITS mm INCH		DIMENSIONS: mm INCH mm ONLY		SHT REV						
											10 UNDER 未満		±0.2		DRAWN BY & DATE S. Miyama 01/06/21		TITLE: COMPACT ROBOT CONN. W/W TYPE SOCKET SET MOLEX INCORPORATED		4 OF 5						
											10 OVER 以上 30 UNDER 未満		±0.25		CHECKED BY & DATE Y. Matsuda										
											30 OVER 以上		±0.3		APPROVED BY & DATE Y. Matsuda										
												ANGLE 角度		±3°		CAD FILENAME 54333002.S04		MATERIAL NO. —#—		DRAWING NO. SD-54333-002					
												THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.												SIZE B	

54333002.S04

DWG. NO.
SD-54333-002

F

D

C

B

DO NOT SCALE DRAWING

MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
SHELL COVER	56385-1200	1	56385-2000	1	56385-3000	1
SHELL BODY	56384-1200	1	56384-2000	1	56384-3000	1
RECEPTACLE SHELL	56377-1202	1	56377-2002	1	56377-3002	1
REC. SOCKET HS'G ASS'Y	51238-1215	1	51238-2015	1	51238-3015	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54333-1204		54333-2004		54333-3004	
タイプ TYPE	D TYPE					

1204 NO. DRWN: CH'K: APPR:		1203 NO. DRWN: CH'K: APPR:		1202 NO. DRWN: CH'K: APPR:		1201 NO. DRWN: CH'K: APPR:		SEE SHEET 1 OF 5 1200 NO. DRWN: CH'K: APPR:		DESCRIPTION REV	MATERIAL 材料	GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差		SCALE	DESIGN UNITS mm INCH	TYPED ANGLE PROJECTION	DIMENSIONS: mm INCH mm ONLY		SHT	REV			
											FINISH 仕上げ	WIRE RANGE 適用電線範囲	10 UNDER 未満	±0.2	DRAWN BY & DATE S. Nakamura 01/06/21		TITLE: COMPACT ROBOT CONN. W/W TYPE SOCKET SET MOLEX INCORPORATED				MATERIAL NO. —#—	DRAWING NO. SD-54333-002	SHEET NO. 5 OF 5
													30 OVER 以上	±0.25	CHECKED BY & DATE Y. Ota								
													30 OVER 以上	±0.3	APPROVED BY & DATE Y. Ota								
											INS. RANGE 被覆外径	ANGLE 角度	±3°	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.						SIZE B			



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.