

DWG. NO.  
SD-54333-002

F

D

C

B

DO NOT SCALE DRAWING

|                              |                  |             |                  |             |                  |             |
|------------------------------|------------------|-------------|------------------|-------------|------------------|-------------|
| MOLD COVER                   | 51237-1205       | 2           | 51237-2005       | 2           | 51237-3005       | 2           |
| CROSS RECESSED<br>HEAD SCREW | 58203-0020       | 2           | 58203-0020       | 2           | 58203-0021       | 2           |
| CABLE CLAMP                  | 56382-1200       | 1           | 56382-2000       | 1           | 56382-3000       | 1           |
| SHELL COVER                  | 56385-1200       | 1           | 56385-2000       | 1           | 56385-3000       | 1           |
| SHELL BODY                   | 56384-1200       | 1           | 56384-2000       | 1           | 56384-3000       | 1           |
| RECEPTACLE SHELL             | 56377-1202       | 1           | 56377-2002       | 1           | 56377-3002       | 1           |
| REC. SOCKET HS'G ASS'Y       | 51238-1211       | 1           | 51238-2011       | 1           | 51238-3011       | 1           |
| 部品名称<br>PART NAME            | 部品型番<br>PART NO. | 数量<br>QUAN. | 部品型番<br>PART NO. | 数量<br>QUAN. | 部品型番<br>PART NO. | 数量<br>QUAN. |
| 極数<br>CIRCUIT                | 12               |             | 20               |             | 30               |             |
| セット型番<br>SET NO.             | 54333-1200       |             | 54333-2000       |             | 54333-3000       |             |
| タイプ<br>TYPE                  | STANDARD TYPE    |             |                  |             |                  |             |

|              |            |
|--------------|------------|
| 54333-3004   | 54333-**04 |
| 54333-2004   |            |
| 54333-1204   |            |
| 54333-3003   | 54333-**03 |
| 54333-2003   |            |
| 54333-1203   |            |
| 54333-3002   | 54333-**02 |
| 54333-2002   |            |
| 54333-1202   |            |
| 54333-3001   | 54333-**01 |
| 54333-2001   |            |
| 54333-1201   |            |
| 54333-3000   | 54333-**00 |
| 54333-2000   |            |
| 54333-1200   |            |
| MATERIAL NO. | MODEL NO.  |

|                                                                                                                                |                                 |                                                                                          |                                                                                          |                                                                                              |                             |                                                          |                                                   |       |                                                                                      |                                                                                                                 |                                     |                                     |                                                |                       |                                                                                                             |
|--------------------------------------------------------------------------------------------------------------------------------|---------------------------------|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|-----------------------------|----------------------------------------------------------|---------------------------------------------------|-------|--------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-------------------------------------|-------------------------------------|------------------------------------------------|-----------------------|-------------------------------------------------------------------------------------------------------------|
| 04NO.<br>DRWN:<br>CHK:<br>APPR:                                                                                                | 03NO.<br>DRWN:<br>CHK:<br>APPR: | REVISED '01/08/06<br>02NO. J2002-0289<br>DRWN: NOMORI<br>CHK: J.MIYAZAWA<br>APPR: YO.ITO | REVISED '01/08/02<br>01NO. J2002-0255<br>DRWN: NOMORI<br>CHK: J.MIYAZAWA<br>APPR: YO.ITO | RELEASED '01/06/21<br>06NO. JD2001-1709<br>DRWN: S.AKIYAMA<br>CHK: J.MIYAZAWA<br>APPR: Y.ITO | DESCRIPTION                 | MATERIAL<br>材料                                           | GENERAL TOLERANCES:<br>(UNLESS SPECIFIED)<br>一般公差 | SCALE | DESIGN UNITS<br><input checked="" type="checkbox"/> mm <input type="checkbox"/> INCH |  THIRD ANGLE<br>PROJECTION | <input type="checkbox"/> mm<br>INCH | <input type="checkbox"/> INCH<br>mm | <input checked="" type="checkbox"/> mm<br>ONLY | REVISE ON<br>CAD ONLY |                                                                                                             |
|                                                                                                                                |                                 | FINISH<br>仕上げ                                                                            | 10 UNDER<br>未満                                                                           | ±0.2                                                                                         |                             | TITLE:<br><br>COMPACT ROBOT CONN.<br>W/W TYPE SOCKET SET |                                                   |       |                                                                                      |                                                                                                                 |                                     |                                     |                                                |                       |                                                                                                             |
|                                                                                                                                |                                 | WIRE RANGE<br>適用電線範囲                                                                     | 10 OVER 30 UNDER<br>以上 未満                                                                | ±0.25                                                                                        |                             |                                                          |                                                   |       |                                                                                      |                                                                                                                 |                                     |                                     |                                                |                       | CHECKED BY & DATE<br>  |
|                                                                                                                                |                                 | INS. RANGE<br>被覆外径                                                                       | 30 OVER<br>以上                                                                            | ±0.3                                                                                         |                             |                                                          |                                                   |       |                                                                                      |                                                                                                                 |                                     |                                     |                                                |                       | APPROVED BY & DATE<br> |
|                                                                                                                                | ANGLE 角度                        | ±3°                                                                                      | CAD FILENAME<br>54333002.S01                                                             | MATERIAL NO.<br>SEE CHART                                                                    | DRAWING NO.<br>SD-54333-002 | SHEET NO.<br>1 OF 5                                      |                                                   |       |                                                                                      |                                                                                                                 |                                     |                                     |                                                |                       |                                                                                                             |
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION. |                                 |                                                                                          |                                                                                          |                                                                                              |                             |                                                          |                                                   |       |                                                                                      |                                                                                                                 |                                     |                                     |                                                | SIZE<br>B             |                                                                                                             |

DO NOT SCALE DRAWING

|                              |                  |             |                  |             |                  |             |
|------------------------------|------------------|-------------|------------------|-------------|------------------|-------------|
| MOLD COVER                   | 51237-1205       | 2           | 51237-2005       | 2           | 51237-3005       | 2           |
| CROSS RECESSED<br>HEAD SCREW | 58203-0020       | 2           | 58203-0020       | 2           | 58203-0021       | 2           |
| CABLE CLAMP                  | 56382-1200       | 1           | 56382-2000       | 1           | 56382-3000       | 1           |
| SHELL COVER                  | 56385-1200       | 1           | 56385-2000       | 1           | 56385-3000       | 1           |
| SHELL BODY                   | 56384-1200       | 1           | 56384-2000       | 1           | 56384-3000       | 1           |
| RECEPTACLE SHELL             | 56377-1202       | 1           | 56377-2002       | 1           | 56377-3002       | 1           |
| REC. SOCKET HS'G ASS'Y       | 51238-1212       | 1           | 51238-2012       | 1           | 51238-3012       | 1           |
| 部品名称<br>PART NAME            | 部品型番<br>PART NO. | 数量<br>QUAN. | 部品型番<br>PART NO. | 数量<br>QUAN. | 部品型番<br>PART NO. | 数量<br>QUAN. |
| 極数<br>CIRCUIT                | 12               |             | 20               |             | 30               |             |
| セット型番<br>SET NO.             | 54333-1201       |             | 54333-2001       |             | 54333-3001       |             |
| タイプ<br>TYPE                  | A TYPE           |             |                  |             |                  |             |

|                                  |                                  |                                  |                                  |                                                          |                            |                      |                                                                                                                                |           |                                                                                      |                                                          |                                                                                                                      |                   |                             |                     |
|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------------------------------|----------------------------|----------------------|--------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------------------------------------------------------|----------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|-------------------|-----------------------------|---------------------|
| 264NO.<br>DRWN:<br>CHK:<br>APPR: | 263NO.<br>DRWN:<br>CHK:<br>APPR: | 262NO.<br>DRWN:<br>CHK:<br>APPR: | 261NO.<br>DRWN:<br>CHK:<br>APPR: | SEE SHEET 1 OF 5<br><br>260NO.<br>DRWN:<br>CHK:<br>APPR: | DESCRIPTION<br><br><br>REV | MATERIAL<br>材料       | GENERAL TOLERANCES:<br>(UNLESS SPECIFIED)<br>一般公差                                                                              | SCALE<br> | DESIGN UNITS<br><input checked="" type="checkbox"/> mm <input type="checkbox"/> INCH | THIRD ANGLE<br>PROJECTION                                | DIMENSIONS:<br><input type="checkbox"/> mm <input type="checkbox"/> INCH <input checked="" type="checkbox"/> mm ONLY | SHT<br>2 OF 5     | REV<br>B                    |                     |
|                                  |                                  |                                  |                                  |                                                          |                            | FINISH<br>仕上         | 10 UNDER<br>未満                                                                                                                 | ±0.2      | DRAWN BY & DATE<br>S. Ishiyama '01/06/21                                             | TITLE:<br><br>COMPACT ROBOT CONN.<br>W/W TYPE SOCKET SET |                                                                                                                      |                   |                             |                     |
|                                  |                                  |                                  |                                  |                                                          |                            | 30 OVER<br>以上        | 30 UNDER<br>未満                                                                                                                 | ±0.25     | CHECKED BY & DATE<br>J. Morawo                                                       |                                                          |                                                                                                                      |                   |                             |                     |
|                                  |                                  |                                  |                                  |                                                          |                            | WIRE RANGE<br>適用電線範囲 | 30 OVER<br>以上                                                                                                                  | ±0.3      | APPROVED BY & DATE<br>Y. Ota                                                         | MOLEX INCORPORATED                                       | CAD FILENAME<br>54333002.S02                                                                                         | MATERIAL NO.<br>— | DRAWING NO.<br>SD-54333-002 | SHEET NO.<br>2 OF 5 |
|                                  |                                  |                                  |                                  |                                                          |                            | INS. RANGE<br>被覆外径   | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION. |           |                                                                                      |                                                          |                                                                                                                      |                   | SIZE<br>B                   |                     |

DWG. NO.  
SD-54333-002

F

D

C

B

DO NOT SCALE DRAWING

|                              |                  |             |                  |             |                  |             |
|------------------------------|------------------|-------------|------------------|-------------|------------------|-------------|
| MOLD COVER                   | 51237-1205       | 2           | 51237-2005       | 2           | 51237-3005       | 2           |
| CROSS RECESSED<br>HEAD SCREW | 58203-0020       | 2           | 58203-0020       | 2           | 58203-0021       | 2           |
| CABLE CLAMP                  | 56382-1200       | 1           | 56382-2000       | 1           | 56382-3000       | 1           |
| SHELL COVER                  | 56385-1200       | 1           | 56385-2000       | 1           | 56385-3000       | 1           |
| SHELL BODY                   | 56384-1200       | 1           | 56384-2000       | 1           | 56384-3000       | 1           |
| RECEPTACLE SHELL             | 56377-1202       | 1           | 56377-2002       | 1           | 56377-3002       | 1           |
| REC. SOCKET HS'G ASS'Y       | 51238-1213       | 1           | 51238-2013       | 1           | 51238-3013       | 1           |
| 部品名称<br>PART NAME            | 部品型番<br>PART NO. | 数量<br>QUAN. | 部品型番<br>PART NO. | 数量<br>QUAN. | 部品型番<br>PART NO. | 数量<br>QUAN. |
| 極数<br>CIRCUIT                | 12               |             | 20               |             | 30               |             |
| セット型番<br>SET NO.             | 54333-1202       |             | 54333-2002       |             | 54333-3002       |             |
| タイプ<br>TYPE                  | B TYPE           |             |                  |             |                  |             |

|                                                                                                                                |  |                               |  |                               |  |                               |  |                                                   |  |               |  |                      |  |                                                   |  |               |  |                                       |  |                                |  |                                                      |  |                    |  |                     |  |                             |  |                     |  |
|--------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------|--|-------------------------------|--|-------------------------------|--|---------------------------------------------------|--|---------------|--|----------------------|--|---------------------------------------------------|--|---------------|--|---------------------------------------|--|--------------------------------|--|------------------------------------------------------|--|--------------------|--|---------------------|--|-----------------------------|--|---------------------|--|
| 1204 NO.<br>DRWN: CH'K: APPR:                                                                                                  |  | 1203 NO.<br>DRWN: CH'K: APPR: |  | 1202 NO.<br>DRWN: CH'K: APPR: |  | 1201 NO.<br>DRWN: CH'K: APPR: |  | SEE SHEET 1 OF 5<br>1200 NO.<br>DRWN: CH'K: APPR: |  | DESCRIPTION   |  | MATERIAL<br>材料       |  | GENERAL TOLERANCES:<br>(UNLESS SPECIFIED)<br>一般公差 |  | SCALE         |  | DESIGN UNITS<br>mm INCH               |  | DIMENSIONS:<br>mm INCH mm ONLY |  | SHT                                                  |  | REV                |  |                     |  |                             |  |                     |  |
|                                                                                                                                |  |                               |  |                               |  |                               |  |                                                   |  |               |  | —#—                  |  | 10 UNDER<br>未満                                    |  | ±0.2          |  | DRAWN BY & DATE<br>S. Miyama 01/06/21 |  | PROJECTION                     |  | TITLE:<br>COMPACT ROBOT CONN.<br>W/W TYPE SOCKET SET |  | MOLEX INCORPORATED |  | MATERIAL NO.<br>—#— |  | DRAWING NO.<br>SD-54333-002 |  | SHEET NO.<br>3 OF 5 |  |
|                                                                                                                                |  |                               |  |                               |  |                               |  |                                                   |  | FINISH<br>仕上げ |  | —#—                  |  | 10 OVER 30 UNDER<br>以上 未満                         |  | ±0.25         |  | CHECKED BY & DATE<br>Y. Matsuda       |  |                                |  |                                                      |  |                    |  |                     |  |                             |  |                     |  |
|                                                                                                                                |  |                               |  |                               |  |                               |  |                                                   |  |               |  | WIRE RANGE<br>適用電線範囲 |  | —#—                                               |  | 30 OVER<br>以上 |  | ±0.3                                  |  | APPROVED BY & DATE<br>Y. Ota   |  |                                                      |  |                    |  |                     |  |                             |  |                     |  |
|                                                                                                                                |  |                               |  |                               |  |                               |  |                                                   |  |               |  | REV                  |  | INS. RANGE<br>被覆外径                                |  | —#—           |  | ANGLE 角度                              |  | ±3°                            |  | CAD FILENAME<br>54333002.S03                         |  |                    |  |                     |  |                             |  |                     |  |
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION. |  |                               |  |                               |  |                               |  |                                                   |  |               |  | SIZE<br>B            |  |                                                   |  |               |  |                                       |  |                                |  |                                                      |  |                    |  |                     |  |                             |  |                     |  |

DWG. NO.  
SD-54333-002

F

D

C

B

DO NOT SCALE DRAWING

|                              |                  |             |                  |             |                  |             |
|------------------------------|------------------|-------------|------------------|-------------|------------------|-------------|
| MOLD COVER                   | 51237-1205       | 2           | 51237-2005       | 2           | 51237-3005       | 2           |
| CROSS RECESSED<br>HEAD SCREW | 58203-0020       | 2           | 58203-0020       | 2           | 58203-0021       | 2           |
| CABLE CLAMP                  | 56382-1200       | 1           | 56382-2000       | 1           | 56382-3000       | 1           |
| SHELL COVER                  | 56385-1200       | 1           | 56385-2000       | 1           | 56385-3000       | 1           |
| SHELL BODY                   | 56384-1200       | 1           | 56384-2000       | 1           | 56384-3000       | 1           |
| RECEPTACLE SHELL             | 56377-1202       | 1           | 56377-2002       | 1           | 56377-3002       | 1           |
| REC. SOCKET HS'G ASS'Y       | 51238-1214       | 1           | 51238-2014       | 1           | 51238-3014       | 1           |
| 部品名称<br>PART NAME            | 部品型番<br>PART NO. | 数量<br>QUAN. | 部品型番<br>PART NO. | 数量<br>QUAN. | 部品型番<br>PART NO. | 数量<br>QUAN. |
| 極数<br>CIRCUIT                | 12               |             | 20               |             | 30               |             |
| セット型番<br>SET NO.             | 54333-1203       |             | 54333-2003       |             | 54333-3003       |             |
| タイプ<br>TYPE                  | C TYPE           |             |                  |             |                  |             |

|                               |  |                               |  |                               |  |                               |  |                                                   |  |                    |                      |                                                   |                |       |                                                                                                                                   |                           |                                                      |                    |                     |                             |                     |
|-------------------------------|--|-------------------------------|--|-------------------------------|--|-------------------------------|--|---------------------------------------------------|--|--------------------|----------------------|---------------------------------------------------|----------------|-------|-----------------------------------------------------------------------------------------------------------------------------------|---------------------------|------------------------------------------------------|--------------------|---------------------|-----------------------------|---------------------|
| 1204 NO.<br>DRWN: CH'K: APPR: |  | 1203 NO.<br>DRWN: CH'K: APPR: |  | 1202 NO.<br>DRWN: CH'K: APPR: |  | 1201 NO.<br>DRWN: CH'K: APPR: |  | SEE SHEET 1 OF 5<br>1200 NO.<br>DRWN: CH'K: APPR: |  | DESCRIPTION<br>REV | MATERIAL<br>材料       | GENERAL TOLERANCES:<br>(UNLESS SPECIFIED)<br>一般公差 |                | SCALE | DESIGN UNITS<br>mm INCH                                                                                                           | TYPED ANGLE<br>PROJECTION | DIMENSIONS:<br>mm INCH mm ONLY                       | SHT                | REV                 |                             |                     |
|                               |  |                               |  |                               |  |                               |  |                                                   |  |                    | FINISH<br>仕上げ        | —#—                                               | 10 UNDER<br>未満 | ±0.2  | DRAWN BY & DATE<br>S. Miyama 01/06/21                                                                                             |                           | TITLE:<br>COMPACT ROBOT CONN.<br>W/W TYPE SOCKET SET | MOLEX INCORPORATED | MATERIAL NO.<br>—#— | DRAWING NO.<br>SD-54333-002 | SHEET NO.<br>4 OF 5 |
|                               |  |                               |  |                               |  |                               |  |                                                   |  |                    |                      |                                                   | 30 OVER<br>以上  | ±0.25 | CHECKED BY & DATE<br>Y. Ota                                                                                                       |                           |                                                      |                    |                     |                             |                     |
|                               |  |                               |  |                               |  |                               |  |                                                   |  |                    |                      |                                                   | 30 OVER<br>以上  | ±0.3  | APPROVED BY & DATE<br>Y. Ota                                                                                                      |                           |                                                      |                    |                     |                             |                     |
|                               |  |                               |  |                               |  |                               |  |                                                   |  |                    | WIRE RANGE<br>適用電線範囲 | —#—                                               | ANGLE 角度       | ±3°   | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION. |                           |                                                      |                    |                     | SIZE<br>B                   |                     |

DWG. NO.  
SD-54333-002

F

D

C

B

DO NOT SCALE DRAWING

|                              |                  |             |                  |             |                  |             |
|------------------------------|------------------|-------------|------------------|-------------|------------------|-------------|
| MOLD COVER                   | 51237-1205       | 2           | 51237-2005       | 2           | 51237-3005       | 2           |
| CROSS RECESSED<br>HEAD SCREW | 58203-0020       | 2           | 58203-0020       | 2           | 58203-0021       | 2           |
| CABLE CLAMP                  | 56382-1200       | 1           | 56382-2000       | 1           | 56382-3000       | 1           |
| SHELL COVER                  | 56385-1200       | 1           | 56385-2000       | 1           | 56385-3000       | 1           |
| SHELL BODY                   | 56384-1200       | 1           | 56384-2000       | 1           | 56384-3000       | 1           |
| RECEPTACLE SHELL             | 56377-1202       | 1           | 56377-2002       | 1           | 56377-3002       | 1           |
| REC. SOCKET HS'G ASS'Y       | 51238-1215       | 1           | 51238-2015       | 1           | 51238-3015       | 1           |
| 部品名称<br>PART NAME            | 部品型番<br>PART NO. | 数量<br>QUAN. | 部品型番<br>PART NO. | 数量<br>QUAN. | 部品型番<br>PART NO. | 数量<br>QUAN. |
| 極数<br>CIRCUIT                | 12               |             | 20               |             | 30               |             |
| セット型番<br>SET NO.             | 54333-1204       |             | 54333-2004       |             | 54333-3004       |             |
| タイプ<br>TYPE                  | D TYPE           |             |                  |             |                  |             |

|                               |  |                               |  |                               |  |                               |  |                                                   |  |                    |                      |                                                                                                                                   |                |       |                                         |                           |                                                      |                     |     |     |
|-------------------------------|--|-------------------------------|--|-------------------------------|--|-------------------------------|--|---------------------------------------------------|--|--------------------|----------------------|-----------------------------------------------------------------------------------------------------------------------------------|----------------|-------|-----------------------------------------|---------------------------|------------------------------------------------------|---------------------|-----|-----|
| 1204 NO.<br>DRWN: CH'K: APPR: |  | 1203 NO.<br>DRWN: CH'K: APPR: |  | 1202 NO.<br>DRWN: CH'K: APPR: |  | 1201 NO.<br>DRWN: CH'K: APPR: |  | SEE SHEET 1 OF 5<br>1200 NO.<br>DRWN: CH'K: APPR: |  | DESCRIPTION<br>REV | MATERIAL<br>材料       | GENERAL TOLERANCES:<br>(UNLESS SPECIFIED)<br>一般公差                                                                                 |                | SCALE | DESIGN UNITS<br>mm INCH                 | TYPED ANGLE<br>PROJECTION | DIMENSIONS:<br>mm INCH mm ONLY                       |                     | SHT | REV |
|                               |  |                               |  |                               |  |                               |  |                                                   |  |                    | FINISH<br>仕上げ        | —#—                                                                                                                               | 10 UNDER<br>未満 | ±0.2  | DRAWN BY & DATE<br>S. Nakamura 01/06/21 |                           | TITLE:<br>COMPACT ROBOT CONN.<br>W/W TYPE SOCKET SET |                     |     |     |
|                               |  |                               |  |                               |  |                               |  |                                                   |  |                    |                      |                                                                                                                                   | 30 OVER<br>以上  | ±0.25 | CHECKED BY & DATE<br>Y. Ota             |                           |                                                      |                     |     |     |
|                               |  |                               |  |                               |  |                               |  |                                                   |  |                    |                      |                                                                                                                                   | 30 OVER<br>以上  | ±0.3  | APPROVED BY & DATE<br>Y. Ota            |                           |                                                      |                     |     |     |
|                               |  |                               |  |                               |  |                               |  |                                                   |  |                    | WIRE RANGE<br>適用電線範囲 | —#—                                                                                                                               | ANGLE 角度       | ±3°   | CAD FILENAME<br>54333002.S05            | MATERIAL NO.<br>—#—       | DRAWING NO.<br>SD-54333-002                          | SHEET NO.<br>5 OF 5 |     |     |
|                               |  |                               |  |                               |  |                               |  |                                                   |  |                    |                      | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION. |                |       |                                         |                           | SIZE<br>B                                            |                     |     |     |



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.