

|              |             |
|--------------|-------------|
| 54333-3004   | 54333-***04 |
| 54333-2004   |             |
| 54333-1204   |             |
| 54333-3003   | 54333-***03 |
| 54333-2003   |             |
| 54333-1203   |             |
| 54333-3002   | 54333-***02 |
| 54333-2002   |             |
| 54333-1202   |             |
| 54333-3001   | 54333-***01 |
| 54333-2001   |             |
| 54333-1201   |             |
| 54333-3000   | 54333-***00 |
| 54333-2000   |             |
| 54333-1200   |             |
| MATERIAL NO. | MODEL NO.   |

|             |                                                                                                             |                       |     |
|-------------|-------------------------------------------------------------------------------------------------------------|-----------------------|-----|
| DIMENSIONS: |                                                                                                             | SHT                   | REV |
| E           | <input type="checkbox"/> mm<br><input type="checkbox"/> INCH<br><input checked="" type="checkbox"/> mm ONLY | REVISE ON<br>CAD ONLY |     |

CT ROBOT CONN.  
 TYPE SOCKET SET

X INCORPORATED

|                             |                     |
|-----------------------------|---------------------|
| DRAWING NO.<br>SD-54333-002 | SHEET NO.<br>1 OF 5 |
|-----------------------------|---------------------|

IS PROPRIETARY TO MOLEX  
 WITHOUT WRITTEN PERMISSION.

SIZE  
B

54333002501

|                                                 |                                                 |                                                 |                                                 |                                                                     |                   |                      |                                                                                                                                   |       |                                                                                      |                                                      |                                                                                                                      |                     |           |
|-------------------------------------------------|-------------------------------------------------|-------------------------------------------------|-------------------------------------------------|---------------------------------------------------------------------|-------------------|----------------------|-----------------------------------------------------------------------------------------------------------------------------------|-------|--------------------------------------------------------------------------------------|------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|---------------------|-----------|
| <div>234 NO.<br/>DRWN:<br/>CHK:<br/>APPR:</div> | <div>233 NO.<br/>DRWN:<br/>CHK:<br/>APPR:</div> | <div>232 NO.<br/>DRWN:<br/>CHK:<br/>APPR:</div> | <div>231 NO.<br/>DRWN:<br/>CHK:<br/>APPR:</div> | SEE SHEET 1 OF 5<br><div>230 NO.<br/>DRWN:<br/>CHK:<br/>APPR:</div> | DESCRIPTION<br>材料 | MATERIAL<br>材料       | GENERAL TOLERANCES:<br>(UNLESS SPECIFIED)<br>一般公差                                                                                 | SCALE | DESIGN UNITS<br><input checked="" type="checkbox"/> mm <input type="checkbox"/> INCH | THIRD ANGLE<br>PROJECTION                            | DIMENSIONS:<br><input type="checkbox"/> mm <input type="checkbox"/> INCH <input checked="" type="checkbox"/> mm ONLY | SHT                 | REV       |
|                                                 |                                                 |                                                 |                                                 |                                                                     |                   |                      | 10 UNDER<br>未満                                                                                                                    | ±0.2  | DRAWN BY & DATE<br>S. Ishiyama '01/06/21                                             | TITLE:<br>COMPACT ROBOT CONN.<br>W/W TYPE SOCKET SET | MOLEX INCORPORATED                                                                                                   | SHEET NO.<br>2 OF 5 | SIZE<br>B |
|                                                 |                                                 |                                                 |                                                 |                                                                     |                   |                      | 10 OVER 30 UNDER<br>以上 未満                                                                                                         | ±0.25 | CHECKED BY & DATE<br>Y. Murawo                                                       |                                                      |                                                                                                                      |                     |           |
|                                                 |                                                 |                                                 |                                                 |                                                                     |                   |                      | 30 OVER<br>以上                                                                                                                     | ±0.3  | APPROVED BY & DATE<br>Y. Ota                                                         |                                                      |                                                                                                                      |                     |           |
|                                                 |                                                 |                                                 |                                                 |                                                                     | REV<br>被覆外径       | WIRE RANGE<br>適用電線範囲 | ANGLE 角度                                                                                                                          | ±3°   | CAD FILENAME<br>54333002.S02                                                         | MATERIAL NO.<br>—                                    | DRAWING NO.<br>SD-54333-002                                                                                          |                     |           |
|                                                 |                                                 |                                                 |                                                 |                                                                     |                   | INS. RANGE           | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION. |       |                                                                                      |                                                      |                                                                                                                      |                     |           |

DWG. NO.  
SD-54333-002

F

D

C

B

DO NOT SCALE DRAWING

|                              |                  |             |                  |             |                  |             |
|------------------------------|------------------|-------------|------------------|-------------|------------------|-------------|
| MOLD COVER                   | 51237-1205       | 2           | 51237-2005       | 2           | 51237-3005       | 2           |
| CROSS RECESSED<br>HEAD SCREW | 58203-0020       | 2           | 58203-0020       | 2           | 58203-0021       | 2           |
| CABLE CLAMP                  | 56382-1200       | 1           | 56382-2000       | 1           | 56382-3000       | 1           |
| SHELL COVER                  | 56385-1200       | 1           | 56385-2000       | 1           | 56385-3000       | 1           |
| SHELL BODY                   | 56384-1200       | 1           | 56384-2000       | 1           | 56384-3000       | 1           |
| RECEPTACLE SHELL             | 56377-1202       | 1           | 56377-2002       | 1           | 56377-3002       | 1           |
| REC. SOCKET HS'G ASS'Y       | 51238-1213       | 1           | 51238-2013       | 1           | 51238-3013       | 1           |
| 部品名称<br>PART NAME            | 部品型番<br>PART NO. | 数量<br>QUAN. | 部品型番<br>PART NO. | 数量<br>QUAN. | 部品型番<br>PART NO. | 数量<br>QUAN. |
| 極数<br>CIRCUIT                | 12               |             | 20               |             | 30               |             |
| セット型番<br>SET NO.             | 54333-1202       |             | 54333-2002       |             | 54333-3002       |             |
| タイプ<br>TYPE                  | B TYPE           |             |                  |             |                  |             |

|                               |  |                               |  |                               |  |                               |  |                                                   |  |             |  |                      |  |                                                   |  |       |  |                                                                                                                                   |  |                                |  |                                            |  |           |  |
|-------------------------------|--|-------------------------------|--|-------------------------------|--|-------------------------------|--|---------------------------------------------------|--|-------------|--|----------------------|--|---------------------------------------------------|--|-------|--|-----------------------------------------------------------------------------------------------------------------------------------|--|--------------------------------|--|--------------------------------------------|--|-----------|--|
| 1204 NO.<br>DRWN: CH'K: APPR: |  | 1203 NO.<br>DRWN: CH'K: APPR: |  | 1202 NO.<br>DRWN: CH'K: APPR: |  | 1201 NO.<br>DRWN: CH'K: APPR: |  | SEE SHEET 1 OF 5<br>1200 NO.<br>DRWN: CH'K: APPR: |  | DESCRIPTION |  | MATERIAL<br>材料       |  | GENERAL TOLERANCES:<br>(UNLESS SPECIFIED)<br>一般公差 |  | SCALE |  | DESIGN UNITS<br>mm INCH                                                                                                           |  | DIMENSIONS:<br>mm INCH mm ONLY |  | SHT                                        |  | REV       |  |
|                               |  |                               |  |                               |  |                               |  |                                                   |  |             |  | —#—                  |  | 10 UNDER<br>未満                                    |  | ±0.2  |  | DRAWN BY & DATE<br>S. Miyama 01/06/21                                                                                             |  | PROJECTION                     |  | TITLE:                                     |  |           |  |
|                               |  |                               |  |                               |  |                               |  |                                                   |  |             |  | FINISH<br>仕上げ        |  | 10 OVER 30 UNDER<br>以上 未満                         |  | ±0.25 |  | CHECKED BY & DATE<br>Y. Ota                                                                                                       |  | MOLEX INCORPORATED             |  | COMPACT ROBOT CONN.<br>W/W TYPE SOCKET SET |  |           |  |
|                               |  |                               |  |                               |  |                               |  |                                                   |  |             |  | WIRE RANGE<br>適用電線範囲 |  | 30 OVER<br>以上                                     |  | ±0.3  |  | APPROVED BY & DATE<br>Y. Ota                                                                                                      |  | MATERIAL NO.                   |  | DRAWING NO.                                |  | SHEET NO. |  |
|                               |  |                               |  |                               |  |                               |  |                                                   |  |             |  | REV                  |  | ANGLE 角度                                          |  | ±3°   |  | CAD FILENAME<br>54333002.S03                                                                                                      |  | SD-54333-002                   |  | 3 OF 5                                     |  | SIZE<br>B |  |
|                               |  |                               |  |                               |  |                               |  |                                                   |  |             |  | INS. RANGE<br>被覆外径   |  |                                                   |  |       |  | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION. |  |                                |  |                                            |  |           |  |

DWG. NO.  
SD-54333-002

F

D

C

B

DO NOT SCALE DRAWING

|                              |                  |             |                  |             |                  |             |
|------------------------------|------------------|-------------|------------------|-------------|------------------|-------------|
| MOLD COVER                   | 51237-1205       | 2           | 51237-2005       | 2           | 51237-3005       | 2           |
| CROSS RECESSED<br>HEAD SCREW | 58203-0020       | 2           | 58203-0020       | 2           | 58203-0021       | 2           |
| CABLE CLAMP                  | 56382-1200       | 1           | 56382-2000       | 1           | 56382-3000       | 1           |
| SHELL COVER                  | 56385-1200       | 1           | 56385-2000       | 1           | 56385-3000       | 1           |
| SHELL BODY                   | 56384-1200       | 1           | 56384-2000       | 1           | 56384-3000       | 1           |
| RECEPTACLE SHELL             | 56377-1202       | 1           | 56377-2002       | 1           | 56377-3002       | 1           |
| REC. SOCKET HS'G ASS'Y       | 51238-1214       | 1           | 51238-2014       | 1           | 51238-3014       | 1           |
| 部品名称<br>PART NAME            | 部品型番<br>PART NO. | 数量<br>QUAN. | 部品型番<br>PART NO. | 数量<br>QUAN. | 部品型番<br>PART NO. | 数量<br>QUAN. |
| 極数<br>CIRCUIT                | 12               |             | 20               |             | 30               |             |
| セット型番<br>SET NO.             | 54333-1203       |             | 54333-2003       |             | 54333-3003       |             |
| タイプ<br>TYPE                  | C TYPE           |             |                  |             |                  |             |

|                               |  |                               |  |                               |  |                               |  |                                                   |  |                    |                      |                                                   |                                                                                                                                   |       |                                       |                           |                                                      |                    |                     |                             |                     |  |           |
|-------------------------------|--|-------------------------------|--|-------------------------------|--|-------------------------------|--|---------------------------------------------------|--|--------------------|----------------------|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|-------|---------------------------------------|---------------------------|------------------------------------------------------|--------------------|---------------------|-----------------------------|---------------------|--|-----------|
| 1204 NO.<br>DRWN: CH'K: APPR: |  | 1203 NO.<br>DRWN: CH'K: APPR: |  | 1202 NO.<br>DRWN: CH'K: APPR: |  | 1201 NO.<br>DRWN: CH'K: APPR: |  | SEE SHEET 1 OF 5<br>1200 NO.<br>DRWN: CH'K: APPR: |  | DESCRIPTION<br>REV | MATERIAL<br>材料       | GENERAL TOLERANCES:<br>(UNLESS SPECIFIED)<br>一般公差 |                                                                                                                                   | SCALE | DESIGN UNITS<br>mm INCH               | TYPED ANGLE<br>PROJECTION | DIMENSIONS:<br>mm INCH mm ONLY                       | SHT                | REV                 |                             |                     |  |           |
|                               |  |                               |  |                               |  |                               |  |                                                   |  |                    | FINISH<br>仕上げ        | —#—                                               | 10 UNDER<br>未満                                                                                                                    | ±0.2  | DRAWN BY & DATE<br>S. Miyama 01/06/21 |                           | TITLE:<br>COMPACT ROBOT CONN.<br>W/W TYPE SOCKET SET | MOLEX INCORPORATED | MATERIAL NO.<br>—#— | DRAWING NO.<br>SD-54333-002 | SHEET NO.<br>4 OF 5 |  |           |
|                               |  |                               |  |                               |  |                               |  |                                                   |  |                    |                      |                                                   | 30 OVER<br>以上                                                                                                                     | ±0.25 | CHECKED BY & DATE<br>Y. Ota           |                           |                                                      |                    |                     |                             |                     |  |           |
|                               |  |                               |  |                               |  |                               |  |                                                   |  |                    |                      |                                                   | 30 OVER<br>以上                                                                                                                     | ±0.3  | APPROVED BY & DATE<br>Y. Ota          |                           |                                                      |                    |                     |                             |                     |  |           |
|                               |  |                               |  |                               |  |                               |  |                                                   |  |                    | WIRE RANGE<br>適用電線範囲 | —#—                                               | ANGLE 角度                                                                                                                          | ±3°   | CAD FILENAME<br>54333002.S04          |                           |                                                      |                    |                     |                             |                     |  |           |
|                               |  |                               |  |                               |  |                               |  |                                                   |  |                    | INS. RANGE<br>被覆外径   | —#—                                               | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION. |       |                                       |                           |                                                      |                    |                     |                             |                     |  | SIZE<br>B |

54333002.S04

DWG. NO.  
SD-54333-002

F

D

C

B

DO NOT SCALE DRAWING

|                              |                  |             |                  |             |                  |             |
|------------------------------|------------------|-------------|------------------|-------------|------------------|-------------|
| MOLD COVER                   | 51237-1205       | 2           | 51237-2005       | 2           | 51237-3005       | 2           |
| CROSS RECESSED<br>HEAD SCREW | 58203-0020       | 2           | 58203-0020       | 2           | 58203-0021       | 2           |
| CABLE CLAMP                  | 56382-1200       | 1           | 56382-2000       | 1           | 56382-3000       | 1           |
| SHELL COVER                  | 56385-1200       | 1           | 56385-2000       | 1           | 56385-3000       | 1           |
| SHELL BODY                   | 56384-1200       | 1           | 56384-2000       | 1           | 56384-3000       | 1           |
| RECEPTACLE SHELL             | 56377-1202       | 1           | 56377-2002       | 1           | 56377-3002       | 1           |
| REC. SOCKET HS'G ASS'Y       | 51238-1215       | 1           | 51238-2015       | 1           | 51238-3015       | 1           |
| 部品名称<br>PART NAME            | 部品型番<br>PART NO. | 数量<br>QUAN. | 部品型番<br>PART NO. | 数量<br>QUAN. | 部品型番<br>PART NO. | 数量<br>QUAN. |
| 極数<br>CIRCUIT                | 12               |             | 20               |             | 30               |             |
| セット型番<br>SET NO.             | 54333-1204       |             | 54333-2004       |             | 54333-3004       |             |
| タイプ<br>TYPE                  | D TYPE           |             |                  |             |                  |             |

|                               |  |                               |  |                               |  |                               |  |                                                   |  |                    |                      |                                                   |                                                                                                                                |       |                                         |                           |                                                                                                                      |                             |                     |           |
|-------------------------------|--|-------------------------------|--|-------------------------------|--|-------------------------------|--|---------------------------------------------------|--|--------------------|----------------------|---------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|-------|-----------------------------------------|---------------------------|----------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------|-----------|
| 1204 NO.<br>DRWN: CH'K: APPR: |  | 1203 NO.<br>DRWN: CH'K: APPR: |  | 1202 NO.<br>DRWN: CH'K: APPR: |  | 1201 NO.<br>DRWN: CH'K: APPR: |  | SEE SHEET 1 OF 5<br>1200 NO.<br>DRWN: CH'K: APPR: |  | DESCRIPTION<br>REV | MATERIAL<br>材料       | GENERAL TOLERANCES:<br>(UNLESS SPECIFIED)<br>一般公差 |                                                                                                                                | SCALE | DESIGN UNITS<br>mm INCH                 | TYPED ANGLE<br>PROJECTION | DIMENSIONS:<br><input type="checkbox"/> mm <input type="checkbox"/> INCH <input checked="" type="checkbox"/> mm ONLY |                             | SHT                 | REV       |
|                               |  |                               |  |                               |  |                               |  |                                                   |  |                    | FINISH<br>仕上げ        | —#—                                               | 10 UNDER<br>未満                                                                                                                 | ±0.2  | DRAWN BY & DATE<br>S. Nakamura 01/06/21 |                           | TITLE:<br>COMPACT ROBOT CONN.<br>W/W TYPE SOCKET SET                                                                 |                             |                     |           |
|                               |  |                               |  |                               |  |                               |  |                                                   |  |                    |                      |                                                   | 30 OVER<br>以上                                                                                                                  | ±0.25 | CHECKED BY & DATE<br>Y. Matsuda         |                           |                                                                                                                      |                             |                     |           |
|                               |  |                               |  |                               |  |                               |  |                                                   |  |                    |                      |                                                   | 30 OVER<br>以上                                                                                                                  | ±0.3  | APPROVED BY & DATE<br>Y. Matsuda        |                           |                                                                                                                      |                             |                     |           |
|                               |  |                               |  |                               |  |                               |  |                                                   |  |                    | WIRE RANGE<br>適用電線範囲 | —#—                                               | ANGLE 角度                                                                                                                       | ±3°   | CAD FILENAME<br>54333002.S05            |                           | MATERIAL NO.<br>—#—                                                                                                  | DRAWING NO.<br>SD-54333-002 | SHEET NO.<br>5 OF 5 |           |
|                               |  |                               |  |                               |  |                               |  |                                                   |  |                    | INS. RANGE<br>被覆外径   | —#—                                               | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION. |       |                                         |                           |                                                                                                                      |                             |                     | SIZE<br>B |

54333002.S05



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.