

54333-3004	54333-***04
54333-2004	
54333-1204	
54333-3003	54333-***03
54333-2003	
54333-1203	
54333-3002	54333-***02
54333-2002	
54333-1202	
54333-3001	54333-***01
54333-2001	
54333-1201	
54333-3000	54333-***00
54333-2000	
54333-1200	
MATERIAL NO.	MODEL NO.

DIMENSIONS:		SHT	REV
☐ mm INCH	☐ INCH mm	☒ mm ONLY	DIFFER ON CAD ONLY

CT ROBOT CONN.
TYPE SOCKET SET

X INCORPORATED

DRAWING NO. SD-54333-002	SHEET NO. 1 OF 5
-----------------------------	---------------------

IT IS PROPRIETARY TO MOLEX
WITHOUT WRITTEN PERMISSION.

SIZE
B

54333002501

DO NOT SCALE DRAWING

MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
SHELL COVER	56385-1200	1	56385-2000	1	56385-3000	1
SHELL BODY	56384-1200	1	56384-2000	1	56384-3000	1
RECEPTACLE SHELL	56377-1202	1	56377-2002	1	56377-3002	1
REC. SOCKET HS'G ASS'Y	51238-1212	1	51238-2012	1	51238-3012	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54333-1201		54333-2001		54333-3001	
タイプ TYPE	A TYPE					

134 NO. DRWN: CHK: APPR:			133 NO. DRWN: CHK: APPR:			132 NO. DRWN: CHK: APPR:			131 NO. DRWN: CHK: APPR:			SEE SHEET 1 OF 5 130 NO. DRWN: CHK: APPR:	DESCRIPTION	MATERIAL 材料	GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差		SCALE 	DESIGN UNITS ☒ mm ☐ INCH	THIRD ANGLE PROJECTION	DIMENSIONS: ☐ mm ☐ INCH ☒ mm ONLY		SHT	REV				
														FINISH 仕上げ	10 UNDER 未満	±0.2	DRAWN BY & DATE S. Adiyama '01/06/21		TITLE: COMPACT ROBOT CONN. W/W TYPE SOCKET SET		MOLEX INCORPORATED		SHEET NO. 2 OF 5		SIZE B		
														30 UNDER 未満	±0.25	CHECKED BY & DATE Y. Marano											
														WIRE RANGE 適用電線範囲	30 OVER 以上	±0.3	APPROVED BY & DATE Z. Ota		CAD FILENAME 54333002.S02	MATERIAL NO. —	DRAWING NO. SD-54333-002	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.					
												REV	INS. RANGE 被覆外径	ANGLE 角度		±3°											

DO NOT SCALE DRAWING

MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
SHELL COVER	56385-1200	1	56385-2000	1	56385-3000	1
SHELL BODY	56384-1200	1	56384-2000	1	56384-3000	1
RECEPTACLE SHELL	56377-1202	1	56377-2002	1	56377-3002	1
REC. SOCKET HS'G ASS'Y	51238-1213	1	51238-2013	1	51238-3013	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54333-1202		54333-2002		54333-3002	
タイプ TYPE	B TYPE					

234 NO. DRWN: CHK: APPR:	233 NO. DRWN: CHK: APPR:	232 NO. DRWN: CHK: APPR:	231 NO. DRWN: CHK: APPR:	SEE SHEET 1 OF 5	230 NO. DRWN: CHK: APPR:	DESCRIPTION	MATERIAL 材料	GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	DIMENSIONS: ☐ mm INCH ☐ mm ☒ mm ONLY	SHT 2	REV 1	
						FINISH 仕上げ		10 UNDER 未満	±0.2	DRAWN BY & DATE S. Ishiyama '01/06/21	TITLE: COMPACT ROBOT CONN. W/W TYPE SOCKET SET					
								10 OVER 30 UNDER 以上 未満	±0.25							CHECKED BY & DATE Y. Maruwa
								30 OVER 以上	±0.3							APPROVED BY & DATE Y. Ota
					WIRE RANGE 適用電線範囲	ANGLE 角度	±3°	CAD FILENAME 54333002.S03	MATERIAL NO. —	DRAWING NO. SD-54333-002	SHEET NO. 3 OF 5	SIZE B				
				INS. RANGE 被覆外径				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.								

DWG. NO.
SD-54333-002

F

D

V

C

B

DO NOT SCALE DRAWING

MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
SHELL COVER	56385-1200	1	56385-2000	1	56385-3000	1
SHELL BODY	56384-1200	1	56384-2000	1	56384-3000	1
RECEPTACLE SHELL	56377-1202	1	56377-2002	1	56377-3002	1
REC. SOCKET HS'G ASS'Y	51238-1214	1	51238-2014	1	51238-3014	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54333-1203		54333-2003		54333-3003	
タイプ TYPE	C TYPE					

1204 NO. DRWN: CH'K: APPR:		1203 NO. DRWN: CH'K: APPR:		1202 NO. DRWN: CH'K: APPR:		1201 NO. DRWN: CH'K: APPR:		SEE SHEET 1 OF 5 1200 NO. DRWN: CH'K: APPR:		DESCRIPTION REV	MATERIAL 材料	GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差		SCALE	DESIGN UNITS mm INCH	 THIRD ANGLE PROJECTION	DIMENSIONS: ☐ mm ☐ INCH ☒ mm ONLY	SHT	REV				
											FINISH 仕上げ	10 UNDER 未満	±0.2	DRAWN BY & DATE S. Miyama 01/06/21			TITLE: COMPACT ROBOT CONN. W/W TYPE SOCKET SET						
											WIRE RANGE 適用電線範囲	10 OVER 30 UNDER 以上 未満	±0.25	CHECKED BY & DATE Y. Matsuda									
											INS. RANGE 被覆外径	30 OVER 以上	±0.3	APPROVED BY & DATE Y. Ota			MOLEX INCORPORATED						
												ANGLE 角度	±3°	CAD FILENAME 54333002.S04		MATERIAL NO. —#—	DRAWING NO. SD-54333-002	SHEET NO. 4 OF 5					
												THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.										SIZE B	

54333002.S04

F
E
D
C
B
A

DWG. NO.
SD-54333-002

F

D

C

B

DO NOT SCALE DRAWING

MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
SHELL COVER	56385-1200	1	56385-2000	1	56385-3000	1
SHELL BODY	56384-1200	1	56384-2000	1	56384-3000	1
RECEPTACLE SHELL	56377-1202	1	56377-2002	1	56377-3002	1
REC. SOCKET HS'G ASS'Y	51238-1215	1	51238-2015	1	51238-3015	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54333-1204		54333-2004		54333-3004	
タイプ TYPE	D TYPE					

1204 NO. DRWN: CH'K: APPR:		1203 NO. DRWN: CH'K: APPR:		1202 NO. DRWN: CH'K: APPR:		1201 NO. DRWN: CH'K: APPR:		SEE SHEET 1 OF 5 1200 NO. DRWN: CH'K: APPR:		DESCRIPTION REV	MATERIAL 材料	GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差		SCALE	DESIGN UNITS mm INCH	TYPED ANGLE PROJECTION	DIMENSIONS: ☐ mm ☐ INCH ☒ mm ONLY		SHT	REV		
											FINISH 仕上げ	WIRE RANGE 適用電線範囲	ANGLE 角度	DRAWN BY & DATE S. Miyama 01/06/21	CHECKED BY & DATE Y. Matsuda		APPROVED BY & DATE Y. Ota	CAD FILENAME 54333002.S05	MATERIAL NO. —#—	DRAWING NO. SD-54333-002	SHEET NO. 5 OF 5	
											INS. RANGE 被覆外径	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.										SIZE B

54333002.S05

A

B

C

D

E

F



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.