




REF : ORIENTATION OF PART IN TUBE.
(FOR THE REFERENCE OF PART/TUBE ASSEMBLY.)


REVISED	EC NO: S2012-0647	2012/02/29	2012/04/30	2012/05/03
	DRWN:SKANG	CHKD:ATSEE	APPR:MLONG	
A4	REV	DESCRIPTION		

QUALITY SYMBOLS
▽=0
◻=0

GENERAL TOLERANCES (UNLESS SPECIFIED)		
	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.20	± ---
1 PLACE	± ---	± ---
ANGULAR ± 3 °		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		

DIMENSION STYLE	
MM ONLY	
DRAWN BY	DATE
ATSEE	2004/09/29
CHECKED BY	DATE
KCLING	2004/11/03
APPROVED BY	DATE
SKTOH	2004/11/05
MATERIAL NO.	
SEE TABLE	
SIZE	A3

SCALE	NTS
DESIGN UNITS	METRIC
THIRD ANGLE PROJECTION	
TITLE	
MGRID, SHROUDED HEADER W/SLOT, STANDOFF, SMT LOCATING PEG W/ VOID	
MOLEX INCORPORATED	
DOCUMENT NO.	
SD-87832-017	
SHEET NO.	
1 OF 2	



PART NO.	VOID PIN	PLATING OPTION	CKT SIZE	DIMENSION					
				A	B	C	D	E	P
87832-7000	36	1	40	38.00	40.85	42.65	41.00	34.00	36.00
87832-5121	13	2	26	24.00	26.85	28.65	27.00	20.00	22.00

- NOTES :
- MATERIAL:
HOUSING: 30% G.F., NYLON 46 UL94V-0, COLOR BLACK
PIN: 0.50MM SQ. PHOSPHOR BRONZE
 - PLATING:
1. 0.38uM/ 15uIN GOLD IN CONTACT AREA AND
1.88uM/ 75uIN MIN. TIN IN SOLDER TAIL AREA OVER
1.27uM/ 50uIN MIN. NICKEL OVERALL.

2. 0.76uM/ 30uIN GOLD IN CONTACT AREA AND
1.88uM/ 75uIN MIN. TIN IN SOLDER TAIL AREA OVER
1.27uM/ 50uIN MIN. NICKEL OVERALL.
 - PRODUCT SPECIFICATION PS-87831-027 APPLIES.
 - COPLANARITY IS TO BE MEASURED BY RESTING THE SOLDER TAIL ON A GAUGE SURFACE.
 - THIS HEADER MATES WITH MOLEX:
a) CRIMP RECEPTACLE HOUSING, 51110 SERIES WITH CRIMP TERMINAL, 50394 SERIES.
b) 2MM MILLIGRID DUAL ROW IDT, 87568 SERIES.

REVISED EC NO: S2012-0647 2012/02/29 DRWN:SKANG CH'KD:ATSEE 2012/04/30 APPR:MLONG 2012/05/03	DESCRIPTION REV	QUALITY SYMBOLS =0 =0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	TITLE MGRID, SHROUDED HEADER W/SLOT, STANDOFF, SMT LOCATING PEG W/ VOID	MATERIAL NO. SKTOH	DOCUMENT NO. SD-87832-017	SHEET NO. 2 OF 2



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.