





Amphenol FCI
© 2016 APCI



PRODUCT NUMBER
10063545-XXXHXL

LEAD FREE
NONE= WITH TAPE(SEE NOTES 13)
B= WITHOUT TAPE
HIGH TEMPERATURE PLASTIC
SEE NOTE 1
NO OF POSITIONS
SEE NOTE 3
PIN PLATING
SEE SHEET 2
BASE PART NO.





Mat'l. code NOTES 1 & 2				surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection 	product family BERGSTIK			
ltr	ecn no	dr	date	tolerances unless otherwise specified			title			
F	ELX-N-19761	J.H	12/17/14	angles	linear	$\frac{.001}{.01}$ / $\frac{.003}{.01}$	BERGSTIK HEADER D/R .100/2.54cc STRAIGHT			
G	ELX-N-20014	J.H	01/19/15			$\frac{.001}{.005}$ / $\frac{.001}{.01}$				
H	ELX-N-31185	MZ	10/23/18	0°±2°		$\frac{.001}{.002}$ / $\frac{.001}{.005}$	scale 1:1			
				dr	M.HERNANDEZ	11/04/05				
				enr	S.FIERRO	11/04/05				
				chr	S.FIERRO	11/04/05				
				appd	S.FIERRO	11/04/05	dwg no			
sheet index		revision	sheet	H	H		10063545			
			1	2			type Product Customer Drawing			
							sheet 1 of 2			
							size A3			

PRODUCT NUMBER	TOT. PIN LGTH.		TAIL LENGTH		MATING LENGTH		PACKAGING	CUSTOMER P/N
	DIM F	DIM F	DIM G	DIM G	DIM H	DIM H		
	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC		
10063545-400H	0.645	16.4	0.091	2.30	0.455	11.56	REEL	A0943643Z0000
10063545-400HLF	0.645	16.4	0.091	2.30	0.455	11.56	REEL	A-C731-3340-0-00
10063545-400HBLF	0.645	16.4	0.091	2.30	0.455	11.56	REEL	A-C731-3340-0-00
10063545-401HLF	0.575	14.6	0.094	2.40	0.38	9.66	REEL	
10063545-440HT	0.938	23.83	0.120	3.05	0.718	18.24	TUBE	

NOTES

- BODY MATERIAL : MANUFACTURER'S OPTION OF LCP
FLAME RETARDENT PER UL94 V-0.
COLOR: BLACK
- PIN MATERIAL : BRASS.
- EVEN NUMBER OF POSITIONS FROM 2 (2X1) THROUGH 72 (2X36)
FOR BERGSTIK. -X00H INDICATES BERGSTRIK PRODUCT.
FOR SPECIAL GEOMETRY OF THIS CONTINUOUS STRIP PRODUCT.
AUTOMATED REELS WILL CONTAIN 20,000 PINS.
SEE SPECIFIC PART NUMBERS FOR AVAILABILITY.
- MEASURED WITH PART IN RESTRAINED CONDITION.
- TWO SIDES OF PIN TIPS NOT PLATED. TYPICAL BOTH ENDS.
- 2LBS/0.9KG MIN PIN RETENTION IN EITHER DIRECTION.
- $\pm .010/0.25$ TOL APPLIES TO ALL "G" TAILS EXCEPT
INDICATED PARTS ON TABLE WHERE $+ .010/0.25 - .000/0.00$
APPLIES.
- NOTCH CONFIGURATION WILL VARY PER VENDOR'S DISCRETION.
- TAIL LENGTH (DIM. G) TO BE $\pm .010/0.25$.
- POSITIONS PER ROW 37 TO 50 CAN BE PRODUCED,
BUT FLATNESS AND CURVATURE MAY NOT BE
HELD AS CLOSE AS 36 POSITIONS.
- TOTAL LENGHT= .100 [2.54] X NO DE COLUMNS
- ADD "LF" SUFFIX AT THE END OF PART NUMBER FOR LEAD FREE OPTION.
- PER CUSTOMER REQUEST TO USE TAPE TO ADHIBIT THE PRODUCT TO THE REEL
AT START AND END.

REEL PACKING DIMENSIONS



PIN PLATING CODES:	WIRE CODES:
10063545-4YYH	120u"/3.05u MIN 93/7 SnPb OVER 50u"/1.27u MIN Ni
10063545-4YYHLF	120u"/3.05u MIN TIN OVER 50u"/1.27u MIN Ni

Mat'l. code NOTES 1 & 2				surface ☒ tolerance ☒ ISO 1302 ☒ ISO 406 ISO 1101		projection 		product family BERGSTIK			
ltr	ecn no	dr	date	tolerances unless otherwise specified				title			
H				angles	linear	INCH/MM ↔		BERGSTIK HEADER D/R			
						.XXX.X/.XXX.X .XXX.X/.XXX.X .XXX.X/.XXX.X		.100/2.54cc STRAIGHT			
				0°±2°		scale 1:1					
		dr	M.HERNANDEZ	11/04/05			dwg no		sheet 2 of 2	size	
		enr	S.FIERRO	11/04/05			10063545		A3		
		chr	S.FIERRO	11/04/05			type Product Customer Drawing				
		appd	S.FIERRO	11/04/05							
sheet index	revision sheet										



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.