Digital Potentiometers (POTs) with 128 Taps and I²C Interface

Description

CAT5136, CAT5137, and CAT5138 are a family of digital POTs operating like mechanical potentiometers in various configurations. The tap points between the 127 equal resistive elements are connected to the wiper output via CMOS switches. The switches are controlled by a 7-bit Wiper Control Register (WCR) via the I²C serial bus. CAT5136 is configured as a variable resistor. CAT5137 and CAT5138 are resistive voltage dividers, with one terminal of the potentiometer connected to GND. CAT5137 and CAT5138 have different device IDs, which makes it possible to use both on the same I²C bus. Upon power-up, the WCR is set to mid-scale (1000000).

Features

- Single Linear Digital Potentiometer with 128 Taps
- End-to-End Resistance of 10 k Ω , 50 k Ω and 100 k Ω
- I²C Interface
- Wiper goes to Midscale at Power-up
- Digital Supply Range (V_{DD}): 2.7 V to 5.5 V
- Low Standby Current
- Industrial Temperature Range: -40°C to +85°C
- 6-pin SC-70 Package
- These Devices are Pb-Free, Halogen Free/BFR Free and are RoHS Compliant

Typical Applications

- LCD Screen Adjustment
- Volume Control
- Mechanical Potentiometer Replacement
- Gain Adjustment
- Line Impedance Matching
- VCOM Setting Adjustments



ON Semiconductor®


http://onsemi.com




SC-70 SD SUFFIX CASE 419AD

PIN CONNECTIONS

(for low pin count devices)





(Top Views)

See detailed pin function descriptions on page 2.

ORDERING INFORMATION

See detailed ordering and shipping information in the package dimensions section on page 9 of this data sheet.




Figure 1. Block Diagram

Table 1. PIN FUNCTION DESCRIPTION

	Pin No.		
CAT5136	CAT5137/CAT5138	Pin Name	Description
1	1	VDD	Digital Supply Voltage (2.7 V to 5.5 V)
2	2	GND	Ground
3	3	SCL	Serial Bus Clock input for the I ² C Serial Bus. This clock is used to clock all data transfers into and out of the CAT5136–8
4	4	SDA	Serial Data Input/Output – Bidirectional Serial Data pin used to transfer data into and out of the CAT5136–8. This is an Open-Drain I/O and can be wire OR'd with other Open-Drain (or Open Collector) I/Os.
5	5	RW	Wiper Terminal for the potentiometer
6	-	RL	Low Reference Terminal for the potentiometer
-	6	RH	High Reference Terminal for the potentiometer

Table 2. ABSOLUTE MAXIMUM RATINGS

Parameter	Symbol	Range	Unit
Temperature Under Bias		-55 to +125	°C
Storage Temperature Range	T _{STG}	-65 to 150	°C
Voltage on any SDA, SCL, A0 & A1 pins with respect to Ground (Note 1)		-0.3 to V _{DD} + 0.3	V
Voltage on RH, RL & RW pins with respect to Ground		-0.3 to V _{DD} + 0.3	V
V _{DD} with respect to Ground		−0.3 to +6	V
Wiper Current (10 sec)		±6	mA
Lead Soldering temperature (10 sec)		+300	°C

Stresses exceeding Maximum Ratings may damage the device. Maximum Ratings are stress ratings only. Functional operation above the Recommended Operating Conditions is not implied. Extended exposure to stresses above the Recommended Operating Conditions may affect device reliability.

Table 3. RECOMMENDED OPERATION CONDITIONS

Parameter	Symbol	Value	Unit
Digital Supply Voltage	V_{DD}	+2.7 to +5.5	V
Operating Temperature Range		-40 to +85	°C

^{1.} Latch-up protection is provided for stresses up to 100 mA on address and data pins from -0.3 V to V_{DD} +0.3 V.

Table 4. POTENTIOMETERS CHARACTERISTICS (Over recommended operating conditions unless otherwise stated.)

				Limits			
Parameter	Symbol	Test Conditions	Min	Тур	Max	Units	
Potentiometer Resistance (10 kΩ)	R _{POT}			10		kΩ	
Potentiometer Resistance (50 kΩ)	R _{POT}			50		kΩ	
Potentiometer Resistance (100 kΩ)	R _{POT}			100		kΩ	
Potentiometer Resistance Tolerance	R _{TOL}				±20	%	
Power Rating		25°C			50	mW	
Wiper Current	Ι _W				±3	mA	
Wiper Resistance	R_W	V _{DD} = 3.3 V		85	200	Ω	
Voltage on R _W , R _H or R _L	V _{TERM}	GND = 0 V; V _{DD} = 2.7 V to +5.5 V	GND		V_{DD}	٧	
Resolution	RES			0.78		%	
Integral Non-Linearity (Note 3)	INL	V _{W(n)(actual)} - V _{W(n)(expected)} (Notes 6, 7)			±1	LSB (Note 5)	
Differential Non-Linearity (Note 4)	DNL	V _{W(n+1)} - [V _{W(n)} +LSB] (Notes 6, 7)			1	LSB (Note 5)	
Resistor Integral Non-Linearity	R _{INL}	R _n - n*LSB (Notes 6, 8)			± 2	LSB (Note 5)	
Resistor Differential Non-Linearity	R _{DNL}	R _n - [R _{n-1} + LSB] (Notes 6, 8)			± 1	LSB (Note 5)	
Temperature Coefficient of R _{POT}	T _{CRPOT}	(Note 2)		±300		ppm/°C	
Ratiometric Temperature Coefficient	T _{CRatio}	(Note 2)			30	ppm/°C	
Potentiometer Capacitances	C _H /C _L /C _W	(Note 2)		10/10/25		pF	
Frequency Response	fc	R _{POT}		0.4		MHz	

- 2. This parameter is tested initially and after a design or process change that affects the parameter.
- 3. Integral Non-Linearity is utilized to determine actual wiper voltage versus expected voltage as determined by wiper position when used as a potentiometer.
- 4. Differential Non-Linearity is utilized to determine the actual change in voltage between two successive tap positions when used as a potentiometer.
- 5. $\dot{L}SB = (R_{HM} R_{LM})/127$; where R_{HM} and R_{LM} are the highest and lowest measured values on the wiper terminal.
- 6. n = 1, 2, ..., 127 7. V_{DD} @ R_H ; V_W measured @ R_W with no load. 8. Rw and R_L in the range of 0 V and V_{DD} .

Table 5. D.C. ELECTRICAL CHARACTERISTICS (Over recommended operating conditions unless otherwise stated.)

Parameter	Symbol	Test Conditions	Min	Max	Units
Power Supply Current (Write/Read)	I _{DD}	F _{SCL} = 400 kHz, SDA Open, V _{DD} = 5.5 V, Input = GND		200	μΑ
Standby Current	I _{SB(VDD)}	$V_{IN} = GND \text{ or } V_{DD}$, SDA = V_{DD}		0.5	μΑ
Input Leakage Current	I _{LI}	V _{IN} = GND to V _{DD}	-1	1	μΑ
Output Leakage Current	I _{LO}	V _{OUT} = GND to V _{DD}	-1	1	μΑ
Input Low Voltage	V_{IL}		-0.3	V _{DD} x 0.3	V
Input High Voltage	V _{IH}		V _{DD} x 0.7	V _{DD} + 0.3	V
Output Low Voltage (V _{DD} = 3.0 V)	V _{OL}	I _{OL} = 3 mA		0.4	V

Table 6. A.C. CHARACTERISTICS

Parameter (see Figure 6)	Symbol	Min	Тур	Max	Units
Clock Frequency	F _{SCL}			400	kHz
Noise Suppression Time Constant at SCL & SDA Inputs	T _I (Note 9)			50	ns
SCL Low to SDA Data Out and ACK Out	t _{AA}			1	μs
Time the bus must be free before a new transmission can start	t _{BUF} (Note 9)	1.2			μs
Start Condition Hold Time	t _{HD:STA}	0.6			μs
Clock Low Period	t _{LOW}	1.2			μs
Clock High Period	t _{HIGH}	0.6			μs
Start Condition Setup Time (for a Repeated Start Condition)	t _{SU:STA}	0.6			μs
Data In Setup Time	t _{SU:DAT}	100			ns
Data in Hold Time	t _{HD:DAT}	0			μs
SDA and SCL Rise Time	t _R (Note 9)			0.3	μs
SDA and SCL Fall Time	t _F (Note 9)			300	ns
Stop Conditions Setup Time	t _{SU:STO}	0.6			μs
Data Out Hold Time	t _{DH}	100			ns

^{9.} This parameter is tested initially and after a design or process change that affects the parameter.

Table 7. CAPACITANCE ($T_A = 25$ °C, f = 1.0 MHz, $V_{DD} = 5.0$ V)

Parameter	Symbol	Test Conditions	Min	Тур	Max	Unit
Input/Output Capacitance (SDA, SDC)	C _{I/O}	V _{I/O} = 0 V (Note 10)			10	pF

^{10.} This parameter is tested initially and after a design or process change that affects the parameter.

Table 8. POWER-UP TIMING (Notes 11, 12)

Symbol	Parameter	Min	Max	Units
t _{PUR}	Power-up to Read Operation		1	ms
t _{PUW}	Power-up to Write Operation		1	ms


^{11.} This parameter is tested initially and after a design or process change that affects the parameter.

Table 9. WIPER TIMING

Symbol	Parameter	Min	Max	Units
t _{WRPO}	Wiper Response Time After Power Supply Stable	5	10	μs
t _{WRL}	Wiper Response Time After Instruction Issued	5	10	μs

^{12.} t_{PUR} and t_{PUW} are the delays required from the time V_{DD} is stable until the specified operation can be initiated.

TYPICAL PERFORMANCE CHARACTERISTICS



1.0 0.8 Potentiometer Configuration T_A = +25°C, R_{POT} = 10 $k\Omega$ 0.6 0.4 0.2 INL (LSB) -0.2 -0.4 -0.6 $V_{CC} = 2.7 V$ V_{CC} = 5.5 V -0.8 -1.0 16 32 48 64 80 96 112 128 TAP POSITION




Figure 4. Integral Non-Linearity

Figure 5. Differential Non-Linearity




Figure 6. Bus Timing

SERIAL BUS PROTOCOL

The following defines the features of the I²C bus protocol:

- 1. Data transfer may be initiated only when the bus is not busy.
- During a data transfer, the data line must remain stable whenever the clock line is high. Any changes in the data line while the clock is high will be interpreted as a START or STOP condition.

The device controlling the transfer is a master, typically a processor or controller, and the device being controlled is the slave. The master will always initiate data transfers and provide the clock for both transmit and receive operations. Therefore, the CAT513x will be considered a slave device in all applications.

START Condition

The START Condition precedes all commands to the device, and is defined as a HIGH to LOW transition of SDA when SCL is HIGH. The CAT513x monitors the SDA and SCL lines and will not respond until this condition is met (see Figure 7).

STOP Condition

A LOW to HIGH transition of SDA when SCL is HIGH determines the STOP condition. All operations must end with a STOP condition (see Figure 7).

Acknowledge

After a successful data transfer, each receiving device is required to generate an acknowledge. The acknowledging device pulls down the SDA line during the ninth clock cycle, signaling that it received the 8 bits of data (see Figure 8).

The CAT513x responds with an acknowledge after receiving a START condition and its slave address. If the device has been selected along with a write operation, it responds with an acknowledge after receiving each 8-bit byte.

When the CAT513x is in a READ mode it transmits 8 bits of data, releases the SDA line, and monitors the line for an acknowledge. Once it receives this acknowledge, the CAT513x will continue to transmit data. If no acknowledge is sent by the Master, the device terminates data transmission and waits for a STOP condition.




Figure 7. Start/Stop Condition




Figure 8. Acknowledge Condition

DEVICE DESCRIPTION

Slave Address Instruction Byte Description

The first byte sent to the CAT513x from the master processor is called the Slave Address Byte. The most significant seven bits of the slave address are a device type identifier. For CAT5136 and CAT5137 these bits are fixed at 0101110. For CAT5138, they are 0111110. This allows both CAT5137 and CAT5138, which are functionally identical, to reside on the same bus (refer to Table 10).

Only the device with slave address matching the input byte will be accessed by the master.

The last bit is the READ/WRITE bit and determines the function to be performed. If it is a "1" a read command is initiated and if it is a "0" a write is initiated.

After the Master sends a START condition and the slave address byte, the CAT513x monitors the bus and responds with an acknowledge when its address matches the transmitted slave address.

Table 10. BYTE 1 SLAVE ADDRESS AND INSTRUCTION BYTE

		Device Type Identifier												
Device	ID6	ID5	ID4	ID3	ID2	ID1	ID0	Read/Write						
CAT5136	0	1	0	1	1	1	0	R/W						
CAT5137	0	1	0	1	1	1	0	R/W						
CAT5138	0	1	1	1	1	1	0	R/W						

(MSB) (LSB)

Wiper Control Register (WCR) Description

The CAT513x contains a 7-bit volatile Wiper Control Register which is decoded to select one of the 128 switches along its resistor array. The Wiper Control Register loses its contents when the CAT513x is powered-down. At power-up, the register is loaded with the midscale value 40h. The contents of the WCR may be read or changed directly by the host using a READ/WRITE command on the I²C bus (see Table 1 to access WCR). Since the CAT513x will only make use of the 7 LSB bits, the first data bit, or MSB, is ignored on write instructions and will always come back as a "0" on read commands.

A write operation (see Table 11) requires a Start condition, followed by a valid slave address byte, a valid address byte 00h, a data byte and a STOP condition. After each of the three bytes, the CAT513x responds with an acknowledge. After the third byte, the data is written to the Wiper Control Register, and the wiper changes position accordingly.

A read operation (see Table 12) requires a Start condition, followed by a valid slave address byte for write, a valid address byte 00h, a second START and a second slave address byte for read. After each of the three bytes, the CAT513x responds with an acknowledge and then the device transmits the data byte. The master terminates the read operation by issuing a STOP condition following the last bit of Data byte.

Table 11. WRITE OPERATION

CAT5136 and CAT5137

_	1st byte											2nd byte							3rd byte								
STAR	SLAVE ADDRESS							qΜ	ACK		Α)R YT		SS		ACK	DATA BYTE IN							ACK	STOP	
S	0	1	0	1	1	1	0	0	Α	0	0 0 0 0 0 0 0				Α	Χ	D6	D5	D4	D3	D2	D1	D0	Α	Р		

CAT5138

Т												2	2nc	b	yte)			3rd byte									
STAR	SLAVE ADDRESS ≥								qΜ	ACK		A	B) DD			S		ACK	Ö DATA BYTE IN								ACK	STOP
S	0	1		1	1	1	1	0	0	Α	0	0 (0 0	0	0	0	0	Α	Χ	D6	D5	D4	D3	D2	D1	D0	Α	Р

Table 12. READ OPERATION

CAT5136 and CAT5137

_	1st byte 2nd byte				Т			(Brd b	yte							4th	byte)			×		
STAR	SLAVE ADDRESS	Wb	ACK	ADDRESS BYTE	ACK	STAR	SLAVE ADDRESS R				ACK	(DUTE	PUT	DAT	A BY	TE		NoAC	STOP				
S	0 1 0 1 1 1 0	0	Α	00000000	Α	S	0	1	0	1	1	1	0	1	Α	0 D6	D5	D4	D3	D2	D1	D0	NA	Р

CAT5138

	1st byte		2nd byte		Τ			(3rd b	yte					4th byte				×				
STAR	SLAVE o ADDRESS ≥	ACK	ADDRESS BYTE	ACK	STAR	SLAVE ADDRESS R				ACK	C	OUTF	PUT	DAT	A BY	ΤE		NoAC	STOP				
s	0 1 1 1 1 1 0 0	Α	0 0 0 0 0 0 0 0	Α	s	0	1	1	1	1	1	0	1	Α	0 D6	D5	D4	D3	D2	D1	D0	NA	Р

POTENTIOMETER OPERATION

CAT5136, CAT5137, CAT5138 are a family of a 128-position, digital controlled potentiometers. When V_{DD} is applied, the device automatically turns on at the mid-point wiper location (64).

At power-down, it is recommended to turn-off first the signals on RH, RW and RL, followed by VDD, in order to avoid unexpected transitions of the wiper and uncontrolled current overload of the potentiometer.

The end-to-end nominal resistance of the potentiometer has 128 contact points linearly distributed across the total resistor. Each of these contact points is addressed by the 7 bit wiper register which is decoded to select one of these 128 contact points.

Each contact point generates a linear resistive value between the 0 position and the 127 position. These values can be determined by dividing the end-to-end value of the potentiometer by 127. In the case of the 50 k Ω potentiometer ~390 Ω is the resistance between each wiper position. However in addition to the ~390 Ω for each resistive segment of the potentiometer, a wiper resistance offset must be considered. Table 13 shows the effect of this value and how it would appear on the wiper terminal.

Table 13. POTENTIOMETER RESISTANCE AND WIPER RESISTANCE OFFSET EFFECTS

Position	Typical RW to RL Resistance fo	or 50 kΩ Digital Potentiometer
00	70 Ω or	0 Ω + 70 Ω
01	460 Ω or	390 Ω + 70 Ω
63	24,870 Ω or	24,800 Ω + 70 Ω
127	50,070 Ω or	50,000 Ω + 70 Ω

Table 14. ORDERING INFORMATION

Device Order Number	Specific Device Marking	Package Type	Temperature Range	Resistance (kΩ)	Lead Finish	Shipping [†]
CAT5136SDI-50GT3	P64	SC-70-6	I = Industrial (-40°C to +85°C)	50	NiPdAu	3,000 / Tape & Reel
CAT5137SDI-10GT3 (Note 14)	P72	SC-70-6	I = Industrial (-40°C to +85°C)	10	NiPdAu	3,000 / Tape & Reel
CAT5137SDI-00GT3	P75	SC-70-6	I = Industrial (-40°C to +85°C)	100	NiPdAu	3,000 / Tape & Reel
CAT5138SDI-10GT3	P82	SC-70-6	I = Industrial (-40°C to +85°C)	10	NiPdAu	3,000 / Tape & Reel


[†]For information on tape and reel specifications, including part orientation and tape sizes, please refer to our Tape and Reel Packaging Specifications Brochure, BRD8011/D.

13. For detailed information and a breakdown of device nomenclature and numbering systems, please see the ON Semiconductor Device Nomenclature document, TND310/D, available at www.onsemi.com


^{14.} Contact factory for availability.

PACKAGE DIMENSIONS


SC-88 (SC-70 6 Lead), 1.25x2 CASE 419AD ISSUE A




TOP VIEW



SIDE VIEW





END VIEW

Notes:

- (1) All dimensions are in millimeters. Angles in degrees.
- (2) Complies with JEDEC MO-203.

PUBLICATION ORDERING INFORMATION

LITERATURE FULFILLMENT:

Literature Distribution Center for ON Semiconductor P.O. Box 5163, Denver, Colorado 80217 USA

Phone: 303-675-2175 or 800-344-3860 Toll Free US

Phone: 303-675-2175 or 800-344-3860 Toll Free USA/Canada Fax: 303-675-2176 or 800-344-3867 Toll Free USA/Canada Email: orderlit@onsemi.com

N. American Technical Support: 800–282–9855 Toll Free USA/Canada Europe, Middle East and Africa Technical Support:

Europe, Middle East and Africa Technical Support: Phone: 421 33 790 2910 Japan Customer Focus Center Phone: 81–3–5817–1050 ON Semiconductor Website: www.onsemi.com

Order Literature: http://www.onsemi.com/orderlit

For additional information, please contact your local Sales Representative



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов:
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001:
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина,

дом 2, корпус 4, литера А.