

## TDA 5240, TDA 5235, TDA 5225 ASK/FSK Autonomous Receiver Family

It sounds like a contradictory combination, yet this is what is more and more requested from your receiver design: long range, low energy consumption and flexible adaptation to customer requirements.

You think this requires high development effort and expensive additional components in your design?

Not with our new high sensitivity, low-power receiver family SmartLEWIS RX+. The SmartLEWIS RX+ family consisting of TDA5240, TDA5235 and TDA5225 covers all those requirements with a minimum of external components.

- Flexibility
  - Multi-band, multi-channel receiver
  - Extremely low software development efforts especially with TDA5240/ TDA5235
  - Multi-protocol handling
  - Only one device for multiple applications (RKE+TPMS+Remote start)
  - Complementary product portfolio with Infineon's transmitters and upcoming transceiver family
- Low Cost
  - Reduced bill of material through highest integration
  - Integrated LNA to achieve high sensitivity
  - Internal IF filter (optional usage of external filter possible)
  - Minimum external component count
  - Optimized product family to offer best cost-feature-ratio

### Applications

- Remote keyless entry systems
- Remote start applications
- Tire pressure monitoring
- Remote control units
- Cordless alarm systems
- Remote metering

### Performance TDA5240/35/25


- Multi-band (300-320, 425-450, 863-870, 902-928 MHz) for worldwide operation coverage
- 10.5 Hz high resolution Sigma-Delta Fractional-N PLL
- One crystal frequency for all supported frequency bands
- Integrated IF-filter but also optional external CER filter possible
- Low supply current (0.8  $\mu$ A in Power down, 12 mA for Run Mode)
- Datarate up to 112 kchip/s
- ESD protection +/-2kV on all pins
- Digital RSSI peak detectors
- On-chip temperature sensor
- Voltage supply range 3.3 / 5.0 V
- Temperature range -40..+105°C
- Automotive Qualified

### Additional TDA5240/ TDA5235 features

- Highest sensitivity receiver
  - Typ. -118 dBm for FSK
  - Typ. -116 dBm for ASK
- Autonomous receive mode leads to reduced noise of host processor, improved sensitivity and reduced power consumption of the system
- Up to 4 (TDA5240) / 2 (TDA5235) parallel parameter sets and up to 12 different frequency channels (TDA5240 only)
- Several embedded encodings and modulation schemes
- Ultrafast Fallback Wake-up criterion reduces receiver's active time, when no data available

# TDA 5240, TDA 5235, TDA 5225

## ASK/FSK Autonomous Receiver Family



Application example TDA5240/ TDA5235

| Ordering Information |               |          |
|----------------------|---------------|----------|
| Type                 | Ordering Code | Package  |
| TDA5240              | SP000550860   | TSSOP-28 |
| TDA5235              | SP000507674   | TSSOP-28 |
| TDA5225              | SP000507672   | TSSOP-28 |

| Evaluation Kits     |            |           |               |
|---------------------|------------|-----------|---------------|
| Type                | Modulation | Frequency | Ordering Code |
| TDA5240_315_5_BOARD | ASK/FSK    | 315 MHz   | SP000535296   |
| TDA5240_434_5_BOARD | ASK/FSK    | 434 MHz   | SP000535300   |
| TDA5240_868_5_BOARD | ASK/FSK    | 868 MHz   | SP000535304   |
| TDA5240_915_5_BOARD | ASK/FSK    | 915 MHz   | SP000799568   |
| TDA5235_315_5_BOARD | ASK/FSK    | 315 MHz   | SP000640510   |
| TDA5235_434_5_BOARD | ASK/FSK    | 434 MHz   | SP000640514   |
| TDA5235_868_5_BOARD | ASK/FSK    | 868 MHz   | SP000640518   |
| TDA5235_915_5_BOARD | ASK/FSK    | 915 MHz   | SP000799564   |
| TDA5225_315_5_BOARD | ASK/FSK    | 315 MHz   | SP000643648   |
| TDA5225_434_5_BOARD | ASK/FSK    | 434 MHz   | SP000643654   |
| TDA5225_868_5_BOARD | ASK/FSK    | 868 MHz   | SP000643658   |
| TDA5225_915_5_BOARD | ASK/FSK    | 915 MHz   | SP000775162   |

Published by  
Infineon Technologies AG  
85579 Neubiberg, Germany

© 2010 Infineon Technologies AG.  
All Rights Reserved.

Visit us:  
[www.infineon.com](http://www.infineon.com)

Order Number: B142-H9471-X-X-7600  
Date: 04 / 2010

#### ATTENTION PLEASE!

The information given in this document shall in no event be regarded as a guarantee of conditions or characteristics ("Beschaffenheitsgarantie"). With respect to any examples or hints given herein, any typical values stated herein and/or any information regarding the application of the device, Infineon Technologies hereby disclaims any and all warranties and liabilities of any kind, including without limitation warranties of non-infringement of intellectual property rights of any third party.

#### INFORMATION

For further information on technology, delivery terms and conditions and prices please contact your nearest Infineon Technologies Office ([www.infineon.com](http://www.infineon.com)).

#### WARNINGS

Due to technical requirements components may contain dangerous substances. For information on the types in question please contact your nearest Infineon Technologies Office. Infineon Technologies Components may only be used in life-support devices or systems with the express written approval of Infineon Technologies, if a failure of such components can reasonably be expected to cause the failure of that life-support device or system, or to affect the safety or effectiveness of that device or system. Life support devices or systems are intended to be implanted in the human body, or to support and/or maintain and sustain and/or protect human life. If they fail, it is reasonable to assume that the health of the user or other persons may be endangered.



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.