

DO NOT SCALE DRAWING

PLUG MOLD COVER B	51236-1205	1	51236-2005	1	51236-3005	1
PLUG MOLD COVER A	51235-1215	1	51235-2015	1	51235-3015	1
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
PLUG SHELL COVER	56381-1200	1	56381-2000	1	56381-3000	1
PLUG SHELL BODY	56380-1200	1	56380-2000	1	56380-3000	1
PLUG SOCKET HS'G	51239-1201	1	51239-2001	1	51239-3001	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54332-1200		54332-2000		54332-3000	
タイプ TYPE	STANDARD TYPE					

54332-3004	54332-***04		
54332-2004			
54332-1204			
54332-3003	54332-***03		
54332-2003			
54332-1203			
54332-3002	54332-***02		
54332-2002			
54332-1202			
54332-3001	54332-***01		
54332-2001			
54332-1201			
54332-3000	54332-***00		
54332-2000			
54332-1200			
MATERIAL NO.	MODEL NO.		
DIMENSIONS:		SHT	REV
☐ mm ☐ INCH ☒ mm ONLY		REVISE ON CAD ONLY	

DESIGNO. DRWN: CHK'g APPR:		DESIGNO. DRWN: CHK'g APPR:	DESIGNO. DRWN: CHK'g APPR:	REVISED '01/08/02	RELEASED '01/06/21	MATERIAL 材料		GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	☐ mm INCH ☐ mm ONLY	SIZE B		
				J2002-0255	JD2001-1709		FINISH 仕上げ	10 UNDER 未満	+0.2	DRAWN BY & DATE				TITLE: COMPACT ROBOT CONN. PLUG SOCKET SET	
				N.MORI	S.AKIYAMA			10 OVER 以上	30 UNDER 未満	+0.25					CHECKED BY & DATE
				J.MIYAZAWA	J.MIYAZAWA			30 OVER 以上	+0.3	APPROVED BY & DATE					
				YO.ITO	Y.ITO			WIRE RANGE 適用電線範囲	ANGLE 角度	+3°					CAD FILENAME
B	A	REV	INS. RANGE 被覆外径				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.						SIZE R		

DWG. NO.
SD-54332-002

F

D

C

B

DO NOT SCALE DRAWING

PLUG MOLD COVER B	51236-1205	1	51236-2005	1	51236-3005	1
PLUG MOLD COVER A	51235-1215	1	51235-2015	1	51235-3015	1
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
PLUG SHELL COVER	56381-1200	1	56381-2000	1	56381-3000	1
PLUG SHELL BODY	56380-1200	1	56380-2000	1	56380-3000	1
PLUG SOCKET HS'G	51239-1202	1	51239-2002	1	51239-3002	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54332-1201		54332-2001		54332-3001	
タイプ TYPE	A TYPE					

1204NO. DRWN: CH'K: APPR:		1203NO. DRWN: CH'K: APPR:		1202NO. DRWN: CH'K: APPR:		1201NO. DRWN: CH'K: APPR:		SEE SHEET 1 OF 5 1200NO. DRWN: CH'K: APPR:		DESCRIPTION MATERIAL 材料 —#— FINISH 仕上げ —#— WIRE RANGE 適用電線範囲 —#— REV INS. RANGE 被覆外径 —#—		GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差 10 UNDER 未満 ±0.2 10 OVER 30 UNDER 以上 未満 ±0.25 30 OVER 以上 ±0.3 ANGLE 角度 ±3°		SCALE DESIGN UNITS mm mm INCH mm ONLY		DRAWN BY & DATE S. Nakayama 01/06/21 CHECKED BY & DATE Y. Ota APPROVED BY & DATE CAD FILENAME 54332002.S02		TITILE: COMPACT ROBOT CONN. PLUG SOCKET SET MOLEX INCORPORATED		DIMENSIONS: mm mm INCH mm ONLY SHT REV REVISE ON CAD ONLY	
8		7		6		5		4		3		2		1		EN-02J(097) MXJ-54					

54332002.S02

DWG. NO.
SD-54332-002

F

D

C

B

DO NOT SCALE DRAWING

PLUG MOLD COVER B	51236-1205	1	51236-2005	1	51236-3005	1
PLUG MOLD COVER A	51235-1215	1	51235-2015	1	51235-3015	1
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
PLUG SHELL COVER	56381-1200	1	56381-2000	1	56381-3000	1
PLUG SHELL BODY	56380-1200	1	56380-2000	1	56380-3000	1
PLUG SOCKET HS'G	51239-1203	1	51239-2003	1	51239-3003	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54332-1202		54332-2002		54332-3002	
タイプ TYPE	B TYPE					

1204 NO. DRWN: CH'K: APPR:		1203 NO. DRWN: CH'K: APPR:		1202 NO. DRWN: CH'K: APPR:		1201 NO. DRWN: CH'K: APPR:		SEE SHEET 1 OF 5 1200 NO. DRWN: CH'K: APPR:		DESCRIPTION MATERIAL 材料 FINISH 仕上げ WIRE RANGE 適用電線範囲 REV INS. RANGE 被覆外径	GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差		SCALE		DESIGN UNITS mm INCH		DIMENSIONS: mm INCH		SHT		REV				
											10 UNDER 未満		±0.2		DRAWN BY & DATE S. Miyama 01/06/21		TITILE:								
											10 OVER 30 UNDER 以上 未満		±0.25		CHECKED BY & DATE Y. Matsuda		COMPACT ROBOT CONN. PLUG SOCKET SET								
											30 OVER 以上		±0.3		APPROVED BY & DATE Y. Matsuda		MOLEX INCORPORATED								
												ANGLE 角度		±3°		CAD FILENAME 54332002.S03		MATERIAL NO. —#—		DRAWING NO. SD-54332-002		SHEET NO. 3 OF 5			
												THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.												SIZE B	

DWG. NO.
SD-54332-002

F

D

C

B

DO NOT SCALE DRAWING

PLUG MOLD COVER B	51236-1205	1	51236-2005	1	51236-3005	1
PLUG MOLD COVER A	51235-1215	1	51235-2015	1	51235-3015	1
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
PLUG SHELL COVER	56381-1200	1	56381-2000	1	56381-3000	1
PLUG SHELL BODY	56380-1200	1	56380-2000	1	56380-3000	1
PLUG SOCKET HS'G	51239-1204	1	51239-2004	1	51239-3004	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54332-1203		54332-2003		54332-3003	
タイプ TYPE	C TYPE					

1204 NO. DRWN: CH'K: APPR:		1203 NO. DRWN: CH'K: APPR:		1202 NO. DRWN: CH'K: APPR:		1201 NO. DRWN: CH'K: APPR:		SEE SHEET 1 OF 5		DESCRIPTION		MATERIAL 材料		GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差		SCALE		DESIGN UNITS mm INCH		DIMENSIONS: mm INCH mm ONLY		SHT		REV	
										FINISH 仕上げ		—#—		10 UNDER 未満		±0.2		DRAWN BY & DATE S. Nakayama 01/06/21		TITLE:					
										WIRE RANGE 適用電線範囲		—#—		10 OVER 30 UNDER 以上 未満		±0.25		CHECKED BY & DATE Y. Ito		COMPACT ROBOT CONN. PLUG SOCKET SET					
										INS. RANGE 被覆外径		—#—		30 OVER 以上		±0.3		APPROVED BY & DATE Y. Ito		MOLEX INCORPORATED					
										REV				ANGLE 角度		±3°		CAD FILENAME 54332002.S04		MATERIAL NO. —#—		DRAWING NO. SD-54332-002		SHEET NO. 4 OF 5	
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.																		SIZE B							

54332002.S04

DWG. NO.
SD-54332-002

F

D

C

B

DO NOT SCALE DRAWING

PLUG MOLD COVER B	51236-1205	1	51236-2005	1	51236-3005	1
PLUG MOLD COVER A	51235-1215	1	51235-2015	1	51235-3015	1
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
PLUG SHELL COVER	56381-1200	1	56381-2000	1	56381-3000	1
PLUG SHELL BODY	56380-1200	1	56380-2000	1	56380-3000	1
PLUG SOCKET HS'G	51239-1205	1	51239-2005	1	51239-3005	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54332-1204		54332-2004		54332-3004	
タイプ TYPE	D TYPE					

1204 NO. DRWN: CH'K: APPR:		1203 NO. DRWN: CH'K: APPR:		1202 NO. DRWN: CH'K: APPR:		1201 NO. DRWN: CH'K: APPR:		SEE SHEET 1 OF 5 1200 NO. DRWN: CH'K: APPR:		DESCRIPTION MATERIAL 材料 FINISH 仕上げ WIRE RANGE 適用電線範囲 REV INS. RANGE 被覆外径	GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差		SCALE		DESIGN UNITS mm INCH		DIMENSIONS: mm INCH mm ONLY		SHT REV			
10 UNDER 未満		10 OVER 30 UNDER 以上 未満		30 OVER 以上		ANGLE 角度		DRAWN BY & DATE S. Miyama 01/06/21			CHECKED BY & DATE Y. Ito		APPROVED BY & DATE Y. Ito		CAD FILENAME 54332002.S05		MATERIAL NO. —#—		DRAWING NO. SD-54332-002		SHEET NO. 5 OF 5	

COMPACT ROBOT CONN.
PLUG SOCKET SET

MOLEX INCORPORATED

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.

SIZE
B

54332002.S05



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.