

DWG. NO.
SD-54332-002

F

D

C

B

DO NOT SCALE DRAWING

PLUG MOLD COVER B	51236-1205	I	51236-2005	I	51236-3005	I
PLUG MOLD COVER A	51235-1215	I	51235-2015	I	51235-3015	I
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	I	56382-2000	I	56382-3000	I
PLUG SHELL COVER	56381-1200	I	56381-2000	I	56381-3000	I
PLUG SHELL BODY	56380-1200	I	56380-2000	I	56380-3000	I
PLUG SOCKET HS'G	51239-1201	I	51239-2001	I	51239-3001	I
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54332-1200		54332-2000		54332-3000	
タイプ TYPE	STANDARD TYPE					

54332-3004	54332-***04
54332-2004	
54332-1204	
54332-3003	54332-***03
54332-2003	
54332-1203	
54332-3002	54332-***02
54332-2002	
54332-1202	
54332-3001	54332-***01
54332-2001	
54332-1201	
54332-3000	54332-***00
54332-2000	
54332-1200	

MATERIAL NO.	MODEL NO.
DIMENSIONS:	SHT REV
☐ mm ☐ INCH ☒ mm ONLY	REVISE ON CAD ONLY

234NO. DRWN: CHK: APPR:	233NO. DRWN: CHK: APPR:	232NO. DRWN: CHK: APPR:	REVISED '01/08/02 231NO. J2002-0255 DRWN: N.OMORI CHK: J.MIYAZAWA APPR: YO.ITO	RELEASED '01/06/21 230NO. JD2001-1709 DRWN: S.AKIYAMA CHK: J.MIYAZAWA APPR: Y.ITO	DESCRIPTION	MATERIAL 材料	— # —	GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差	SCALE 	DESIGN UNITS ☒ mm ☐ INCH	 23RD ANGLE PROJECTION	☐ mm INCH	☐ INCH mm	☒ mm ONLY	23WISE ON CAD ONLY
						FINISH 仕上げ	10 UNDER 未満	±0.2	DRAWN BY & DATE S. Akiyama '01/06/21	TITLE: COMPACT ROBOT CONN. PLUG SOCKET SET					
						WIRE RANGE 適用電線範囲	10 OVER 30 UNDER 以上 未満	±0.25	CHECKED BY & DATE Y. Harada						
						INS. RANGE 被覆外径	30 OVER 以上	±0.3	APPROVED BY & DATE Y. Ota						
							ANGLE 角度	±3°	CAD FILENAME 54332002.S01	MATERIAL NO. SEE CHART	DRAWING NO. SD-54332-002	SHEET NO. 1 OF 5			
									23888 DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.						SIZE B

DWG. NO.
SD-54332-002

F

D

C

B

DO NOT SCALE DRAWING

PLUG MOLD COVER B	51236-1205	1	51236-2005	1	51236-3005	1
PLUG MOLD COVER A	51235-1215	1	51235-2015	1	51235-3015	1
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
PLUG SHELL COVER	56381-1200	1	56381-2000	1	56381-3000	1
PLUG SHELL BODY	56380-1200	1	56380-2000	1	56380-3000	1
PLUG SOCKET HS'G	51239-1202	1	51239-2002	1	51239-3002	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54332-1201		54332-2001		54332-3001	
タイプ TYPE	A TYPE					

1204 NO. DRWN: CH'K: APPR:		1203 NO. DRWN: CH'K: APPR:		1202 NO. DRWN: CH'K: APPR:		1201 NO. DRWN: CH'K: APPR:		SEE SHEET 1 OF 5 1200 NO. DRWN: CH'K: APPR:		DESCRIPTION MATERIAL 材料 —#— FINISH 仕上げ —#— WIRE RANGE 適用電線範囲 —#— REV INS. RANGE 被覆外径 —#—		GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差 10 UNDER 未満 ±0.2 10 OVER 30 UNDER 以上 未満 ±0.25 30 OVER 以上 ±0.3 ANGLE 角度 ±3°		SCALE DESIGN UNITS mm mm INCH mm ONLY		DRAWN BY & DATE S. Nakayama 01/06/21 CHECKED BY & DATE Y. Ota APPROVED BY & DATE		TITILE: COMPACT ROBOT CONN. PLUG SOCKET SET MOLEX INCORPORATED		DIMENSIONS: mm mm INCH mm INCH mm ONLY		SHT REV	
														CAD FILENAME 54332002.S02		MATERIAL NO. —#—		DRAWING NO. SD-54332-002		SHEET NO. 2 OF 5		SIZE B	
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.																						EN-02J(097) MXJ-54	

DWG. NO.
SD-54332-002

F

D

C

B

DO NOT SCALE DRAWING

PLUG MOLD COVER B	51236-1205	1	51236-2005	1	51236-3005	1
PLUG MOLD COVER A	51235-1215	1	51235-2015	1	51235-3015	1
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
PLUG SHELL COVER	56381-1200	1	56381-2000	1	56381-3000	1
PLUG SHELL BODY	56380-1200	1	56380-2000	1	56380-3000	1
PLUG SOCKET HS'G	51239-1203	1	51239-2003	1	51239-3003	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54332-1202		54332-2002		54332-3002	
タイプ TYPE	B TYPE					

1204 NO. DRWN: CH'K: APPR:		1203 NO. DRWN: CH'K: APPR:		1202 NO. DRWN: CH'K: APPR:		1201 NO. DRWN: CH'K: APPR:		SEE SHEET 1 OF 5 1200 NO. DRWN: CH'K: APPR:		DESCRIPTION REV	MATERIAL 材料	GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差		SCALE	DESIGN UNITS mm INCH	TYPED ANGLE PROJECTION	DIMENSIONS: ☐ mm ☐ INCH ☒ mm ONLY	SHT	REV						
											FINISH 仕上げ	10 UNDER 未満	±0.2	DRAWN BY & DATE S. Nakayama 01/06/21	TITLE: COMPACT ROBOT CONN. PLUG SOCKET SET										
											WIRE RANGE 適用電線範囲	10 OVER 30 UNDER 以上 未満	±0.25	CHECKED BY & DATE Y. Ito	MOLEX INCORPORATED										
											INS. RANGE 被覆外径	30 OVER 以上	±0.3	APPROVED BY & DATE Y. Ito											
											ANGLE 角度	±3°	CAD FILENAME 54332002.S03	MATERIAL NO. —#—	DRAWING NO. SD-54332-002	SHEET NO. 3 OF 5									
												THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.												SIZE B	

54332002.S03

DO NOT SCALE DRAWING

PLUG MOLD COVER B	51236-1205	1	51236-2005	1	51236-3005	1
PLUG MOLD COVER A	51235-1215	1	51235-2015	1	51235-3015	1
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
PLUG SHELL COVER	56381-1200	1	56381-2000	1	56381-3000	1
PLUG SHELL BODY	56380-1200	1	56380-2000	1	56380-3000	1
PLUG SOCKET HS'G	51239-1204	1	51239-2004	1	51239-3004	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54332-1203		54332-2003		54332-3003	
タイプ TYPE	C TYPE					

04NO. DRWN: CHK: APPR:	03NO. DRWN: CHK: APPR:	02NO. DRWN: CHK: APPR:	01NO. DRWN: CHK: APPR:	SEE SHEET 1 OF 5 00NO. DRWN: CHK: APPR:	DESCRIPTION MATERIAL 材料 FINISH 仕上げ WIRE RANGE 適用電線範囲 INS. RANGE 被覆外径	GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差	SCALE 	DESIGN UNITS ☒ MM ☐ INCH	THIRD ANGLE PROJECTION	DIMENSIONS: ☐ MM ☐ INCH ☒ MM ONLY	SHT 01 OF 01	REV 01 OF 01
						10 UNDER 未満	±0.2	DRAWN BY & DATE S. Ishiyama 01/06/21	TITLE: COMPACT ROBOT CONN. PLUG SOCKET SET MOLEX INCORPORATED			
						10 OVER 以上 30 UNDER 未満	±0.25	CHECKED BY & DATE M. Marano				
						30 OVER 以上	±0.3	APPROVED BY & DATE Y. Ota				
						ANGLE 角度	±3°	CAD FILENAME 54332002.S04	MATERIAL NO. —	DRAWING NO. SD-54332-002	SHEET NO. 4 OF 5	SIZE B

DWG. NO.
SD-54332-002

F

D

C

B

DO NOT SCALE DRAWING

PLUG MOLD COVER B	51236-1205	1	51236-2005	1	51236-3005	1
PLUG MOLD COVER A	51235-1215	1	51235-2015	1	51235-3015	1
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
PLUG SHELL COVER	56381-1200	1	56381-2000	1	56381-3000	1
PLUG SHELL BODY	56380-1200	1	56380-2000	1	56380-3000	1
PLUG SOCKET HS'G	51239-1205	1	51239-2005	1	51239-3005	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54332-1204		54332-2004		54332-3004	
タイプ TYPE	D TYPE					

1204NO. DRWN: CH'K: APPR:		1203NO. DRWN: CH'K: APPR:		1202NO. DRWN: CH'K: APPR:		1201NO. DRWN: CH'K: APPR:		SEE SHEET 1 OF 5 1200NO. DRWN: CH'K: APPR:		DESCRIPTION MATERIAL 材料 FINISH 仕上げ WIRE RANGE 適用電線範囲 REV INS. RANGE 被覆外径	GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差		SCALE		DESIGN UNITS mm INCH		DIMENSIONS: mm INCH		SHT REV	
10 UNDER 未満		10 OVER 以上		30 UNDER 未満		30 OVER 以上		ANGLE 角度			DRAWN BY & DATE S. Miyama 01/06/21		CHECKED BY & DATE Y. Ito		APPROVED BY & DATE Y. Ito		TITLE: COMPACT ROBOT CONN. PLUG SOCKET SET		MOLEX INCORPORATED	
CAD FILENAME 54332002.S05		MATERIAL NO. —#—		DRAWING NO. SD-54332-002		SHEET NO. 5 OF 5		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.			SIZE B									

54332002.S05

A



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.