




PRODUCT NO.	DESCRIPTION
73474-101	HEAT STAKE VERSION
73474-101LF	HEAT STAKE VERSION


FRONT VIEW



HEAT-STAKE
PEG VERSION



REQUIRED PC BOARD LAYOUT
COMPONENT SIDE




NOTES:

- HOUSING MATERIAL: LCP, 30% GLASS FILLED
FLAME RETARDANT PER UL 94V-0.
COLOR: NATURAL
- INDICATED HOLES ARE UNPLATED.
- SEE SHEET 2 FOR PRESS-PEG VERSION.
SEE SHEET 3 FOR SCREW-DOWN VERSION.
- THE PRODUCTS WHERE THE PART NUMBER
ENDS IN "LF" MEET THE EUROPEAN UNION
DIRECTIVES AND OTHER COUNTRY REGULATIONS
AS DESCRIBED IN GS-22-008.
ALL PRODUCTS WILL WITHSTAND EXPOSURE TO 260°C
FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR
VAPOR PHASE REFLOW OVEN.


mat'l. code SEE NOTES				surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection mm	product family METRAL ACC
ltr	ecn	no	dr	date	tolerances unless otherwise specified	mm	title
G	v11668	LSS	6/12/01		angles	xx ±.01/.3	RECEPTACLE GUIDE MODULE, 5 ROW
H	v12868	CGD	1/02/02		linear	xxx ±.005/.13	
J	v05-0007	TAB	1/11/05		σ±2'	xxxx ±.0020/.050	
K	v05-0223	TAB	3/11/05	dr	M. FETROW	5/19/97	
L	v05-0730	DAI	8/04/05	enr	C. PENDLETON	5/19/97	
M	M05-0231	MHT	10/28/05	chr	C. PENDLETON	5/19/97	dwg no 73474 sheet 1 of 5 size A3
N	M06-0286	MNR	7/27/06	appd	C. PENDLETON	5/19/97	
sheet	revision	N	N	N	N	N	type
index	sheet	1	2	3	4	5	Product Customer Drawing

PRODUCT NO.	DESCRIPTION
73474-201	PRESS-PEG VERSION
73474-201LF	PRESS-PEG VERSION


FRONT VIEW



PRESS PEG VERSION



REQUIRED PC BOARD LAYOUT
COMPONENT SIDE




NOTES:

- HOUSING MATERIAL: LCP, 30% GLASS FILLED
FLAME RETARDANT PER UL 94V-0.
COLOR: NATURAL
- INDICATED HOLES ARE UNPLATED.
- THIS SHEET SHOWS DIMENSIONS OF OPTIONAL PRESS-PEG ONLY.
FOR ALL OTHER DIMENSIONS AND REQUIREMENTS SEE SHEET 1.
FOR HEAT-STAKE VERSION SEE SHEET 1, FOR SCREW-DOWN
VERSION, SEE SHEET 3.




mat'l. code SEE NOTES				surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection 	product family METRAL ACC
ltr	ecn	no	dr	date	tolerances unless otherwise specified		title
N					angles	linear	RECEPTACLE GUIDE MODULE, 5 ROW
					0°±2'	xxx ±.005/.13 xxxx ±.0020/.050	mm
			dr	M. FETROW	5/19/97	scale 1:1 	sheet2 of 5 size
			enr	C. PENDLETON	5/19/97		A3
			chr	C. PENDLETON	5/19/97		
			app	C. PENDLETON	5/19/97		
sheet index	revision sheet						type Product Customer Drawing

PRODUCT NO.	DESCRIPTION
73474-301	SCREW DOWN VERSION
73474-301LF	SCREW DOWN VERSION

FRONT VIEW



SCREW DOWN
VERSION



REQUIRED P.C. BOARD LAYOUT
COMPONENT SIDE





NOTES:

- HOUSING MATERIAL: LCP, 30% GLASS FILLED
FLAME RETARDANT PER UL 94V-0.
COLOR: NATURAL
- THIS SHEET SHOWS DIMENSIONS OF OPTIONAL SCREW-DOWN ONLY.
FOR ALL OTHER DIMENSIONS AND REQUIREMENTS SEE SHEET 1.
FOR HEAT-STAKE VERSION SEE SHEET 1, FOR PRESS-PEG,
SEE SHEET 2.
- TWO MOUNTING SCREWS, P/N 63787-001, OR 63787-001LF FOR
73474-301LF, FOR MAX PCB THICKNESS 2.4mm [0.094"].
P/N 63787-002 OR 63787-002LF FOR 73474-301LF MAX
PCB THICKNESS 3.2mm [0.126"].
MUST BE ORDERED SEPARATELY
- THE MATING CONNECTOR FOR THIS APPLICATION MUST USE A
WALL-LESS HEADER HOUSING, P/N 63735-101, TO AVOID
INTERFERENCE WITH MOUNTING SCREW HEADS.

mat'l. code SEE NOTES				surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection mm	product family METRAL ACC
ltr	ecn	no	dr	date	tolerances unless otherwise specified		title
N					angles	linear	RECEPTACLE GUIDE MODULE, 5 ROW
					0°±2'	linear	scale 1:1
					dr	M. FETROW	5/19/97
					enr	C. PENDLETON	5/19/97
					chr	C. PENDLETON	5/19/97
					app	C. PENDLETON	5/19/97
sheet	revision						dwg no
index	sheet						73474
							type
							Product Customer Drawing

PRODUCT NO.	DESCRIPTION
73474-302	SCREW DOWN VERSION
73474-302LF	SCREW DOWN VERSION

FRONT VIEW



REQUIRED P.C. BOARD LAYOUT
COMPONENT SIDE

NOTES:

- HOUSING MATERIAL: LCP, 30% GLASS FILLED
FLAME RETARDANT PER UL 94V-0.
COLOR: NATURAL
- THIS SHEET SHOWS DIMENSIONS OF OPTIONAL SCREW-DOWN ONLY.
FOR ALL OTHER DIMENSIONS AND REQUIREMENTS SEE SHEET 1.
FOR HEAT-STAKE VERSION SEE SHEET 1, FOR PRESS-PEG,
SEE SHEET 2.
- TWO MOUNTING SCREWS, P/N 63787-001, OR 63787-001LF FOR
73474-301LF, FOR MAX PCB THICKNESS 2.4mm [0.094"].
P/N 63787-002 OR 63787-002LF FOR 73474-301LF MAX
PCB THICKNESS 3.2mm [0.126"].
MUST BE ORDERED SEPARATELY
- THE MATING CONNECTOR FOR THIS APPLICATION MUST USE A
WALL-LESS HEADER HOUSING, P/N 63735-101, TO AVOID
INTERFERENCE WITH MOUNTING SCREW HEADS.

mat'l. code	surface	tolerance	projection	product family
SEE NOTES	ISO 1302 ✓	ISO 406		METRAL ACC
ISO 1101	tolerances unless otherwise specified	linear	mm	title
ltr	ecn	no	dr	date
N				
	angles	linear	mm	
	0°±2'	linear	mm	
	dr	M. FETROW	5/19/97	
	enr	C. PENDLETON	5/19/97	
	chr	C. PENDLETON	5/19/97	
	app	C. PENDLETON	5/19/97	
sheet	revision			
index	sheet			

RECEPTACLE GUIDE
MODULE, 5 ROW


dwg no 73474 sheet 4 of 5 size A3

type Product Customer Drawing


PRODUCT NUMBER	DESCRIPTION
73474-401M	PRESS PEG VERSION
73474-401	PRESS PEG VERSION
73474-401LF	PRESS PEG VERSION

FRONT VIEW

PRESS PEG
VERSION



REQUIRED PC BOARD LAYOUT
COMPONENT SIDE



NOTES:

- HOUSING MATERIAL: LCP, 30% GLASS FILLED
FLAME RETARDANT PER UL 94V-0.
COLOR: NATURAL
- INDICATED HOLES ARE UNPLATED.
- THIS SHEET SHOWS DIMENSIONS OF OPTIONAL PRESS-PEG ONLY.
FOR ALL OTHER DIMENSIONS AND REQUIREMENTS SEE SHEET 1.
FOR HEAT-STAKE VERSION SEE SHEET 1, FOR SCREW-DOWN
VERSION, SEE SHEET 3.

mat'l. code SEE NOTES		surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection mm	product family METRAL ACC
ltr	ecn no	dr	date	tolerances unless otherwise specified	title
N				angles linear 0°±2'	RECEPTACLE GUIDE MODULE, 5 ROW
				linear XX ±.01/.3 XXX ±.005/.13 XXXX ±.0020/.050	dwg no
				dr M. FETROW 5/19/97	sheet 5 of 5 size
				enr C. PENDLETON 5/19/97	73474 A3
				chr C. PENDLETON 5/19/97	
				app C. PENDLETON 5/19/97	type Product Customer Drawing
sheet index	revision sheet				

form: A3

1

2

3

4

5

6



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.