

**698-960 MHz/1710-2700 MHz
LTE Direct Mount Omnidirectional Antenna**



MULTI-BAND DIRECT MOUNT OMNIDIRECTIONAL ANTENNA

The OC69271 antenna is a wide band omnidirectional antenna covering the domestic LTE700/ Cellular/ PCS/AWS/MDS, WiMAX 2300/2500, and global GSM900/GSM1800/UMTS/LTE2600 bands. The antenna can be used in both indoor and outdoor applications. It comes complete with mast mounting hardware and includes a UV stable radome enclosure that provides years of use without degradation to either mechanical properties or aesthetics.

FEATURES 

- Applicable for both 3G and 4G solutions
- Domestic LTE 700 band and Global LTE 2600 band
- Domestic Cellular and Global GSM
- WiMAX 2300/2500/2600
- Weatherproof UV stable radome
- Mast mounting hardware included

MARKETS

- Broadband wireless access service provider
- Campus, healthcare, or transportation terminals
- Stadium, industrial plants, and processing stations
- Low-to-medium density, tower mounted rural locations
- Public Safety Radio

PARAMETER	SPECIFICATION
Frequency	698 to 960 MHz, 1710 to 1990 MHz, 1920 to 2170 MHz, 2100 to 2500 MHz, 2500 to 2690 MHz
Gain	698 to 960 MHz - 1.5 dBi, 1710 to 2700 MHz - 3.5 dBi
Average Efficiency	698 to 960 MHz - 76%, 1710 to 2700 MHz - 87%
3 dB Beamwidth - E-plane	698 to 960 MHz - 81°, 1700 to 2200 MHz - 75°, 2500 to 2700 MHz - 100°
3 dB Beamwidth - H-plane	360°, Omnidirectional
Polarization	Linear, Vertical
Nominal Impedance	50 Ohms
VSWR	698 to 960 MHz - <2.5:1, 1710 to 2690 MHz - <2.0:1
Power	10 watts
RF Connector	N-type (M or F)
Mount Style	Mast/pole mount
Radome	Polycarbonate, UV, White
Material Substance Compliance	ROHS Compliant
Operating Temperature	-30°C to +70°C
Storage Temperature	-40°C to +85°C
Dimensional (H x OD)	248 x 24.5 mm (9.8" x 1")
Weight	156 g




CONNECTORS

MODEL NUMBER	CONNECTOR
OC69271-FNM	Type N male
OC69271-FNF	Type N female




All antennas carry a 1-Year Warranty

**698-960 MHz/1710-2700 MHz
LTE Direct Mount Omnidirectional Antenna**




TYPICAL RADIATION PATTERNS



Frequency = 698 MHz






Frequency = 824 MHz






Frequency = 960 MHz

**698-960 MHz/1710-2700 MHz
LTE Direct Mount Omnidirectional Antenna**




TYPICAL RADIATION PATTERNS



Frequency = 1710 MHz



Frequency = 2170 MHz



Frequency = 2500 MHz




Smart Technology. Delivered.

OC69271

698-960 MHz/1710-2700 MHz LTE Direct Mount Omnidirectional Antenna

TYPICAL RADIATION PATTERNS



Americas: +1.847 839.6907
IAS-AmericasEastSales@lairdtech.com

Europe: +44.1628.858941
IAS-EUSales@lairdtech.com

Asia: +86.21.5855.0827.127
IAS-AsiaSales@lairdtech.com

www.lairdtech.com

ANT-DS-OC69271 0115

Any information furnished by Laird Inc. and its agents is believed to be accurate and reliable. All specifications are subject to change without notice. Responsibility for the use and application of Laird materials rests with the end user, since Laird and its agents cannot be aware of all potential uses. Laird makes no warranties as to the fitness, merchantability or suitability of any Laird materials or products for any specific or general uses. Laird shall not be liable for incidental or consequential damages of any kind. All Laird products are sold pursuant to the Laird Terms and Conditions of sale in effect from time to time, a copy of which will be furnished upon request. © Copyright 2015 Laird Inc. All Rights Reserved. Laird, Laird Technologies, the Laird Logo, and other marks are trademarks or registered trademarks of Laird Inc. or an affiliate company thereof. Other product or service names may be the property of third parties. Nothing herein provides a license under any Laird or any third party intellectual property rights.



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.