







1. TERMINALS MUST CONFORM TO SOLDERABILITY SPEC. ES-152.
2. PARTS CONFORM TO PRODUCT SPEC 08-50.
3. HOUSING MATERIAL: NYLON, UL LISTED
4. "*" PRECEDING ENG. NO. IN CHARTS DESIGNATES STANDARD PRODUCT.
5. TERMINAL TAIL CENTERLINES ARE TO BE WITHIN (.30)/.012 OF EACH OTHER.
6. FOR KINKED PIN INFORMATION SEE SMES-42329-***.



NO. OF CKTS.	DIM. A	DIM. B	KINK PIN LOCATION
			(ASSY. PROC. D ONLY)
2	(3.96 ± .13) .156 ± .005	(7.82) .308	N/A
3	(7.92 ± .13) .312 ± .005	(11.79) .464	N/A
4	(11.89 ± .13) .468 ± .005	(15.75) .620	1, 2 3, 4
5	(15.85 ± .13) .624 ± .005	(19.71) .776	2, 3 4, 5
6	(19.81 ± .13) .780 ± .005	(23.67) .932	2, 3 4, 5
7	(23.77 ± .25) .936 ± .010	(27.64) 1.088	2, 3 5, 6
8	(27.74 ± .25) 1.092 ± .010	(31.60) 1.244	2, 3 6, 7
9	(31.70 ± .25) 1.248 ± .010	(35.56) 1.400	2, 3 7, 8
10	(35.66 ± .25) 1.404 ± .010	(39.52) 1.556	2, 3 8, 9
11	(39.62 ± .25) 1.560 ± .010	(43.48) 1.712	2, 3 9, 10
12	(43.59 ± .25) 1.716 ± .010	(47.45) 1.868	2, 3 10, 11
13	(47.55 ± .25) 1.872 ± .010	(51.41) 2.024	2, 3 11, 12
14	(51.51 ± .36) 2.028 ± .014	(55.37) 2.180	2, 3 12, 13
15	(55.47 ± .36) 2.184 ± .014	(59.33) 2.336	2, 3 13, 14
16	(59.44 ± .36) 2.340 ± .014	(63.30) 2.492	2, 3 14, 15

20	U	245	D
19	T		
18	U7		
17	M		
16	T6		
15	T	C	B
14	T2		
13	U6		
12	U5		
11	R3		
10	U	C	B
9	T		
8	T		
7	U3		
6	U		
5	U	B	B
4	U		
3	U		
2	U		
1	U7		
G. SH.	REV.		

FOR PC BOARD LAYOUT
SEE ASS'Y PROCEDURE "C"

DIMENSIONS SHOWN (SPECIFIED) INCH		▽ = 0 ▼ = 0		REVISE ONLY ON CAD SYSTEM	
UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR = 1/2°		TITLE HOUSING ASS'Y, P.C. TAIL (3.96) .156 C 2145 SERIES DRAWING MOLEX INCORPORATED LITTLE ROCK, AR 72632 U.S.A.		SHEET NO. DATE	
				1 OF 20 7 / 9 / 87	
DRAWING WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				PART NO. DRWG. NO.	
				SEE CHART SDA-2145	
DRWG. BY: PEREZ-ARGUETA APP'D. BY: LENZ CHK'D. BY: PATTEL SCALE:		FILE NAME: 52145X1		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.	
				DIV. C	SIZE C

	13	12	11	10	9	8	7	6		2145	4	3	2	1			
J	ENG. NO.		HOUSING NO.		TERMINAL NO.		DIM. C		EDP NO SHT/COL							J	
	A-2145-AANB(P913)-*		2145-N-AN		2144-BA-AIAA(P913)B		(3.68) / .145		18 / 1								
	A-2145-AANN(I02)-*		2145-N-AN		4244-A(I02)		(3.68) / .145		18 / 2								
	A-2145-ALNA(I02)-5		2145-N-AN-5		2144-AA-AIAA(I02)B		(3.68) / .145		18 / 3								
	A-2145-CGNA(P913)-*		2145-N-CN		2144-AA-AIAA(P913)B		(3.05) / .120		18 / 4								
I	A-2145-BGNH(P913)-*		2145-N-CN		2188-(P913)		(4.06) / .160		19 / 1							I	
	A-2145-AANM(P913)-*		2145-N-AN		2144-BA-BIAA(P913)B		(3.68) / .145		19 / 2								
	A-2145-BANE(P913)-*		2145-N-AN		6298-A(P913)		(4.06) / .160		19 / 3								
	A-2145-CANM(P913)-*		2145-N-AN		2144-BA-BIAA(P913)B		(3.05) / .120		19 / 4								
	A-2145-BANJ(P913)-*		2145-N-AN		2188-I(P913)		(3.20) / .126		20 / 1								
	A-2145-CANB(P913)-*		2145-N-AN		2144-BA-AIAA-(P913)		(3.05) / .120		20 / 2								
H							/		/							H	
							/		/								
							/		/								
							/		/								
							/		/								
G							/		/							G	
							/		/								
							/		/								
							/		/								
							/		/								
							/		/								
F							/		/							F	
							/		/								
							/		/								
							/		/								
							/		/								
E							/		/							E	
							/		/								
							/		/								
							/		/								
							/		/								
							/		/								
D							/		/							D	
							/		/								
							/		/								
							/		/								
							/		/								
							/		/								
							/		/								
C							/		/							C	
							/		/								
							/		/								
							/		/								
							/		/								
B							/		/							B	
							/		/								
							/		/								
A							/		/							A	
								SEE SHEET I	M2	SEE SHEET I	DIMENSIONS SHOWN (METRIC) INCH UNLESS OTHERWISE SPECIFIED TOLERANCES ANGULAR ± 1/2°					▽ = 0 ▼ = 0 REVISE ONLY ON CAD SYSTEM	
								SEE SHEET I	M	SEE SHEET I	INCH METRIC					TITLE HOUSING ASS'Y, P.C. TAIL (3.96) / .156 @ 2145 SERIES DRAWING	
								SEE SHEET I	L	SEE SHEET I	3 PLACE ± ± ±					PART NO. MOLEX INCORPORATED L15LEJILL 60632 U.S.A.	
							U	SEE SHEET I	J3	SEE SHEET I	2 PLACE ± ± ±					SHEET NO. DATE 6 7 / 9 / 87	
							T5	SEE SHEET I	J2	SEE SHEET I	1 PLACE ± ± ±					DRAWING NO. SDA-2145	
							T	SEE SHEET I	J1	SEE SHEET I	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					FILE NAME S2145X6	
							M5	SEE SHEET I	A	SEE SHEET I	DRWG. PEREV. CHKD. BY ARGUETA BY PATEL					THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
							LTR.	REVISIONS	LTR.	REVISIONS	APP'D. BY LENZ SCALE 2					DIV. KK SIZE C	
	13	12	11	10	9	8	7	6	5	4	3	2	1				

[illegible]



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.