


PRODUCT NUMBER
73940-XYY
73940-XYYLF







mat'l code	SEE NOTES			tolerances unless otherwise specified		
ltr	ecn no.	dr	date			
N	V06-0544	DCH	2006-06-09	linear	0.X ±0.3	
-	-	-	-		0.XX ±0.13	
H	V03-0030	TAB	02/08/03	angles	.XXX ±.051	
J	V03-1320	TAB	12/16/03	dr	0° ±2°	
K	V04-0353	DAI	05/02/04	engr	T.BRUNGARD	11/19/99
L	V04-1119	DAI	11/22/04	chr	M.STRAWSER	11/19/99
M	V04-1100	DAI	01/19/05	appd	M.STRAWSER	11/19/99
sheet	revision	N	N	N	M.STRAWSER	02/29/00
index	sheet	1	2	3	4	

CUSTOMER COPY

projection

MM

scale 2:1

www.fciconnect.com

title: METRAL SIGNAL HEADER 13 MOD, 5 ROW PRESS-FIT

product family: METRAL | code: 213

size: A | dwg no: 73940 | sheet: 1 of 4


cage code: 22526

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

REV E - 2006-04-18

Pro/E

PDM: Rev:N STATUS: Released Printed: May 16, 2009



REQUIRED PC BOARD LAYOUT
COMPONENT SIDE
SEE PRINT 58351 FOR
ADDITIONAL PCB INFORMATION

KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
1	5.00	4.30
2	5.75	4.30
3	6.50	4.30

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

REV E - 2006-04-18

mat'l code				--	tolerances unless otherwise specified		
ltr	ecn no.	dr	date		linear	0.X ±0.3	
N						0.XX ±0.13	
						.XXX ±.051	
					angles	0° ±2°	
					dr	T.BRUNGARD	11/19/99
					engr	M.STRAWSER	11/19/99
					chr	M.STRAWSER	11/19/99
					appd	M.STRAWSER	02/29/00
sheet index	revision sheet						

CUSTOMER COPY

projection

MM

scale 1:1

www.fciconnect.com

title: METRAL SIGNAL HEADER 13 MOD, 5 ROW PRESS-FIT

product family: METRAL

code: 213

size: A

dwg no: 73940

sheet: 2

cage code: 22526

Pro/E

PDM: Rev:N STATUS: Released Printed: May 16, 2009

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2						MOD. 3						MOD. 4						MOD. 5						MOD. 6						MOD. 7						MOD. 8						MOD. 9						MOD. 10					
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
73940-X01	E	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-
	D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	C	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-
73940-X01LF	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	A	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-

MOD. 11							MOD. 12						MOD. 13					
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78
2	-	2	-	2	-	2	2	2	2	2	2	3	2	2	2	2	2
-	-	-	-	-	-	2	2	2	2	2	2	3	2	2	2	2	2
2	-	2	-	2	-	2	2	2	2	2	2	3	2	2	2	2	2
-	-	-	-	-	-	-	-	-	-	2	2	3	2	2	2	2	2
2	-	2	-	2	-	2	2	2	2	2	2	3	2	2	2	1	3

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2						MOD. 3						MOD. 4						MOD. 5						MOD. 6						MOD. 7						MOD. 8						MOD. 9						MOD. 10					
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
73940-X02	E	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-
	D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	C	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-
73940-X02LF	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	A	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-	2	-

MOD. 11							MOD. 12						MOD. 13					
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78
2	-	2	-	2	-	2	2	2	2	-	-	3	2	2	2	2	2
-	-	-	-	-	-	2	2	2	2	-	-	3	2	2	2	2	2
2	-	2	-	2	-	2	2	2	2	-	-	3	2	2	2	2	2
-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	2	2	2
2	-	2	-	2	-	2	2	2	2	-	-	3	2	2	2	1	3

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

mat'l code				tolerances unless otherwise specified			CUSTOMER	FCI www.fciconnect.com
ltr	ecn no.	dr	date	linear	0.X ±0.3		COPY	
N					0.XX ±0.13		projection	title: METRAL SIGNAL HEADER 13 MOD, 5 ROW PRESS-FIT
					.XXX ±.051			
				angles	0° ±2°			
				dr	T.BRUNGARD	11/19/99	MM	product family: METRAL; code: 213
				engr	M.STRAWSER	11/19/99		
				chr	M.STRAWSER	11/19/99	scale: 1:1	size: A; dwg no: 73940; sheet: 3
				appd	M.STRAWSER	02/29/00		
sheet index	revision sheet							cage code: 22526

REV E - 2006-04-18

Pro/E

PDM: Rev:N STATUS: Released Printed: May 16, 2009

PRODUCT NUMBER
73940-XYY
73940-XYYLF

NOTES:

1. FOR DIM A AND B SEE SHEET 2 AND UP.

2. BODY MATERIAL: LIQUID CRYSTAL

   POLYMER 30 % GLASS.

   FLAME RETARDANT ACC. UL 94-V0.

3. PIN MATERIAL:
   PHOSPHOR BRONZE.
4. PLATING ON PRESS-FIT TAIL:
   73940-XYY IS SnPb
   73940-XYYLF IS SN (LEAD FREE)
   PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE LEVEL SHOWN IN TABLE BELOW.

5. PRODUCT MARKING:
   PART NUMBER DESIGNATION & BATCH I.D.

6. ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES. IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P" WILL BE ADDED TO THE END OF THE PART NUMBER. EXAMPLE: XXXXX-XXXP

7. PRODUCT SPECIFICATION GS-12-180
   APPLICATION SPECIFICATION BUS-20-073

(8.) AFTER INSERTION INTO CIRCUIT BOARD WITH QUALIFIED TOOL.

(9.) THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

ALL PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING (DRAWING NO.)-N1--- OR (DRAWING NO.)-N5---WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVECTION, INFAR-RED OR VAPOR PHASE REFLOW OVEN. PART NUMBERS (DRAWING NO.)-N1--- AND (DRAWINGS NO.)-N5---WILL NOT WITHSTAND REFLOW AND Au CONTACT SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMIM 140°C FOR NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.

PLATING IN CONTACT AREA		NOTES
DASH NUMBER	PERFORMANCE LEVEL	-
-N1YY	TELCORDIA CO (NXT)	-
-N5YY	TELCORDIA UE (NXT)	-
-1YY	TELCORDIA CO	-
-2YY	TELECOM CLASS	-
-3YY	IEC CLASS 1	-
-5YY	TELCORDIA UE	-
-9YY	TELCORDIA CO	-
-N1YYLF	TELCORDIA CO (NXT) IEC CLASS 1	SEE NOTE 9
-N5YYLF	TELCORDIA UE (NXT)	SEE NOTE 9
-1YYLF	TELCORDIA CO IEC CLASS 1	SEE NOTE 9
-2YYLF	TELECOM CLASS	SEE NOTE 9
-5YYLF	TELCORDIA UE	SEE NOTE 9

mat'l code	--			tolerances unless otherwise specified			CUSTOMER	FCI www.fciconnect.com
ltr	ecn no.	dr	date	linear	0.X ±0.3		COPY	
N					0.XX ±0.13		projection	title METRAL SIGNAL HEADER 13 MOD, 5 ROW PRESS-FIT
					.XXX ±.051			
				angles	0° ±2°			
				dr	T.BRUNGARD	11/19/99	MM	product family METRAL / code 213
				engr	M.STRAWSER	11/19/99		
				chr	M.STRAWSER	11/19/99	scale 1:1	size A / dwg no 73940 / sheet 4
				appd	M.STRAWSER	02/29/00		
sheet index	revision sheet							

cage code 22526

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

REV E - 2006-04-18

Pro/E

PDM: Rev:N STATUS: Released Printed: May 16, 2009


Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits,General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)
Факс: 8 (812) 320-02-42
Электронная почта: org@eplast1.ru
Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.