




NOTES:

1. MATERIAL: HOUSING -LIQUID CRYSTAL POLYMER (LCP) GLASS-FILLED.
UL 94-0. COLOR BLACK. SIGNAL & SHIELD -HIGH
PERFORMANCE COPPER ALLOY.
2. FINISHES:
CONTACT AREA: SELECTIVE GOLD (Au)
PCB TAILS: SELECTIVE MATTE TIN (Sn)
NICKEL (Ni) OVERALL.
3. THIS PART CONFORMS TO MOLEX PRODUCT SPECIFICATION
PS-74031-999.
4. FOR MIXED CONTACT MATING LENGTHS CONSULT MOLEX FOR
AVAILABILITY.
5. FOR SPECIFIC PART NUMBER AND MATING INFORMATION REFER TO
SHEET 2.
6. PACKAGE PER PK-74061-003.
7. MARK PART NUMBER AND DATE CODE APPROXIMATELY
WHERE SHOWN
8. MAPS (MOLEX ADVACED PLATING SYSTEM).

THE PRIMARY CARTON WITH A LABEL STATING
"ELV AND RoHS COMPLIANT" IS LEAD FREE.
CARTONS WITHOUT THIS LABEL MAY CONTAIN LEAD.

LEAD FREE CONVERSION EC NO: UCP2013-0687 DRAWINGS: 2012/08/24 CHKD:MMOLFE 2012/11/28 APPR:SMILLER 2012/12/14	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 2.5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION ⊙ □						
			mm INCH		DRAWN BY DATE MQWANG 2001/03/26		TITLE HSD SALES ASSEMBLY 8 ROW SHIELD END BACKPLANE								
			4 PLACES ± --- ± ---		CHECKED BY DATE JLAURX 2001/04/01		molex								
			3 PLACES ± --- ± ---		APPROVED BY DATE CBIXLER 2001/04/01										
			2 PLACES ± --- ± ---		MATERIAL NO.							DOCUMENT NO.		SHEET NO.	
			1 PLACE ± --- ± ---		SEE SHEET 2							SD-74651-002		1 OF 2	
			0 PLACE ± ±												
			ANGULAR ±1/2°												
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
			SIZE C												
REV															

M/N 74651-()		-**1*	-**2*	-**3*	-**4*	-**5*	-**6*	-**7*	-**8*
KEYING PIN ORIENTATION	0	A	B	C	D	E	F	G	H

74651-****

NUMBER OF COLUMNS/
PLATING


10 = 10 COLUMN MATTE TIN (FORMERLY TIN/LEAD)
25 = 25 COLUMN MATTE TIN (FORMERLY TIN/LEAD)
60 = 10 COLUMN MATTE TIN (MAPS)
75 = 25 COLUMN MATTE TIN (MAPS)
90 = 10 COLUMN MATTE TIN
85 = 25 COLUMN MATTE TIN

CONTACT LOAD
(PIN LENGTH)


1 & 6 = 4.75
2 & 7 = 6.25
3 & 8 = 4.25
4 & 9 = 5.15

PART NUMBER	COLUMN	NUMBER OF SIGNAL PIN	NUMBER OF SHIELD	A	B	M	GOLD THICKNESS MICROMETER	TIN THICKNESS MICROMETER
74651-60*1	10	60	10	27.00	18.00	4.75	0.25 MAPS	0.76-1.52
74651-*0*1							0.76	
74651-*0*6							1.27	
74651-75*1	25	150	25	57.00	48.00		0.25 MAPS	
74651-*5*1							0.76	
74651-*5*6							1.27	
74651-60*2	10	60	10	27.00	18.00	6.25	0.25 MAPS	
74651-*0*2							0.76	
74651-*0*7							1.27	
74651-75*2	25	150	25	57.00	48.00		0.25 MAPS	
74651-*5*2							0.76	
74651-*5*7							1.27	
74651-60*3	10	60	10	27.00	18.00	4.25	0.25 MAPS	
74651-*0*3							0.76	
74651-*0*8							1.27	
74651-75*3	25	150	25	57.00	48.00		0.25 MAPS	
74651-*5*3							0.76	
74651-*5*8							1.27	
74651-60*4	10	60	10	27.00	18.00	5.15	0.25 MAPS	
74651-*0*4							0.76	
74651-*0*9							1.27	
74651-75*4	25	150	25	57.00	48.00		0.25 MAPS	
74651-*5*4							0.76	
74651-*5*9							1.27	

DAUGHTERCARD
CONNECTOR SIDE





0.41
SIGNAL TO SIGNAL



2.45
TOP DAUGHTERCARD
PCB TO CENTER OF
ROW A

ROW A



SEE SHEET 1 EC NO: UCP2013-0687 DRAWN BY: 2012/08/24 CHKD:MMOLFE 2012/11/28 APPR:SMILLER 2012/12/14	REV	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	 THIRD ANGLE PROJECTION		
				(UNLESS SPECIFIED)		MM ONLY		2.5:1	METRIC			
					mm	INCH	DRAWN BY	DATE	TITLE			
				 = 0	4 PLACES	± ---	± ---	MQWANG	2001/03/26		HSD SALES ASSEMBLY	
				 = 0	3 PLACES	± ---	± ---	CHECKED BY	DATE		8 ROW SHIELD END	
				 = 0	2 PLACES	± ---	± ---	JLAURX	2001/04/01		BACKPLANE	
				 = 0	1 PLACE	± ---	± ---	APPROVED BY	DATE			
					0 PLACE	±	±	CBIXLER	2001/04/01			
				ANGULAR ±1/2°		MATERIAL NO.		DOCUMENT NO.				
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-74651-002			2 OF 2	
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.