





This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.



PRODUCT NUMBER
SEE TABLE



mat'l code				- -		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com		
ltr	ecn no.	dr	date	linear	0.X ±0.3		projection 	COPY		title METRAL SIGNAL HEADER 2 MOD, 4 ROW PRESS-FIT		
AU	V06-0569	DCH	2006-06-13		0.XX ±0.13			MM				
AV	DG09-0256	TER	2009-08-19		.XXX ±.051			2:1				
-	-	-	-	angles	0° ±2°		scale 	product family		METRAL	code	
AP	V04-0913	HTB	09/09/04	dr	T.BRUNGARD	11/19/99		size		dwg no		213 sheet 1 of 7
AR	V04-0990	DAI	09/30/04	enrg	M.STRAWSE	11/19/99		A		88922		
AS	V05-0053	TAB	02/17/05	chr	M.STRAWSE	11/19/99		A		A		
AT	V05-0368	DPU	06/01/05	appd	M.STRAWSE	02/29/00		A		A		
sheet		revision		AV	AV	AV	AV	AV	AV			
index		sheet		1	2	3	4	5	6	7		


Pro/E

cage code 22526

PDM: Rev:AV


STATUS:Released

Printed: Jan 17, 2011



REQUIRED PC BOARD LAYOUT
COMPONENT SIDE
SEE PRINT 58351 FOR
ADDITIONAL PCB INFORMATION

KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
1	5.00	4.30
2	5.75	4.30
3	6.50	4.30
4	7.25	4.30
5	5.00	13.60
6	5.75	13.60
7	6.50	13.60
8	7.25	13.60
11	6.50	17.00
17	7.00	13.60
19	8.00	4.30
20	8.00	13.60
21	8.00	17.00
25	5.75	15.60
52	8.00	14.90
64	5.75	14.90
69	7.25	14.90

mat'l code				tolerances unless otherwise specified		CUSTOMER				www.fciconnect.com	
lfr	ecm no.	dr	date	linear	0.X $\pm$ 0.3		COPY				
AV					0.XX $\pm$ 0.13		title				
					.XXX $\pm$.051		METRAL SIGNAL HEADER				
				angles	0° $\pm$ 2°				2 MOD, 4 ROW PRESS-FIT		
									product family		
				dr	T.BRUNGARD	11/19/99	size		METRAL		code
				enrg	M.STRAWSE	11/19/99	dwg no				213
				chr	M.STRAWSE	11/19/99	scale				sheet
				appd	M.STRAWSE	02/29/00	2:1		A		2
sheet index		revision sheet									



PRODUCT NUMBER	DESCRIPTION	PLATING IN PRESS FIT TAIL AREA	PERFORMANCE LEVEL OF PLATING IN CONTACT AREA
88922-NIYY	STANDARD	TIN LEAD	TELCORDIA CO (NXT)
88922-N5YY	STANDARD	TIN LEAD	TELCORDIA UE (NXT)
88922-IYY	STANDARD	TIN LEAD	TELCORDIA CO
88922-2YY	STANDARD	TIN LEAD	TELECOM CLASS
88922-3YY	STANDARD	TIN LEAD	IEC CLASS I
88922-5YY	STANDARD	TIN LEAD	TELCORDIA UE
88922-NIYYLF	LEAD FREE	TIN	TELCORDIA CO (NXT), IEC CLASS I, SEE NOTES 9 AND 10
88922-N5YYLF	LEAD FREE	TIN	TELCORDIA UE (NXT) SEE NOTES 9 AND 10
88922-IYYLF	LEAD FREE	TIN	TELCORDIA CO, IEC CLASS I, SEE NOTES 9 AND 10
88922-2YYLF	LEAD FREE	TIN	TELECOM CLASS, SEE NOTES 9 AND 10
88922-5YYLF	LEAD FREE	TIN	TELCORDIA UE, SEE NOTES 9 AND 10

NOTES:

- FOR DIM A AND B SEE SHEET 2 AND UP.
- BODY MATERIAL: LIQUID CRYSTAL
POLYMER 30 % GLASS.
FLAME RETARDANT ACC. UL 94-V0.
- PIN MATERIAL:
PHOSPHOR BRONZE.
- PLATING ON PRESS-FIT TAIL AREA: SEE PRODUCT NUMBER TABLE. PLATING ON
CONTACT AREA CONFORMS TO PERFORMANCE LEVEL
SHOWN IN TABLE ON SHEET 3.
- PRODUCT MARKING:
PART NUMBER DESIGNATION & BATCH I.D.
- ALL PRODUCTS WITH PART NUMBERS SHOWN IN
SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES.
IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P"
WILL BE ADDED TO THE END OF THE PART NUMBER.
EXAMPLE: XXXXX-XXXP OR XXXXX-XXXPLF
- PRODUCT SPECIFICATION: GS-12-180
APPLICATION SPECIFICATION: BUS-20-073
- AFTER INSERTION INTO BOARD WITH QUALIFIED TOOLING.
- THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE
EUROPEAN UNION DIRECTIVE AND OTHER COUNTRY REGULATIONS
AS DESCRIBED IN GS-12-008.
- ALL THE PRODUCTS EXCEPT THOSE WITH PART NUMBERS
CONTAINING 88922-NI---OR 88922-N5---WILL WITHSTAND
EXPOSURE TO 260 DEGREES C FOR 60 SECONDS IN A
CONVECTION, INFRA-RED OR VAPOR PHASE
REFLOW OVEN. PART NUMBERS 88922-NI---AND 88922-N5---
WILL NOT WITHSTAND REFLOW AND THE A_u CONTACT SURFACE OF
THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM 140 DEGREES
C FOR NO LONGER THAN 15 SECONDS IN A WAVE SOLDER
APPLICATION.

mat'l code				SEE NOTES		tolerances unless otherwise specified		CUSTOMER		FCI www.fciconnect.com	
lfr	ecn no.	dr	date	linear	0.X $\pm$ 0.3		COPY				
AV					0.XX $\pm$ 0.13		projection				
					.XXX $\pm$.051						
				angles	0° $\pm$ 2°				title METRAL SIGNAL HEADER 2 MOD, 4 ROW PRESS-FIT		
				dr	T.BRUNGARD	11/19/99	MM		product family		METRAL
				enrg	x. xxxxxx	mm/dd/yy			size		dwg no
				chr	M.STRAWSER	11/19/99	11:1		A		88922
				appd	M.STRAWSER	02/29/00					code
sheet		revision								213	
index		sheet								sheet	
										3	



A

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X04 AND 88922-X04LF	D	-	-	2	-	-	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2
	A	-	-	-	-	-	4	4	4	4	19

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X08 AND 88922-X08LF	D	1	1	1	1	1	1	1	1	19	19
	C	1	1	1	1	1	1	1	1	19	19
	B	1	1	1	1	1	1	1	1	19	19
	A	1	1	1	1	1	1	1	1	19	19

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X12 AND 88922-X12LF	D	1	1	1	1	1	1	1	1	1	3
	C	1	1	1	1	1	1	1	1	1	3
	B	1	1	1	1	1	1	1	1	1	3
	A	1	1	1	1	1	1	1	1	1	3

mat'l code				tolerances unless otherwise specified				CUSTOMER		FCI www.fciconnect.com	
lfr	ecn no.	dr	date	linear	0.X ±0.3			COPY		title	
AV					0.XX ±0.13			projection		METRAL SIGNAL HEADER	
					.XXX ±.051					2 MOD, 4 ROW PRESS-FIT	
				angles	0° ±2°					product family	
				dr	T.BRUNGARD		11/19/99		METRAL		code
				engr	M.STRAWSE		11/19/99		size		213
				chr	M.STRAWSE		11/19/99		dwg no		sheet
				appd	M.STRAWSE		02/29/00		A		4
sheet		revision									
index		sheet									

A

B



METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X13 AND 88922-X13LF	D	20	-	7	7	7	7	7	7	7	-
	C	20	-	7	7	7	7	7	7	7	-
	B	20	-	7	7	7	7	7	7	7	-
	A	20	-	7	7	7	7	7	7	7	-

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X14 AND 88922-X14LF	D	19	3	3	3	3	3	3	3	3	19
	C	19	3	3	3	3	3	3	3	3	19
	B	19	3	3	3	3	3	3	3	3	19
	A	19	3	3	3	3	3	3	3	3	19

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X15 AND 88922-X15LF	D	7	5	5	5	5	5	5	5	5	7
	C	7	5	5	5	5	5	5	5	5	7
	B	7	5	5	5	5	5	5	5	5	7
	A	7	5	5	5	5	5	5	5	5	7

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X16 AND 88922-X16LF	D	-	2	-	2	-	2	-	2	-	2
	C	-	-	-	-	-	-	-	-	-	-
	B	-	-	-	-	-	-	-	-	-	-
	A	-	2	-	2	-	2	-	2	-	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X17 AND 88922-X17LF	D	-	6	-	6	-	6	-	6	-	6
	C	-	-	-	-	-	-	-	-	-	-
	B	-	-	-	-	-	-	-	-	-	-
	A	-	6	-	6	-	6	-	6	-	6

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X18 AND 88922-X18LF	D	1	1	1	4	1	1	3	3	4	4
	C	1	1	1	4	1	1	3	3	4	4
	B	1	1	1	4	1	1	3	3	4	4
	A	1	1	1	4	1	1	3	3	4	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X19 AND 88922-X19LF	D	1	2	2	2	2	2	2	2	2	4
	C	1	2	2	2	2	2	2	2	2	4
	B	1	2	2	2	2	2	2	2	2	4
	A	1	2	2	2	2	2	2	2	2	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X20 AND 88922-X20LF	D	21	-	11	-	11	-	11	-	11	-
	C	21	-	11	-	11	-	11	-	11	-
	B	21	-	11	-	11	-	11	-	11	-
	A	21	-	11	-	11	-	11	-	11	-

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X21 AND 88922-X21LF	D	20	-	7	-	7	-	7	-	7	-
	C	20	-	-	7	-	7	-	7	-	7
	B	20	-	7	-	7	-	7	-	7	-
	A	20	-	-	7	-	7	-	7	-	7

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X22 AND 88922-X22LF	D	2	2	2	6	6	6	6	6	6	2
	C	2	2	2	6	6	6	6	6	6	2
	B	2	2	2	6	6	6	6	6	6	2
	A	2	2	2	6	6	6	6	6	6	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X23 AND 88922-X23LF	D	19	3	3	3	3	3	19	3	3	3
	C	19	3	3	3	3	3	19	3	3	3
	B	19	3	3	3	3	3	19	3	3	3
	A	19	3	3	3	3	3	19	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X24 AND 88922-X24LF	D	7	-	7	-	7	-	7	-	7	-
	C	-	7	-	7	-	7	-	7	-	7
	B	7	-	7	-	7	-	7	-	7	-
	A	-	7	-	7	-	7	-	7	-	7

mat'l code				tolerances unless otherwise specified				CUSTOMER		FCi www.fciconnect.com			
lfr	ecn no.	dr	date	linear	0.X ±0.3			projection					
AV					0.XX ±0.13								
					.XXX ±.051								
				angles	0° ±2°				title METRAL SIGNAL HEADER 2 MOD, 4 ROW PRESS FIT				
				dr	T.BRUNGARD	11/19/99							
				enr	M.STRAWSE	11/19/99							
				chr	M.STRAWSE	11/19/99							
				appd	M.STRAWSE	02/29/00	scale		A		product family		
sheet		revision								size		METRAL	
index		sheet								dwg no		code	
										88922		213	
												sheet	
												5	



A

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X28 AND 88922-X28LF	D	19	-	3	-	3	-	3	-	3	-
	C	19	-	3	-	3	-	3	-	3	-
	B	19	-	3	-	3	-	3	-	3	-
	A	19	-	3	-	3	-	3	-	3	-

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X26 AND 88922-X26LF	D	19	3	3	3	3	3	19	3	3	3
	C	19	3	3	3	3	3	19	3	3	3
	B	19	3	3	3	3	3	19	3	3	3
	A	19	3	3	3	3	3	19	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X25 AND 88922-X25LF	D	3	3	3	3	3	3	-	3	3	3
	C	3	3	3	3	3	3	-	3	3	3
	B	3	3	3	3	3	3	-	3	3	3
	A	3	3	3	3	3	3	-	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X32 AND 88922-X32LF	D	-	-	6	6	-	20	6	6	6	6
	C	6	6	6	6	6	6	6	6	6	6
	B	6	6	6	6	6	6	6	6	6	6
	A	-	-	-	-	-	8	8	8	8	20

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X31 AND 88922-X31LF	D	3	3	2	3	3	2	4	4	2	2
	C	3	3	2	3	3	2	4	4	2	2
	B	3	3	2	3	3	2	4	4	2	2
	A	3	3	2	3	3	2	4	4	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X30 AND 88922-X30LF	D	-	17	-	17	-	17	-	17	-	17
	C	17	-	17	-	17	-	17	-	17	-
	B	-	17	-	17	-	17	-	17	-	17
	A	17	-	17	-	17	-	17	-	17	-

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X29 AND 88922-X29LF	D	-	7	-	7	-	7	-	7	-	7
	C	7	-	7	-	7	-	7	-	7	-
	B	-	7	-	7	-	7	-	7	-	7
	A	7	-	7	-	7	-	7	-	7	-

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X36 AND 88922-X36LF	D	7	7	7	7	7	6	7	6	7	7
	C	7	7	7	7	7	7	7	7	7	7
	B	7	7	7	7	7	7	7	7	7	7
	A	7	7	7	7	7	7	7	7	7	7

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X35 AND 88922-X35LF	D	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2
	A	4	4	4	4	19	19	4	4	4	19

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X34 AND 88922-X34LF	D	7	6	6	6	6	6	6	6	6	5
	C	7	6	6	6	6	6	6	6	6	5
	B	7	6	6	6	6	6	6	6	6	5
	A	7	6	6	6	6	6	6	6	6	5

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X33 AND 88922-X33LF	D	-	-	64	64	-	52	64	64	64	64
	C	64	64	64	64	64	64	64	64	64	64
	B	64	64	64	64	64	64	64	64	64	64
	A	-	-	-	-	-	69	69	69	69	52

A

mat'l code				tolerances unless otherwise specified				CUSTOMER		FCJ www.fcjconnect.com	
lfr	ecn no.	dr	date	linear	0.X ±0.3			projection	COPY		
AV					0.XX ±0.13				title		
					.XXX ±.051				METRAL SIGNAL HEADER 2 MOD, 4 ROW PRESS-FIT		
				angles	0° ±2°			MM scale 1:1	product family		
				dr	T.BRUNGARD 11/19/99				METRAL		
				engr	M.STRAWSE 11/19/99				code		
				chr	M.STRAWSE 11/19/99			size			
				appd	M.STRAWSE 02/29/00			dwg no			
sheet index		revision sheet								213	
										sheet 6	


B

This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.



METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X37 AND 88922-X37LF	D	3	3	3	3	3	3	3	3	3	3	3	3
	C	3	3	3	3	3	3	3	3	3	3	3	3
	B	3	3	3	3	3	3	3	1	3	3	3	3
	A	3	3	3	3	3	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X38 AND 88922-X38LF	D	3	3	1	9	3	3	3	3	3	3	3	3
	C	3	3	1	9	3	3	3	3	3	3	3	3
	B	3	3	3	3	3	3	3	1	3	3	3	3
	A	3	3	3	3	3	3	3	3	3	3	3	3

mat'l code				--		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com				
lfr	ecn no.	dr	date	linear	0.X ±0.3		COPY							
AV					0.XX ±0.13		projection							
					.XXX ±.051									
				angles	0° ±2°				title METRAL SIGNAL HEADER 2 MOD, 4 ROW PRESS-FIT					
				dr	T.BRUNGARD	11/19/99	scale					product family		code
				enrg	M.STRAWSER	11/19/99	1:1					METRAL		213
				chr	M.STRAWSER	11/19/99			size		sheet			
				appd	M.STRAWSER	02/29/00			A		7			
sheet index		revision sheet												

cage code 22526

Pro/E

PDM: Rev:AV

STATUS:Released

Printed: Jan 17, 2011



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.