






PRODUCT NUMBER
SEE TABLE




mat'l code				tolerances unless otherwise specified				CUSTOMER		FCI	
ltr	ecn no.	dr	date	linear	0.X ± 0.3	projection	COPY	www.fciconnect.com			
AU	V06-0569	DCH	2006-06-13	linear	0.XX ± 0.13	projection	COPY	title		METRAL SIGNAL HEADER	
AV	DG09-0256	TER	2009-08-19	linear	.XXX ± 0.051	projection	COPY	2 MOD, 4 ROW PRESS-FIT			
-	-	-	-	angles	0° $\pm 2^\circ$	projection	COPY	product family		METRAL	
AP	V04-0913	HTB	09/09/04	dr	T.BRUNGARD	11/19/99	MM	size		213	
AR	V04-0990	DAI	09/30/04	enrg	M.STRAWSE	11/19/99	MM	dwg no		88922	
AS	V05-0053	TAB	02/17/05	chr	M.STRAWSE	11/19/99	MM	A		1 of 7	
AT	V05-0368	DPU	06/01/05	appd	M.STRAWSE	02/29/00	MM	2:1			
sheet	revision	AV	AV	AV	AV	AV	AV	cage code		22526	
index	sheet	1	2	3	4	5	6	4			

Pro/E

PDM: Rev:AV


STATUS:Released

Printed: Jan 17, 2011



REQUIRED PC BOARD LAYOUT
 COMPONENT SIDE
 SEE PRINT 58351 FOR
 ADDITIONAL PCB INFORMATION

KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
1	5.00	4.30
2	5.75	4.30
3	6.50	4.30
4	7.25	4.30
5	5.00	13.60
6	5.75	13.60
7	6.50	13.60
8	7.25	13.60
11	6.50	17.00
17	7.00	13.60
19	8.00	4.30
20	8.00	13.60
21	8.00	17.00
25	5.75	15.60
52	8.00	14.90
64	5.75	14.90
69	7.25	14.90

mat'l code				tolerances unless otherwise specified		CUSTOMER				www.fciconnect.com			
lfr	ecn no.	dr	date	linear	0. X $\pm$ 0.3		COPY						
AV					0. XX $\pm$ 0.13		projection						
					. XXX $\pm$.051								
				angles	0° $\pm$ 2°				title				
				dr	T.BRUNGARD	11/19/99	 MM		product family		METRAL	code	
				enrg	M.STRAWSER	11/19/99			size	dwg no	88922		213
				chr	M.STRAWSER	11/19/99							sheet
				appd	M.STRAWSER	02/29/00	scale		A		2		
sheet index		revision sheet											

cage code 22526

Pro/E

PDM: Rev:AV

STATUS:Released

Printed: Jan 17, 2011



PRODUCT NUMBER	DESCRIPTION	PLATING IN PRESS FIT TAIL AREA	PERFORMANCE LEVEL OF PLATING IN CONTACT AREA
88922-NIYY	STANDARD	TIN LEAD	TELCORDIA CO (NXT)
88922-N5YY	STANDARD	TIN LEAD	TELCORDIA UE (NXT)
88922-IYY	STANDARD	TIN LEAD	TELCORDIA CO
88922-2YY	STANDARD	TIN LEAD	TELECOM CLASS
88922-3YY	STANDARD	TIN LEAD	IEC CLASS I
88922-5YY	STANDARD	TIN LEAD	TELCORDIA UE
88922-NIYYLF	LEAD FREE	TIN	TELCORDIA CO (NXT), IEC CLASS I, SEE NOTES 9 AND 10
88922-N5YYLF	LEAD FREE	TIN	TELCORDIA UE (NXT) SEE NOTES 9 AND 10
88922-IYYLF	LEAD FREE	TIN	TELCORDIA CO, IEC CLASS I, SEE NOTES 9 AND 10
88922-2YYLF	LEAD FREE	TIN	TELECOM CLASS, SEE NOTES 9 AND 10
88922-5YYLF	LEAD FREE	TIN	TELCORDIA UE, SEE NOTES 9 AND 10

NOTES:

- FOR DIM A AND B SEE SHEET 2 AND UP.
- BODY MATERIAL: LIQUID CRYSTAL
POLYMER 30 % GLASS.
FLAME RETARDANT ACC. UL 94-V0.
- PIN MATERIAL:
PHOSPHOR BRONZE.
- PLATING ON PRESS-FIT TAIL AREA: SEE PRODUCT NUMBER TABLE. PLATING ON
CONTACT AREA CONFORMS TO PERFORMANCE LEVEL
SHOWN IN TABLE ON SHEET3.
- PRODUCT MARKING:
PART NUMBER DESIGNATION & BATCH I.D.
- ALL PRODUCTS WITH PART NUMBERS SHOWN IN
SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES.
IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P"
WILL BE ADDED TO THE END OF THE PART NUMBER.
EXAMPLE: XXXXX-XXXP OR XXXXX-XXXPLF
- PRODUCT SPECIFICATION: GS-12-180
APPLICATION SPECIFICATION: BUS-20-073
- AFTER INSERTION INTO BOARD WITH QUALIFIED TOOLING.
- THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE
EUROPEAN UNION DIRECTIVE AND OTHER COUNTRY REGULATIONS
AS DESCRIBED IN GS-12-008.
- ALL THE PRODUCTS EXCEPT THOSE WITH PART NUMBERS
CONTAINING 88922-NI---OR 88922-N5---WILL WITHSTAND
EXPOSURE TO 260 DEGREES C FOR 60 SECONDS IN A
CONVECTION, INFRA-RED OR VAPOR PHASE
REFLOW OVEN. PART NUMBERS 88922-NI---AND 88922-N5---
WILL NOT WITHSTAND REFLOW AND THE Au CONTACT SURFACE OF
THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM 140 DEGREES
C FOR NO LONGER THAN 15 SECONDS IN A WAVE SOLDER
APPLICATION.

mat'l code		SEE NOTES		tolerances unless otherwise specified		CUSTOMER		FCI www.fciconnect.com	
lfr	ecn no.	dr	date	linear	0.X ±0.3	COPY		title	
AV					0.XX ±0.13	projection		METRAL SIGNAL HEADER	
				angles	.XXX ±.051			2 MOD, 4 ROW PRESS-FIT	
				dr	T.BRUNGARD 11/19/99	MM		product family METRAL code	
				engr	x. xxxxxx mm/dd/yy			size	
				chr	M.STRAWSER 11/19/99	scale		dwg no 88922	
				appd	M.STRAWSER 02/29/00	11:1		sheet 213	
sheet index		revision sheet						3	

cage code 22526

Pro/E

PDM: Rev:AV

STATUS:Released

Printed: Jan 17, 2011



1 | 2

3 |

4

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X01 AND 88922-X01LF	D	-	2	-	2	-	2	-	2	-	2	-	2
	C	-	2	-	2	-	2	-	2	-	2	-	2
	B	-	2	-	2	-	2	-	2	-	2	-	2
	A	-	2	-	2	-	2	-	2	-	2	-	2

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X05 AND 88922-X05LF	D	25	25	25	25	25	25	25	25	25	25	25	25
	C	25	25	25	25	25	25	25	25	25	25	25	25
	B	25	25	25	25	25	25	25	25	25	25	25	25
	A	25	25	25	25	25	25	25	25	25	25	25	25

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X09 AND 88922-X09LF	D	1	3	1	1	1	1	1	1	1	1	1	1
	C	1	3	1	1	1	1	1	1	1	1	1	1
	B	1	3	1	1	1	1	1	1	1	1	1	1
	A	1	3	1	1	1	1	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X02 AND 88922-X02LF	D	-	6	-	6	-	6	-	6	-	6	-	6
	C	-	6	-	6	-	6	-	6	-	6	-	6
	B	-	6	-	6	-	6	-	6	-	6	-	6
	A	-	6	-	6	-	6	-	6	-	6	-	6

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X06 AND 88922-X06LF	D	6	6	6	20	20	20	6	6	6	20	20	20
	C	6	6	6	20	20	20	6	6	6	20	20	20
	B	6	6	6	20	20	20	6	6	6	20	20	20
	A	6	6	6	20	20	20	6	6	6	20	20	20

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X10 AND 88922-X10LF	D	-	-	6	6	-	-	6	6	6	6	6	6
	C	6	6	6	6	6	6	6	6	6	6	6	6
	B	6	6	6	6	6	6	6	6	6	6	6	6
	A	-	-	-	-	-	-	8	8	8	8	20	20

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X03 AND 88922-X03LF	D	2	2	2	2	2	1	1	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	3	3	2	2	2	2	2


METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X07 AND 88922-X07LF	D	2	3	2	2	2	2	2	2	2	2	2	2
	C	2	3	2	2	2	2	2	2	2	2	2	2
	B	2	3	1	2	2	2	2	2	2	2	2	2
	A	2	3	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X11 AND 88922-X11LF	D	19	1	1	1	1	19	1	19	1	19	1	19
	C	3	1	1	1	1	19	19	1	19	1	19	1
	B	3	1	1	1	1	19	1	19	1	19	1	19
	A	3	1	1	1	1	19	19	1	19	1	19	1

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X04 AND 88922-X04LF	D	-	-	2	2	-	-	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2	2	2
	A	-	-	-	-	-	-	4	4	4	4	19	19

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X08 AND 88922-X08LF	D	1	1	1	1	1	1	1	1	1	19	19	19
	C	1	1	1	1	1	1	1	1	1	19	19	19
	B	1	1	1	1	1	1	1	1	1	19	19	19
	A	1	1	1	1	1	1	1	1	1	19	19	19

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X12 AND 88922-X12LF	D	1	1	1	1	1	1	1	1	1	1	3	3
	C	1	1	1	1	1	1	1	1	1	1	3	3
	B	1	1	1	1	1	1	1	1	1	1	3	3
	A	1	1	1	1	1	1	1	1	1	1	3	3

mat'l code				tolerances unless otherwise specified				CUSTOMER		 www.fcjconnect.com					
lfr	ecn no.	dr	date	linear	0. X ±0.3		projection	COPY			title				
AV					0. XX ±0.13						METRAL SIGNAL HEADER				
					.XXX ±.051						2 MOD, 4 ROW PRESS-FIT				
					0° ±2°										
				dr	T.BRUNGARD 11/19/99						product family				
				enrg	M.STRAWSER 11/19/99						METRAL				
				chr	M.STRAWSER 11/19/99						size				
				appd	M.STRAWSER 02/29/00						dwg no				
								scale		A	88922				
								1:1							
sheet index		revision sheet													

mat'l code				tolerances unless otherwise specified				CUSTOMER		FCI www.fciconnect.com	
lfr	ecn no.	dr	date	linear	0.X ±0.3			COPY		title METRAL SIGNAL HEADER 2 MOD, 4 ROW PRESS-FIT	
AV					0.XX ±0.13			projection			
					.XXX ±.051						
				angles	0° ±2°					product family METRAL	
				dr	T.BRUNGARD	11/19/99		scale		code 213	
				enrg	M.STRAWSE	11/19/99		A		sheet 4	
				chr	M.STRAWSE	11/19/99		1:1			
				appd	M.STRAWSE	02/29/00					
sheet index	revision	sheet									



METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X13 AND 88922-X13LF	D	20	-	7	7	7	7	7	7	7	-
	C	20	-	7	7	7	7	7	7	7	-
	B	20	-	7	7	7	7	7	7	7	-
	A	20	-	7	7	7	7	7	7	7	-

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X14 AND 88922-X14LF	D	19	3	3	3	3	3	3	3	3	19
	C	19	3	3	3	3	3	3	3	3	19
	B	19	3	3	3	3	3	3	3	3	19
	A	19	3	3	3	3	3	3	3	3	19

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X15 AND 88922-X15LF	D	7	5	5	5	5	5	5	5	5	7
	C	7	5	5	5	5	5	5	5	5	7
	B	7	5	5	5	5	5	5	5	5	7
	A	7	5	5	5	5	5	5	5	5	7

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X16 AND 88922-X16LF	D	-	2	-	2	-	2	-	2	-	2
	C	-	-	-	-	-	-	-	-	-	-
	B	-	-	-	-	-	-	-	-	-	-
	A	-	2	-	2	-	2	-	2	-	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X17 AND 88922-X17LF	D	-	6	-	6	-	6	-	6	-	6
	C	-	-	-	-	-	-	-	-	-	-
	B	-	-	-	-	-	-	-	-	-	-
	A	-	6	-	6	-	6	-	6	-	6

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X18 AND 88922-X18LF	D	1	1	1	4	1	1	3	3	4	4
	C	1	1	1	4	1	1	3	3	4	4
	B	1	1	1	4	1	1	3	3	4	4
	A	1	1	1	4	1	1	3	3	4	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X19 AND 88922-X19LF	D	1	2	2	2	2	2	2	2	2	4
	C	1	2	2	2	2	2	2	2	2	4
	B	1	2	2	2	2	2	2	2	2	4
	A	1	2	2	2	2	2	2	2	2	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X20 AND 88922-X20LF	D	21	-	11	-	11	-	11	-	11	-
	C	21	-	11	-	11	-	11	-	11	-
	B	21	-	11	-	11	-	11	-	11	-
	A	21	-	11	-	11	-	11	-	11	-

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X21 AND 88922-X21LF	D	20	-	7	-	7	-	7	-	7	-
	C	20	-	7	-	7	-	7	-	7	-
	B	20	-	7	-	7	-	7	-	7	-
	A	20	-	7	-	7	-	7	-	7	-

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X22 AND 88922-X22LF	D	2	2	2	6	6	6	6	6	6	2
	C	2	2	2	6	6	6	6	6	6	2
	B	2	2	2	6	6	6	6	6	6	2
	A	2	2	2	6	6	6	6	6	6	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X23 AND 88922-X23LF	D	19	3	3	3	3	3	19	3	3	3
	C	19	3	3	3	3	3	19	3	3	3
	B	19	3	3	3	3	3	19	3	3	3
	A	19	3	3	3	3	3	19	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X24 AND 88922-X24LF	D	7	-	7	-	7	-	7	-	7	-
	C	-	7	-	7	-	7	-	7	-	7
	B	7	-	7	-	7	-	7	-	7	-
	A	-	7	-	7	-	7	-	7	-	7

mat'l code				tolerances unless otherwise specified				CUSTOMER		FCi www.fciconnect.com	
lfr	ecn no.	dr	date	linear	0.X ±0.3			COPY		title	
AV					0.XX ±0.13			projection		METRAL SIGNAL HEADER	
					.XXX ±.051					2 MOD, 4 ROW PRESS FIT	
				angles	0° ±2°					product family	
				dr	T.BRUNGARD 11/19/99			MM		METRAL	
				enr	M.STRAWSE 11/19/99			scale		code	
				chr	M.STRAWSE 11/19/99			1:1		213	
				appd	M.STRAWSE 02/29/00			A		sheet	
sheet index		revision sheet								5	



METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X25 AND 88922-X25LF	D	3	3	3	3	3	3	-	3	3	3
	C	3	3	3	3	3	3	-	3	3	3
	B	3	3	3	3	3	3	-	3	3	3
	A	3	3	3	3	3	3	-	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X26 AND 88922-X26LF	D	19	3	3	3	3	3	19	3	3	3
	C	19	3	3	3	3	3	19	3	3	3
	B	19	3	3	3	3	3	19	3	3	3
	A	19	3	3	3	3	3	19	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X27 AND 88922-X27LF	D	3	-	3	-	3	-	3	-	3	-
	C	-	3	-	3	-	3	-	3	-	3
	B	3	-	3	-	3	-	3	-	3	-
	A	-	3	-	3	-	3	-	3	-	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X28 AND 88922-X28LF	D	19	-	3	-	3	-	3	-	3	-
	C	19	-	3	-	3	-	3	-	3	-
	B	19	-	3	-	3	-	3	-	3	-
	A	19	-	3	-	3	-	3	-	3	-

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X29 AND 88922-X29LF	D	-	7	-	7	-	7	-	7	-	7
	C	7	-	7	-	7	-	7	-	7	-
	B	-	7	-	7	-	7	-	7	-	7
	A	7	-	7	-	7	-	7	-	7	-

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X30 AND 88922-X30LF	D	-	17	-	17	-	17	-	17	-	17
	C	17	-	17	-	17	-	17	-	17	-
	B	-	17	-	17	-	17	-	17	-	17
	A	17	-	17	-	17	-	17	-	17	-

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X31 AND 88922-X31LF	D	3	3	2	3	3	2	4	4	2	2
	C	3	3	2	3	3	2	4	4	2	2
	B	3	3	2	3	3	2	4	4	2	2
	A	3	3	2	3	3	2	4	4	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X32 AND 88922-X32LF	D	-	-	6	6	-	20	6	6	6	6
	C	6	6	6	6	6	6	6	6	6	6
	B	6	6	6	6	6	6	6	6	6	6
	A	-	-	-	-	-	8	8	8	8	20

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X33 AND 88922-X33LF	D	-	-	64	64	-	52	64	64	64	64
	C	64	64	64	64	64	64	64	64	64	64
	B	64	64	64	64	64	64	64	64	64	64
	A	-	-	-	-	-	69	69	69	69	52

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X34 AND 88922-X34LF	D	7	6	6	6	6	6	6	6	6	5
	C	7	6	6	6	6	6	6	6	6	5
	B	7	6	6	6	6	6	6	6	6	5
	A	7	6	6	6	6	6	6	6	6	5

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X35 AND 88922-X35LF	D	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2
	A	4	4	4	4	19	19	4	4	4	19



METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
88922-X36 AND 88922-X36LF	D	7	7	7	7	6	7	6	7	6	7
	C	7	7	7	7	7	7	7	7	7	7
	B	7	7	7	7	7	7	7	7	7	7
	A	7	7	7	7	7	7	7	7	7	7

mat'l code				tolerances unless otherwise specified				CUSTOMER		FCI www.fciconnect.com	
lfr	ecn no.	dr	date	linear	0.X ±0.3			projection		title METRAL SIGNAL HEADER 2 MOD, 4 ROW PRESS-FIT	
AV					0.XX ±0.13						
					.XXX ±.051						
				angles	0° ±2°			 scale 1:1	product family METRAL		code 213 sheet 6
				dr	T.BRUNGARD	11/19/99					
				engr	M.STRAWSE	11/19/99					
				chr	M.STRAWSE	11/19/99					
				appd	M.STRAWSE	02/29/00					
sheet index	revision	sheet									



METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X37 AND 88922-X37LF	D	3	3	3	3	3	3	3	3	3	3	3	3
	C	3	3	3	3	3	3	3	3	3	3	3	3
	B	3	3	3	3	3	3	3	1	3	3	3	3
	A	3	3	3	3	3	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X38 AND 88922-X38LF	D	3	3	1	9	3	3	3	3	3	3	3	3
	C	3	3	1	9	3	3	3	3	3	3	3	3
	B	3	3	3	3	3	3	3	1	3	3	3	3
	A	3	3	3	3	3	3	3	3	3	3	3	3

mat'l code				--		tolerances unless otherwise specified		CUSTOMER				www.fciconnect.com		
lfr	ecn no.	dr	date	linear	0.X ±0.3			COPY			title METRAL SIGNAL HEADER 2 MOD, 4 ROW PRESS-FIT			
AV					0.XX ±0.13			projection						
					.XXX ±.051									
				angles	0° ±2°									
				dr	T.BRUNGARD		11/19/99				product family		METRAL	code
				enrg	M.STRAWSER		11/19/99				size	dwg no	213	
				chr	M.STRAWSER		11/19/99		scale		A	88922		sheet
				appd	M.STRAWSER		02/29/00		1:1					7
sheet index	revision sheet													



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.