








LOC	DIST	LTR	REVISION RECORD	DATE	APVD
H	-	A	EH00-1620-00	22 OCT 99	CvT
		B	EH00-0219-01	06 MRT 01	JvdH
		-	-	-	-



SECTION A-A
SCALE 10:1

NOTES :


- 1 0,2 µm GOLD OVER 1,3 µm NICKEL IN CONTACTAREA.
- 2 0,8 µm GOLD OVER 1,3 µm NICKEL IN CONTACTAREA.
- 3 SUITABLE FOR 1,2+/-0,1mm PCB THICKNESS.

ORDERNUMBER 1-338967-2

2	IN-PHONE CONTACT	PHOSPHOR BRONZE	GOLD PLATED
1	SYSTEM CONN. HOUSING	LCP GF	BLACK
Item #	Description	Material	Finish

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS NEDERLAND B.V. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN J.V.D.HEIJDEN.10 APR 99	AMP TYCO ELECTRONICS NEDERLAND B.V. 's-HERTOGENBOSCH, THE NETHERLANDS	
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	CHK C.V.TILBURG.		
	0 PLC ± 0,2	APVD -	NAME I/O CONNECTOR 16 POSITION + 2 LOCKING HOLES + KEYING.	
	1 PLC ± 0,15	PRODUCT SPEC -		
	2 PLC ± 0,10	APPLICATION SPEC -		
MATERIAL	3 PLC ± -	WEIGHT -	SIZE A2	CAGE CODE 00779
	4 PLC ± -	FINISH -	DRAWING NO C-338967	RESTR TO -
CUSTOMER DRAWING			SCALE 5:1	SHEET 1 OF 2
			REV B	


LOC	DIST	LTR	REVISION RECORD	DATE	APVD
H	-	-	SEE SHEET 1	-	-
		-	-	-	-
		-	-	-	-



NOTE:

⚠ PLATING OF CONTACT AREA:
MIN. 0,20 µm GOLD OVER MIN. 1,3 µm Ni.

2 NO SOLDERMASK PERMITTED IN MOUNTING AREA OF CONNECTOR.
(BOTH SIDES OF THE BOARD).



RECOMMENDED PCB-LAYOUT
FOR I/O CONNECTOR.

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS NEDERLAND B.V. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN J.V.D.HEIJDEN, 10 MRT 99	AMP TYCO ELECTRONICS NEDERLAND B.V. 's-HERTOGENBOSCH, THE NETHERLANDS		
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	CHK R.DAAMEN.			
	0 PLC ± -	APVD -	NAME PCB-LAYOUT FOR I/O CONNECTOR 16 POSITION + 2 LOCKING HOLES + KEYING.		
	1 PLC ± -	PRODUCT SPEC -			
	2 PLC ± -	APPLICATION SPEC -			
	3 PLC ± -	WEIGHT -			
MATERIAL -	FINISH -	SIZE A2	CAGE CODE 00779	DRAWING NO C-338967	RESTR TO -
CUSTOMER DRAWING				SCALE 5:1	SHEET 2 OF 2
				REV B	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.