



ERRATA SHEET # 150320

Date:

March 20, 2015

Product:

XBee Development Kits

Summary:

This errata sheet documents a resolution for a known issue with the USB port use on XBee® development board kits shipped prior to 2/23/15.

Issue:

Some Digi XBee® development board kits were confirmed to exhibit a failure when powered through the USB port. The cause was found to be a variation on the voltage regulator that caused some USB circuits to not function properly. Specifically, the boards cause the FTDI chip to not enumerate when the power supply doesn't come up properly to 3.3v.


Determining the failure:

If the board is able to consistently connect through the USB, it is considered ok and not prone to this issue. Because the issue is intermittent, we suggest the user verifies port connectivity three times in succession.

To verify if your board may be faulty, perform the following test:

- 1) Plug in the USB port to your PC
- 2) Open up "Device Manager" from your windows PC to make sure all USB units do not have errors. A faulty connection will show up as a USB icon with an exclamation mark. Below in image 1 is a screen shot highlighting a faulty USB connection

Image 1:



Resolution:

To resolve the issue, the barrel jack must be supplied with between 6v to 20v of power, prior to connecting the USB port. If the barrel jack is supplied with between 6v to 20v prior to the USB connection, the board will always function properly. However, the barrel jack must be connected first, followed by the USB to guarantee correct operation.

Most of the development kits include one or more 12V power supplies to power one or more boards. If your kit did not have a power supply and you need one, or would like to return your development board for a new fully functional unit, please see the “customer resolution” information and tables below.

Customer Resolution:

If you need a replacement power supply or wish to exchange any affected product, you may request an RMA from the Customer Service team. Please send your request to DigiRMAs@digiq.com or contact us by phone at 800-344-4273 Option 4. Please reference the Errata Sheet # along with Part Number and Quantity of the affected part(s).

If you have technical related concerns or questions about this notice please contact our technical support department via telephone at 801-765-9885 or submit a request online at <http://www.digi.com/support/eservice/>. Please reference the Errata Sheet # along with Part Number and Quantity of the affected part(s).

Product Management
Digi International
11001 Bren Road East
Minnetonka, MN 55343

Table 1: Affected Board Part Numbers with old / new revisions and descriptions

Part Number	Revision	Description
XBIB-U-DEV	D	XBee, Dev Interface Board USB
XBIB-U-SS	D	XBee USB Interface Board - SMT Socket


Image 2: example board (P/N: XBIB-U-DEV)**Image 3: Notation of Revision Level on Label**

Table 2: Affected Kits without power supplies to resolve, and replacement items if needed

ITEM	DESCRIPTION	BOARD / REPLACEMENT BOARD	POWER SUPPLY (INCLUDED)	Replacement Power Supply
XB24-DKS	XBee Starter Development Kit	XBIB-U-DEV (QTY 2)	24000056 (PS,12VDC 100-240V 18W 1.5A) (QTY 1) 18000291 (CONN,AC Plug Kit EU,UK,AUST) (QTY 1)	76000738 (PS,12VDC 100-240V 18W 1.5A)
XB24-DKS-INT	XBee Starter Development Kit	XBIB-U-DEV (QTY 2)	No power supply on BOM	
XB24-DKSJ	XB 2.4,S1 Starter Kit,Jpn	XBIB-U-DEV (QTY 2)	JP5P2-9V11-6F (9V 1.1A 10 Watt Power Supply) (QTY 1)	
XB24-DMDK	XBee DigiMesh 2.4 Dev Kit	XBIB-U-DEV (QTY 4)	24000056 (PS,12VDC 100-240V 18W 1.5A) (QTY 2) 18000291 (CONN,AC Plug Kit EU,UK,AUST) (QTY 2)	
XB24-DMDK-WJ	XBee DigiMesh 2.4 Dev Kit Jpn	XBIB-U-DEV (QTY 4)	JP5P2-9V11-6F (9V 1.1A 10 Watt Power Supply) (QTY 2)	
XB24-PDK	XBee Professional Developer's	XBIB-U-DEV (QTY 5)	24000056 (PS,12VDC 100-240V 18W 1.5A) (QTY 3) 18000291 (CONN,AC Plug Kit EU,UK,AUST) (QTY 3)	
XB24-PDK-INT	XBee Professional Developer's	XBIB-U-DEV (QTY 5)	No power supply on BOM	
XB24-PDKJ	XBee 802.15.4 Dev Kit Jpn	XBIB-U-DEV (QTY 5)	JP5P2-9V11-6F (9V 1.1A 10 Watt Power Supply) (QTY 3)	
XBP08-DK	XBee-PRO 868 Development Kit	XBIB-U-DEV (QTY 2)	24000056 (PS,12VDC 100-240V 18W 1.5A) (QTY 1) 18000291 (CONN,AC Plug Kit EU,UK,AUST) (QTY 1)	
XBP09-DMDK	XBee-PRO DigiMesh 900 Dev Kit	XBIB-U-DEV (QTY 4)	24000056 (PS,12VDC 100-240V 18W 1.5A) (QTY 2) 18000291 (CONN,AC Plug Kit EU,UK,AUST) (QTY 2)	
XBP24-DKS	XBee-PRO Starter Development Kit	XBIB-U-DEV (QTY 2)	24000056 (PS,12VDC 100-240V 18W 1.5A) (QTY 1) 18000291 (CONN,AC Plug Kit EU,UK,AUST) (QTY 1)	
XBP24-DKS-INT	XBee-PRO Starter Development Kit	XBIB-U-DEV (QTY 2)	No power supply on BOM	
XBP24-DKSJ	XBeePRO Starter Dev Kit Japan	XBIB-U-DEV (QTY 2)	JP5P2-9V11-6F (9V 1.1A 10 Watt Power Supply) (QTY 1)	
XBP24BZ7B-DK	XBP,ZB Programmable Dev Kit	XBIB-U-DEV (QTY 2)	No power supply on BOM	
XBP24BZ7B-DK-W	XBP,ZB Int Programmable Dev Kit	XBIB-U-DEV (QTY 2)	No power supply on BOM	
XBP24BZ7B-DK-WJ	XBP,ZB Jpn Programmable Dev Kit	XBIB-U-DEV (QTY 2)	No power supply on BOM	
XK-Z11-M	ZigBee, RF Module Dev Kit	XBIB-U-DEV (QTY 4)	24000056 (PS,12VDC 100-240V 18W 1.5A)(QTY2)	
XK-Z11-M-W	ZigBee, RF Module Dev Kit-Int	XBIB-U-DEV (QTY 4)	24000056 (PS,12VDC 100-240V 18W 1.5A) (QTY 2) 18000291 (CONN,AC Plug Kit EU,UK,AUST) (QTY 2)	
XK-Z11-M-WA	ZigBee, RF Module Dev Kit - Austr	XBIB-U-DEV (QTY 4)	24000056 (PS,12VDC 100-240V 18W 1.5A) (QTY 2) 18000291 (CONN,AC Plug Kit EU,UK,AUST) (QTY 2)	
XK-Z11-T	iDigi Tank ZB US Kit	XBIB-U-DEV (QTY 1)	24000077 (PS,12V OUT 100/240 LOCK, ISOL RTN)(QTY 1)	
XK-Z11-T-W	iDigi Tank ZB Kit Int	XBIB-U-DEV (QTY 1)	24000077 (PS,12V OUT 100/240 LOCK, ISOL RTN)(QTY 1)	
XK2B-WFT-0	XBee, S6B Wi-Fi Development Kit	XBIB-U-DEV (QTY 1); XBIB-U-SS (QTY 1)	No power supply on BOM	
XK9-XCT-0	XBee-PRO, XSC S3B Dev Kit	XBIB-U-DEV (QTY 2)	JP5P2-9V11-6F (9V 1.1A 10 Watt Power Supply)(QTY 1)	
XK9-XCT-2	XBee-PRO, XSC S3B 920 MHz 9.6	XBIB-U-DEV (QTY 2)	24000056 (PS,12VDC 100-240V 18W 1.5A) (QTY 1) 18000291 (CONN,AC Plug Kit EU,UK,AUST) (QTY 1)	
XKP9-DM-0	XBee-PRO 900HP S3B Dev Kit (Do	XBIB-U-DEV (QTY 3)	JP5P2-9V11-6F (9V 1.1A 10 Watt Power Supply)(QTY 2)	
XKP9-DM-1	XBee-PRO 900HP S3B 920MHz (B	XBIB-U-DEV (QTY 3)	24000056 (PS,12VDC 100-240V 18W 1.5A) (QTY 2) 18000291 (CONN,AC Plug Kit EU,UK,AUST) (QTY 2)	
XKP9-DM-2	XBee-PRO 900HP S3B 920MHz (A	XBIB-U-DEV (QTY 3)	24000056 (PS,12VDC 100-240V 18W 1.5A) (QTY 2) 18000291 (CONN,AC Plug Kit EU,UK,AUST) (QTY 2)	
XKP9-DM-4	XBee-PRO 900HP S3B 920MHz (S	XBIB-U-DEV (QTY 3)	24000056 (PS,12VDC 100-240V 18W 1.5A) (QTY 2) 18000291 (CONN,AC Plug Kit EU,UK,AUST) (QTY 2)	
XKP9-DMB0	XBP, PROG 900HP S3B DEV KIT	XBIB-U-DEV (QTY 3)	JP5P2-9V11-6F (9V 1.1A 10 Watt Power Supply)(QTY 2)	
XK-Z11-S	ZigBee SMT RF Module Dev Kit	XBIB-U-SS (QTY 4)	24000056 (PS,12VDC 100-240V 18W 1.5A)(QTY 2)	
XK-Z11-S-W	ZigBee SMT RF Module Dev Kit-Int	XBIB-U-SS (QTY 4)	24000056 (PS,12VDC 100-240V 18W 1.5A) (QTY 2) 18000291 (CONN,AC Plug Kit EU,UK,AUST) (QTY 2)	
XK-Z11-S-WA	ZigBee SMT RF Module Dev Kit - A	XBIB-U-SS (QTY 4)	24000056 (PS,12VDC 100-240V 18W 1.5A) (QTY 2) 18000291 (CONN,AC Plug Kit EU,UK,AUST) (QTY 2)	
XK2-Z75B0	XBP, ZB SMT 32K Prog Dev Kit US	XBIB-U-SS (QTY 2)	No power supply on BOM	
XK2-Z75B0	XBP, ZB SMT 32K Prog Dev Kit EM	XBIB-U-SS (QTY 2)	No power supply on BOM	
XK2-Z75BJ0	XBP, ZB SMT 32K Prog Dev Kit JPN	XBIB-U-SS (QTY 2)	No power supply on BOM	
XK2B-WFT-0	XBee, S6B Wi-Fi Development Kit	XBIB-U-DEV (QTY 1); XBIB-U-SS (QTY 1)	No power supply on BOM	
XK8-DMS-0	XBee, 865/868LP Dev Kit	XBIB-U-SS (QTY 3)	24000056 (PS,12VDC 100-240V 18W 1.5A) (QTY 2) 18000291 (CONN,AC Plug Kit EU,UK,AUST) (QTY 2)	
XK8-DMSB0	XBee, 865/868LP Programmable	XBIB-U-SS (QTY 3)	24000056 (PS,12VDC 100-240V 18W 1.5A) (QTY 2) 18000291 (CONN,AC Plug Kit EU,UK,AUST) (QTY 2)	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.