



887329302	USB 28#/22#	3340+0/-50	887808229	887800019
887329002	USB 28#/28#	820+0/-30	887808218	887800019
887329220	USB 28#/24#	2090+0/-40	887808234	887800043
887329120	USB 28#/24#	1320±25	887808243	887800043
887329020	USB 28#/24#	820±15	887808243	887800043
887329402	USB 28#/20#	5010+0/-80	887808230	887800019
887329202	USB 28#/24#	2090+0/-40	887808239	887800019
887329102	USB 28#/26#	1320+0/-30	887808228	887800019
887328102	USB 28#/24#	1800+0/-30	887808239	887800019
887328100	USB 28#/24#	1800+0/-30	887808238	887800043
887328000	USB 28#/26 #	1000+0/-30	887808204	887800043
887328002	USB 28#/26#	1000+0/-30	887808228	887800019
MOLEX P/N	DESCRIPTION	LENGTH	CABLE P/N	PVC P/N

ENTER DESCRIPTION EC NO: DG2006-0163 DRWN:PDAI CHKD: APPR:TKAN	2006/01/20 2006/01/20 2006/01/20	QUALITY SYMBOLS ▽=0 ◻=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
				mm	INCH	DRAWN BY XHLEI	DATE 2006/01/20	TITLE USB A-B CABLE ASSY			
			4 PLACES	±---	±---	CHECKED BY ZXDENG	DATE 2006/01/20	MOLEX INCORPORATED MATERIAL NO. SEE TABLE DOCUMENT NO. SD-88732-002 SHEET NO. 1 OF 2			
			3 PLACES	±---	±---	APPROVED BY BORON	DATE 2006/01/20				
2 PLACES	±---	±---	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						
1 PLACE	±---	±---									
ANGULAR ±---°											

7 6 5 4 3 2 1

NOTE:1

1.MOLDED WITH PVC RESIN P/N:SEE TABLE

▽ 2.ELECTRICAL PERFORMANCE:

- 2.1 DIELECTRIC STRENGTH
- 2.2 INSULATION RESISTANCE
- 2.3 CONDUCTIVE RESISTANCE
- 2.4 CABLE IMPEDANCE
- 2.5 ATTENUATION
- 2.6 PROPAGATION DELAY
- 2.7 SIGNAL PAIR SKEW

REFER TO ES-003 ELECTRICAL SPECIFICATION FOR DETAILS

3.THIS PRODUCT MUST MEET MX RoHS COMPLIANCE.

J	COPPER FOIL 877801083		2		
H	TERMINAL		8		
G	HOUSING 887809085		1		
F	REAL SHELL 887809082		1		
E	FRONT SHELL 887809081		1		
D	USB CABLE SEE TABLE				
C	REAR SHELL 887809084		1		
B	FRONT SHELL 887809083		1		
A	CRIMP HOUSING 887809086		1		
PIN ASSIGNMENTS		ITEM	DESCRIPTION	L	QTY.

ENTER DESCRIPTION EC NO: DG2006-0163 DRWN:PDAI 2006/01/20 CHKD: 2006/01/20 APPR:TKAN 2006/01/20	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	▽=0	mm	INCH	MM ONLY		---	METRIC	
	▽=0	4 PLACES ±---	±---	DRAWN BY	DATE	TITLE		
		3 PLACES ±---	±---	XHLEI	2006/01/20	USB A-B CABLE ASSY		
	2 PLACES ±---	±---	CHECKED BY	DATE				
	1 PLACE ±---	±---	ZXDENG	2006/01/20				
	ANGULAR ±---°		APPROVED BY	DATE				
			BORON	2006/01/20	MOLEX INCORPORATED			
			MATERIAL NO.	DOCUMENT NO.	SHEET NO.			
			SEE TABLE	SD-88732-002	2 OF 2			
			SIZE	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
			A/4					

6 5 4 3 2 1



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.