




3M™ TEXTTOOL™ OPEN-TOP SOCKETS FOR QFN APPLICATIONS




NOTES:


1. MATERIALS:
- | | | |
|--------------|---------------|---------------|
| SPRINGS | SS | PLATING : Au |
| CONTACTS | Be Cu | COLOR : BLACK |
| IC GUIDES | PES | COLOR : BLACK |
| PRESSURE PAD | PES | COLOR : BLACK |
| COVER | PPS or equiv. | COLOR : BLACK |
| BASE | PES | COLOR : BLACK |
2. SEE THE REGULATORY INFORMATION APPENDIX (RIA) IN THE "RoHS COMPLIANCE" SECTION WWW.3MCONNECTOR.COM FOR COMPLIANCE INFORMATION (RIA E1 & C1 APPLY).
3. FOR PRODUCT SPECIFICATIONS AND WARRANTY INFORMATION SEE: WWW.3MCONNECTOR.COM PN 248-4205-01

DESIGN REFERENCE				NEXT ASSEMBLY				A		37213		INITIAL RELEASE				ARM			
DISTRIBUTION CODES								REV		ECO		ISSUE DATE AND DESCRIPTION				DRFT		CHKD	
								DRFT				DATE		MFG		DATE			
								CHKD				DATE		APPVL		DATE			
DIVISION				DIVISION CODE				3M 3M Center St. Paul, MN 55144 © 3M COPYRIGHT 2012 This document is the copyrighted property of the 3M Company and may not be reproduced without 3M written permission or used for other than 3M authorized purposes.				TITLE QFN TEST SOCKET, 0.4mm, 48 pos, EVEN ROW, 6X6 PKG, WITH TP							
DO NOT SCALE DRAWING		SCALE 5 1		TOLERANCES EXCEPT AS NOTED															
		INCHES .01 ± .1 .00 ± .02 .000 ± .005 .000 ± .0002																	
		MILLIMETERS 0 ± 0 ± .00 ± .00 ± 0.00 ±																	
THIRD ANGLE PROJECTION								CAGE NUMBER		SIZE C		DRAWING NO. 78-5100-2451-2				REV. A			
INTERPRET PER ASME Y14.5 - 1994								MODEL		TEXTTOOL - QFN				DET. LISTS		□ YES □ NO		SHT 1 OF 2	
MAX SURFACE ROUGHNESS 125 ☐ ALL SURFACES ✓ ☒ MARKED ONLY				ANGLES ± 1°															

3M™ TEXTTOOL™ OPEN-TOP SOCKETS FOR QFN APPLICATIONS



FOOTPRINT AS VIEWED LOOKING DOWN
FROM TOP OF SOCKET



RECOMMENDED IC (REF.)

DESIGN REFERENCE				NEXT ASSEMBLY				REV	ECO	ISSUE DATE AND DESCRIPTION				DRFT	CHKD
DISTRIBUTION CODES								DRFT	DATE			MFG		DATE	
								CHKD	DATE			APPVL		DATE	
DIVISION				DIVISION CODE				3M 3M Center St. Paul, MN 55144		© 3M COPYRIGHT 2012 This document is the copyrighted property of the 3M Company and may not be reproduced without 3M written permission or used for other than 3M authorized purposes.					
DO NOT SCALE DRAWING		SCALE 5 1		TOLERANCES EXCEPT AS NOTED											
		THIRD ANGLE PROJECTION		INCHES		TITLE QFN TEST SOCKET, 0.4mm, 48 pos, EVEN ROW, 6X6 PKG, WITH TP									
				.0 ± .1 .00 ± .02 .000 ± .005 .0000 ± .0002											
INTERPRET PER ASME Y14.5 - 1994				MILLIMETERS		CAGE NUMBER SIZE DRAWING NO. REV.									
MAX SURFACE ROUGHNESS 125 ☐ ALL SURFACES ☒ MARKED ONLY				0 ± .1 .00 ± .005 .000 ± .0002											
				ANGLES ± 1°				MODEL TEXTTOOL - QFN				DET. LISTS ☐ YES ☒ NO		SHT 2 OF 2	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.