

STRIP FOR 5 CIRCUIT ASSEMBLY SHOWN AT FULL SCALE

NOTES:

1. MATERIAL: BLACK VULCANIZED FIBRE, .031" THICK
2. PART IS ROHS COMPLIANT.
3. IMPRINTING TEXT LOCATIONS AND HEIGHT ARE TYPICAL AS SHOWN.
4. STYLES 101 THROUGH 204, REFER TO SD-38120-008.
5. STYLE 000 IS UNMARKED.

| | | | | | | | | | | |
|--|------------------|-------------------------------|--|---|--|---------------------|--------------|----------------------|------------------------|--|
| INITIAL RELEASE EC NO: ETC2007-0021 DRWN: CYORK 2006/08/01 CHKD: RDEROSS 2006/08/07 APPR: RDEROSS 2006/08/08 | DESCRIPTION A | QUALITY SYMBOLS ▽=0 ▽=0 | GENERAL TOLERANCES (UNLESS SPECIFIED) | | DIMENSION STYLE MM/IN | | SCALE 2:1 | DESIGN UNITS INCH | THIRD ANGLE PROJECTION | |
| | | | 4 PLACES ± --- ± --- 3 PLACES ± --- ± .006 2 PLACES ± 0.15 ± .02 1 PLACE ± 0.5 ± --- ANGULAR ± 2 ° | DRAWN BY C. YORK DATE 2006/07/25 | TITLE STRIP, MARKER, DUAL ROW | | | | | |
| | | | DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | CHECKED BY R. DEROSS DATE 2006/07/25 | APPROVED BY R. DEROSS DATE 2006/07/25 | | | | | |
| | | | MATERIAL NO. SEE SHEET 2 | DOCUMENT NO. SD-38009-001 | | SHEET NO. 1 OF 2 | | | | |

| NO. OF CIRCUITS | DIM. "A" | | MATERIAL NO. (STYLE 000) | MATERIAL NO. (IMPRINTED STYLE 101) | MATERIAL NO. (IMPRINTED STYLE 201) |
|-----------------|----------|-------|--------------------------|------------------------------------|------------------------------------|
| | mm | in | | | |
| 01 | 30.2 | 1.19 | 380090240 | 380090239 | |
| 02 | 41.3 | 1.63 | 380090616 | 380090241 | 380090304 |
| 03 | 52.4 | 2.06 | 380090244 | 380090242 | |
| 04 | 63.5 | 2.50 | 380090246 | 380090245 | 380090310 |
| 05 | 74.6 | 2.94 | 380090248 | 380090247 | |
| 06 | 85.7 | 3.38 | 380090251 | 380090249 | 380090314 |
| 07 | 96.8 | 3.81 | 380090253 | 380090252 | |
| 08 | 108.0 | 4.25 | 380090256 | 380090254 | 380090322 |
| 09 | 119.1 | 4.69 | 380090259 | 380090257 | |
| 10 | 130.2 | 5.13 | 380090261 | 380090260 | 380090332 |
| 11 | 141.3 | 5.56 | 380090264 | 380090262 | |
| 12 | 152.4 | 6.00 | 380090267 | 380090265 | 380090341 |
| 13 | 163.5 | 6.44 | 380090269 | 380090268 | |
| 14 | 174.6 | 6.88 | 380090271 | 380090270 | 380090344 |
| 15 | 185.7 | 7.31 | 380090274 | 380090272 | |
| 16 | 196.9 | 7.75 | 380090276 | 380090275 | 380090346 |
| 17 | 208.0 | 8.19 | 380090278 | 380090277 | |
| 18 | 219.1 | 8.63 | 380090281 | 380090279 | |
| 19 | 230.2 | 9.06 | 380090282 | 380090615 | |
| 20 | 241.3 | 9.50 | 380090285 | 380090283 | |
| 21 | 252.4 | 9.94 | 380090287 | 380090286 | |
| 22 | 263.5 | 10.38 | 380090289 | 380090288 | |
| 23 | 274.6 | 10.81 | 380090290 | | |
| 24 | 285.8 | 11.25 | 380090293 | 380090291 | |
| 25 | 296.9 | 11.69 | 380090295 | 380090294 | |
| 26 | 308.0 | 12.13 | 380090297 | 380090296 | |
| 27 | 319.1 | 12.56 | 380090298 | | |
| 28 | 330.2 | 13.00 | 380090300 | 380090299 | |
| 29 | 341.3 | 13.44 | 380090301 | | |
| 30 | 352.4 | 13.88 | 380090303 | 380090302 | |

| SEE SHEET 1 EC NO: ETC2007-0021 DRWN: CYORK 2006/08/01 CHKD: RDEROSS 2006/08/07 APPR: RDEROSS 2006/08/08 | DESCRIPTION A | QUALITY SYMBOLS ▽=0 ▽=0 | GENERAL TOLERANCES (UNLESS SPECIFIED) <table border="1"> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> <tr> <td>4 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>3 PLACES</td> <td>± ---</td> <td>± .006</td> </tr> <tr> <td>2 PLACES</td> <td>± 0.15</td> <td>± .02</td> </tr> <tr> <td>1 PLACE</td> <td>± 0.5</td> <td>± ---</td> </tr> </table> | | mm | INCH | 4 PLACES | ± --- | ± --- | 3 PLACES | ± --- | ± .006 | 2 PLACES | ± 0.15 | ± .02 | 1 PLACE | ± 0.5 | ± --- | DIMENSION STYLE MM/IN DRAWN BY C. YORK DATE 2006/07/25 CHECKED BY R. DEROSS DATE 2006/07/25 APPROVED BY R. DEROSS DATE 2006/07/25 | SCALE --- DESIGN UNITS INCH THIRD ANGLE PROJECTION | TITLE STRIP, MARKER, DUAL ROW |
|---|------------------|-------------------------------|--|---------------------------|------------------|------|----------|-------|-------|----------|-------|--------|----------|--------|-------|---------|-------|-------|---|--|----------------------------------|
| | | | mm | INCH | | | | | | | | | | | | | | | | | |
| | | 4 PLACES | ± --- | ± --- | | | | | | | | | | | | | | | | | |
| | | 3 PLACES | ± --- | ± .006 | | | | | | | | | | | | | | | | | |
| 2 PLACES | ± 0.15 | ± .02 | | | | | | | | | | | | | | | | | | | |
| 1 PLACE | ± 0.5 | ± --- | | | | | | | | | | | | | | | | | | | |
| DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | | | MATERIAL NO. SEE CHART SIZE B | DOCUMENT NO. SD-38009-001 | SHEET NO. 2 OF 2 | | | | | | | | | | | | | | | | |
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION | | | | | | | | | | | | | | | | | | | | | |
| MOLEX INCORPORATED | | | | | | | | | | | | | | | | | | | | | |

13 12 11 10 9 8 7 6 5 4 3 2 1

J

I

H

G

F

E

D

C

B

A

J

I

H

G

F


E

D


C

B


A




STYLE 101




STYLE 102




STYLE 103




STYLE 104




STYLE 201



STYLE 202



STYLE 203



STYLE 204

- NOTES:
1. STYLE 101 IS STANDARD IMPRINTING FOR MARKER STRIPS WITHOUT FEED-THRU.
 2. REFER TO SPECIFIC PRODUCT DRAWING FOR IMPRINTING TEXT HEIGHT AND LOCATION.
 3. ALL COMPONENTS ARE ROHS COMPLIANT.

| | | |
|---|-------------|------|
| INITIAL RELEASE EC NO: ETC2007-0021 DRAWN BY: C. YORK CHKD: R. DEROSS APPR: R. DEROSS | 2006/08/07 | DATE |
| | 2006/08/07 | DATE |
| | 2006/08/08 | DATE |
| | 2006/08/08 | DATE |
| REV | DESCRIPTION | |
| A | | |

QUALITY SYMBOLS
 = 0
 = 0

| GENERAL TOLERANCES (UNLESS SPECIFIED) | |
|---------------------------------------|--------|
| | mm |
| 4 PLACES | ± .005 |
| 3 PLACES | ± .01 |
| 2 PLACES | ± 0.13 |
| 1 PLACE | ± 0.3 |
| ANGULAR ± 2 ° | |

| DIMENSION STYLE INCH ONLY | |
|---------------------------|------------|
| DRAWN BY | C. YORK |
| DATE | 2006/07/25 |
| CHECKED BY | R. DEROSS |
| DATE | 2006/07/25 |
| APPROVED BY | R. DEROSS |
| DATE | 2006/07/25 |
| MATERIAL NO. | --- |

| | |
|--|--------------|
| SCALE | --- |
| DESIGN UNITS | INCH |
| THIRD ANGLE PROJECTION | |
| TITLE MARKER STRIP IMPRINTING FOR NON-FEED-THRU, STYLES 1YY AND 2YY | |
| MOLEX INCORPORATED | |
| DOCUMENT NO. | SD-38120-008 |
| SHEET NO. | 1 OF 1 |

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

12 11 10 9 8 7 6 5 4 3 2 1



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.