

REVISIONS				
REV.	ECN	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	JUN 02,11	J.SI
B		PROPOSAL	MAR 01,12	J.SI

- NOTES:
- MATERIAL:
CAGE: COPPER ALLOY

PLATING OPTION X=2:
2.54um MIN. NICKEL

PLATING OPTION X=3:
3.81um MIN. MATTE TIN
OVER 1.27um MIN. NICKEL.
 - TEMPERATURE RANGE:
-40°C TO +85°C
 - PACKAGING:
TRAY PACKAGING

AMPHENOL PART NUMBER CONFIGURATION
U77 - A 2 6 1 H - X 0 8 1

- PACKAGING**
1 = TRAY PACKAGING
- PLATING**
2 = NICKEL PLATING
3 = MATTE TIN PLATING

DO NOT SCALE DRAWING


THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS X.X ± 0.38 X.XX ± 0.25 MATERIAL AND FINISH N/A REF. X CODE IDENT. NO. 03554	APPROVALS		DATE
	DRAWN Hisen.X	JUN 02,11	
	DESIGNED J.SI	JUN 02,11	
	CHECKED X	X	
	QA APPD X	X	
	IE APPD X	X	

Amphenol Canada Corp.

TITLE
1X2 SFP+ CAGE, SPRING FINGER, 2.05mm LONG PRESS FIT PINS, LOCK TABS ON BOTTOM COVER

SIZE A4	DWG. NO. P-U77-A261H-X081	REV. B
SCALE 3:2	PROJECT	SHEET 1 OF 5



REVISIONS				
REV.	ECN	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	JUN 02,11	J.SI
B		PROPOSAL	MAR 01,12	J.SI

SECTION A-A
SCALE 2 : 1


RECOMMENDED BEZEL DESIGN
(SINGLE SIDE CAGE MOUNTING)

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS X.X ± 0.38 X.XX ± 0.25 MATERIAL AND FINISH N/A REF. X CODE IDENT. NO. 03554	APPROVALS		DATE
	DRAWN Hisen.X	JUN 02,11	
	DESIGNED J.SI	JUN 02,11	
	CHECKED X	X	
	QA APPD X	X	
	IE APPD X	X	
	DWG APPD		

Amphenol Canada Corp.			
TITLE			
1X2 SFP+ CAGE, SPRING FINGER, 2.05mm LONG PRESS FIT PINS, LOCK TABS ON BOTTOM COVER			
SIZE A4	DWG. NO. P-U77-A261H-X081	REV. B	
SCALE 1:1	PROJECT	SHEET 2 OF 5	



REVISIONS				
REV.	ECN	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	JUN 02,11	J.SI
B		PROPOSAL	MAR 01,12	J.SI

NOTE:
 PANEL CUTOUT SIZES PER SFF 8433 SPEC. FOR BELLY TO BELLY MOUNTING, DIM "E" (PCB THICKNESS) IS 3.0 mm MIN. DIM "F" RELATED TO DIM "E". FOR DIM "F" = DIM "E" - 0.44 mm. THE PANEL CUTOUT 10.40 mm MIGHT BE INCREASED UP TO 10.80 mm IN ORDER TO ACCOMODATE PCB TOLERANCE.

**RECOMMENDED BEZEL DESIGN
 (BELLY TO BELLY CAGE MOUNTING)**


DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.




SECTION B-B
 SCALE 1.5 : 1

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:		APPROVALS		DATE	Amphenol Canada Corp.	
DECIMALS	ANGLES	DRAWN	Hisen.X	JUN 02,11		
X.X ± 0.38	± 1°	DESIGNED	J.SI	JUN 02,11	TITLE 1X2 SFP+ CAGE, SPRING FINGER, 2.05mm LONG PRESS FIT PINS, LOCK TABS ON BOTTOM COVER	
X.XX ± 0.25		CHECKED	X	X		
MATERIAL AND FINISH	N/A	QA APPD	X	X		
REF.	X	IE APPD	X	X		
CODE IDENT. NO.	03554	DWG APPD			SIZE A4	DWG. NO. P-U77-A261H-X081
					SCALE 2:1	PROJECT
						SHEET 3 OF 5

- NOTES:
 1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
 2. PADS AND VIAS ARE CHASSIS GROUND.
 3. THRU-HOLES, PLATING OPTIONAL.
 4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.



REVISIONS				
REV.	ECN	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	JUN 02,11	J.SI
B		PROPOSAL	MAR 01,12	J.SI



RECOMMENDED PCB DESIGN FOR SINGLE SIDE MOUNTING

DO NOT SCALE DRAWING


THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS X.X ± 0.38 X.XX ± 0.25 MATERIAL AND FINISH N/A REF. X CODE IDENT. NO. 03554	APPROVALS	DATE	Amphenol Canada Corp.
	DRAWN Hisen.X DESIGNED J.SI CHECKED X QA APPD X IE APPD X	JUN 02,11 JUN 02,11 X X X	
	TITLE		1X2 SFP+ CAGE, SPRING FINGER, 2.05mm LONG PRESS FIT PINS, LOCK TABS ON BOTTOM COVER
	SIZE A4	DWG. NO. P-U77-A261H-X081	REV. B
	SCALE 2:1	PROJECT	SHEET 4 OF 5


- NOTES:
 1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
 2. PADS AND VIAS ARE CHASSIS GROUND.
 3. THRU-HOLES, PLATING OPTIONAL.
 4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

REVISIONS				
REV.	ECN	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	JUN 02,11	J.SI
B		PROPOSAL	MAR 01,12	J.SI

A
B
C
D



THIS AREA DENOTES COMPONENTS KEEP-OUT (TRACES ALLOWED)



RECOMMENDED PCB DESIGN FOR BELLY TO BELLY MOUNTING

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS X.X ± 0.38 X.XX ± 0.25 MATERIAL AND FINISH N/A REF. X CODE IDENT. NO. 03554	APPROVALS		DATE	Amphenol Canada Corp. TITLE 1X2 SFP+ CAGE, SPRING FINGER, 2.05mm LONG PRESS FIT PINS, LOCK TABS ON BOTTOM COVER SIZE A4 DWG. NO. P-U77-A261H-X081 REV. B SCALE 3:1 PROJECT SHEET 5 OF 5
	DRAWN Hisen.X	JUN 02,11		
	DESIGNED J.SI	JUN 02,11		
	CHECKED X	X		
	QA APPD X	X		
	IE APPD X	X		



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.