

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION -.-. .
© COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST
GP	00


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	B	REV PER EC 0S11-0145-04	09JUL04	BC	DS






SECTION A-A
SCALE 8: 1



DETAIL Z
SCALE 16: 1



1. PLATING- CONTACT MATING AREA, 0.00076 [.000030] MIN THK GOLD ON MATING EDGE OF SOLDERTAIL, 0.00381 [.000150] MIN THK TIN-LEAD UNDERPLATE. 0.00127 [.000050] MIN THK NICKEL OVER ENTIRE CONTACT. BASE MATERIAL: PHOSPHER BRONZE.
2. PLASTIC INSULATOR MATERIAL, GLASS FILLED, HIGH TEMPERATURE NYLON COLOR, BLACK.
3. DATE CODE INFORMATION (YEAR, WEEK, DAY), LOCATED APPROXIMATELY AS SHOWN.
4. FOR OPTIMAL PERFORMANCE, CONTACT PAD PLATING SHOULD BE SMOOTH AND FLAT. COPPER CONTACT PADS ARE TO BE OVERPLATED WITH 0.00127 [.000050] MIN THK NICKEL FOLLOWED WITH 0.00076 [.000030] MIN THK HARD GOLD PLATING. LEADING EDGES OF MODULE SHOULD BE FREE OF SHARP CORNERS.
5. SOLDER TAIL X-SECTION 0.40 x 0.25 [.016 x .010]

130.81[5.150]	143.51[5.650]	73.66[2.900]	143.76[5.660]	151.13[5.950]	136.75[5.384]	100	200	390374-1
DIM F	DIM E	DIM D	DIM C	DIM B	DIM A	POSITION	NO. OF INPUT/OUTPUT	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: MM

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± -
1 PLC ± -
2 PLC ± -
3 PLC ± -
4 PLC ± -
ANGLES ± 0.08 [.003]

MATERIAL 1 2

FINISH 1

DWN 13APR00 J.BURWELL
CHK 13APR00 D. SHIRLING
APVD 13APR00 D. SHIRLING
PRODUCT SPEC -
APPLICATION SPEC -
WEIGHT -

Tyco Electronics Corporation

NAME
SOCKET ASSEMBLY, DUAL READ OUT SIMM II
STANDARD CARD GUIDES, SINGLE ROW, NO EXTRACTORS
1.27 [.050] (FULL WIPE)

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-390374	-

CUSTOMER DRAWING | SCALE 1:1 | SHEET 1 OF 2 | REV B


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION -,- .
© COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST
GP	00

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	-	—	—


VIEW CENTER
SCALE 8: 1




RECOMMENDED CIRCUIT BOARD HOLE LAYOUT
SCALE 2: 1
HOLE PATTERN AND RELATED DIMENSIONS


SECTION P-P








SECTION R-R



RECOMMENDED MODULE LAYOUT
SCALE 2: 1
1.27±0.10 [.050±.004] THK ACROSS CONTACT PADS
MODULE CONFIGURATION AND RELATED DIMENSIONS



VIEW Z
SCALE 6: 1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: MM

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± —
1 PLC ± —
2 PLC ± 0.08 [.003]
3 PLC ± —
4 PLC ± —
ANGLES ± —

MATERIAL: 1 2
FINISH: 1

DWN	J.BURWELL	13APR00
CHK	D. SHIRLING	13APR00
APVD	D. SHIRLING	13APR00
PRODUCT SPEC	—	
APPLICATION SPEC	—	
WEIGHT	—	

Tyco Electronics Corporation

NAME: SOCKET ASSEMBLY, DUAL READ OUT, SIMM II
STANDARD CARD GUIDES, SINGLE ROW, NO EXTRACTORS
1.27 [.050] (FULL WIPE)

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-390374	—

CUSTOMER DRAWING | SCALE 1:1 | SHEET 2 OF 2 | REV B


Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits,General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)
Факс: 8 (812) 320-02-42
Электронная почта: org@eplast1.ru
Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.