


## Shelves (Sliding) - Panel Mount (Two Pair of Panel Rails)

Path: [Home](#) > [Rack Index](#) > Shelves (Sliding) - Panel Mount - Two Pair of Panel Rails



click to enlarge















Assembly  
Instructions

### Rail Mounted Sliding Shelf (Unvented)

- Attach to both pair of 19" rack rails
- Heavy duty ball bearing slides included
- Heavy duty, 14 Ga. steel construction
- Weight load tested (RFUS2426BK1) to 120 pounds.
- Folded on all four sides for extra strength
- Rugged textured powder paint finish
- **MOUNTS ON TWO PAIR OF PANEL RAILS (FRONT & BACK)**













### UNVENTED - 19" Rack Mount

Part Number	Color	PDF Reader File	AutoCAD .dxf File (zipped)	3D Solid Model .stp files (zipped)	Shelf Depth	Slide Travel
<a href="#">RSUS1918BK1</a> <a href="#">RSUS1918CG1</a>	Black Beige*	 164K	 82K	 79K	18"	18"
<a href="#">RSUS1921BK1</a> <a href="#">RSUS1921CG1</a>	Black Beige*	 163K	 82K	 78K	21"	20"
<a href="#">RSUS1926BK1</a> <a href="#">RSUS1926CG1</a>	Black Beige*	 167K	 82K	 80K	26"	26"
<a href="#">RSUS1931BK1</a> <a href="#">RSUS1931CG1</a>	Black Beige*	 173K	 91K	 106K	31"	28"

**\*Note:** "CG2" (Beige color) is being phased out from stock

### UNVENTED - 24" Rack Mount

Part Number	Color	PDF Reader File	AutoCAD .dxf File (zipped)	3D Solid Model .stp files (zipped)	Shelf Depth	Slide Travel
-------------	-------	-----------------	----------------------------	------------------------------------	-------------	--------------

<b>RSUS2418BK1</b> <b>RSUS2418CG1</b>	Black Beige*	 162K	 82K	 79K	18"	18"
<b>RSUS2421BK1</b> <b>RSUS2421CG1</b>	Black Beige*	 161K	 82K	 78K	21"	20"
<b>RSUS2426BK1</b> <b>RSUS2426CG1</b>	Black Beige*	 162K	 82K	 80K	26"	26"
<b>RSUS2431BK1</b> <b>RSUS2431CG1</b>	Black Beige*	 171K	 90K	 105K	31"	28"

**\*Note:** "CG2" (Beige color) is being phased out from stock

**Note2:** Weight load tested (RFUS2426BK1) to 120 pounds.



click to enlarge
















Assembly  
Instructions

### Rail Mounted Sliding Shelf (Vented)














- Attach to both pair of 19" rack rails
- Provides a sturdy shelf without obstructing upward heat movement
- Heavy duty ball bearing slides included
- Heavy duty, 14 Ga. steel construction
- Weight load tested (RFUS2426BK1) to 120 pounds.
- Folded on all four sides for extra strength
- Rugged textured powder paint finish
- **MOUNTS ON TWO PAIR OF PANEL RAILS (FRONT & BACK)**

### **VENTED - 19" Rack Mount**

Part Number	Color	 Reader File	AutoCAD .dxf File (zipped)	3D Solid Model .stp files (zipped)	Shelf Depth	Slide Travel
<b>RSVS1918BK1</b> <b>RSVS1918CG1</b>	Black Beige*	 239K	 206K	 309K	18"	18"
<b>RSVS1921BK1</b> <b>RSVS1921CG1</b>	Black Beige*	 238K	 206K	 307K	21"	20"
<b>RSVS1926BK1</b> <b>RSVS1926CG1</b>	Black Beige*	 341K	 241K	 387K	26"	26"
<b>RSVS1931BK1</b> <b>RSVS1931CG1</b>	Black Beige*	 262K	 250K	 413K	31"	28"

**\*Note:** "CG2" (Beige color) is being phased out from stock

### ***VENTED - 24" Rack Mount***

Part Number	Color	 Reader File	AutoCAD .dxf File (zipped)	3D Solid Model .stp files (zipped)	Shelf Depth	Slide Travel
<a href="#">RSVS2418BK1</a> <a href="#">RSVS2418CG1</a>	Black Beige*	 235K	 197K	 310K	18"	18"
<a href="#">RSVS2421BK1</a> <a href="#">RSVS2421CG1</a>	Black Beige*	 234K	 197K	 307K	21"	20"
<a href="#">RSVS2426BK1</a> <a href="#">RSVS2426CG1</a>	Black Beige*	 340K	 230K	 387K	26"	26"
<a href="#">RSVS2431BK1</a> <a href="#">RSVS2431CG1</a>	Black Beige*	 260K	 241K	 413K	31"	28"

**\*Note:** "CG2" (Beige color) is being phased out from stock

**Note:** Weight load tested (RSVS2426BK1) to 120 pounds.

DOWNLOAD



[Shelves & Slides - catalog pages \(5\)](#) - Adobe Reader .pdf format (198K)

DOWNLOAD



[all accessories - catalog pages \(44\)](#) - Adobe Reader .pdf format (1,495K)

## ***Mail Link To Our Catalog Department***

**Provide full mailing address here for your FREE CATALOG via snail mail...**

Exactly what you are looking for???

Link to our stocking distributors - most have "on-line" pricing, stock check and ordering!!!

**Our Distributors**

[Order from your favorite distributor](#)

---

[Home](#) | [Products](#) | [Distributors](#) | [Technical](#) | [Contact Us](#) | [Other Options](#)

---

Copyright; © 1998-2011 Hammond Mfg Co Inc

URL: <http://www.hammondmfg.com>



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.