





LEAD FREE PRODUCT NO.

72831-X01LF




Mounting information

NOTES:

1. BODY MATERIAL..... 30% GLASS FILLED POLYAMIDE
FLAME RETARDANT ACC. UL 94-V0
2. COVER MATERIAL..... ZINC ALLOY
3. TERMINAL MATERIAL..... TINBRONZE
4. CLAMP MATERIAL..... STAINLESS STEEL
5. CUP SPRING MATERIAL:..... HARDENED STEEL, INNER Ø5
SURFACE COATING..... Sn OVERALL, Ni AS BARRIER COATING
6. SCREW MATERIAL..... STEEL
7. TUBULAR RIVET MATERIAL.... BRASS
8. PRODUCT MARKING..... PART NUMBER & MANUFACT. DATE
9. RoHS INFORMATIONS:

- This "LF" product meets European Union Directives and other country regulations as described in GS-22-008.
- This product is not intended to be exposed to a manufacturing solder process.
- Packaging Spec: GS-14-920.




rev	ecn no	dr	date
E	B20112	BB	2002/06/30
F	LS05-0102	JTA	2005/11/12
G	LS06-0084	LGO	2006/07/09
H	LS06-0143	LGO	2006/09/25
J	LS07-0255	JTA	2007/11/13
-	-	-	-
-	-	-	-

Performance Level

72831-1XXLF	Telcordia Co
72831-2XXLF	Customer Special

CONVERSION ACCORDING GS-STANDARDS

www.fciconnect.com			surface ISO 1302		- ✓ tolerance std ISO 406 ISO 1101		projection 		mm 		
			TOLERANCES UNLESS OTHERWISE SPECIFIED								
Dr	B.Beirinckx	2002/06/30	ANGULAR		LINEAR		0.X	±0.3	size A4	Scale 1:1	
Eng	G.Nys	2002/06/30					0.XX	±0.1			
Chr	W.Panis	2002/06/30	0°	±2°			0.XXX	±0.05	ECN	LS07-0195	
Appr	W.Panis	2002/06/30	Product familySOFIX SHIELDED						Spec ref	RELEASED	
			title MINICONCEPT, CABLE CONNECTOR, SIGNAL IDC 8 pos.				dwg no 72831_C				Rev. J
			catalog no				CUSTOMER COPY				sheet 1 of 3

REV F - 2006-04-17


PDM: Rev:J

STATUS:Released


Printed: Aug 01, 2010



Copyright FCI.



STANDARD VERSION SHOWN

www.fciconnect.com			surface - 		tolerance std ISO 1302 ISO 406 ISO 1101		projection 		mm 		
			TOLERANCES UNLESS OTHERWISE SPECIFIED								
Dr	B.Beirinckx	2002/06/30	ANGULAR	LINEAR	0.X	±0.3	size A4	Scale 3:2			
Eng	G.Nys	2002/06/30			0.XX	±0.1					
Chr	W.Panis	2002/06/30			0° ±y°	0.XXX					
Appr		W.Panis	2002/06/30	Product family			SOFIX SHIELDED		Spec ref		RELEASED
		title	MINICONCEPT, CABLE					dwg no	72831_C		Rev. J
			CONNECTOR, SIGNAL IDC 8 pos.								
		catalog no						CUSTOMER COPY		sheet 2 of 3	

LEAD FREE PART NUMBER

Kit: 72831-X01LF

COMPONENTS	QTY
SCREW	2
TUBULAR RIVET	2
DISC SPRING	2
CLAMP	1
COVER HALF	1
COVER HALF	1
TERMINAL BLOCK	1
SHROUD	1
CABLE	1




Dimension with oval around are critical dimensions including any attached geometrical tolerance. Other features or stand-alone geometrical tolerances being critical have a note "CRITICAL FEATURE" below the item

A symbol (x: drawing current revision) will be next to any dimension, view or note which has been modified with the current drawing revision



Copyright FCI.

www.fciconnect.com			surface ISO 1302		- ✓ tolerance std ISO 406 ISO 1101		projection 		mm 	
			TOLERANCES UNLESS OTHERWISE SPECIFIED							
Dr	B.Beirinckx	2002/06/30	ANGULAR		LINEAR		0.X	±0.3	size A4	Scale 1:1
Eng	G.Nys	2002/06/30					0.XX	±0.1		
Chr	W.Panis	2002/06/30	0°	±r°			0.XXX	±0.05	ECN LS07-0195	
Appr	W.Panis	2002/06/30	Product familySOFIX SHIELDED						Spec ref RELEASED	
		title	MINICONCEPT, CABLE CONNECTOR, SIGNAL IDC 8 pos.				dwg no	72831_C		Rev. J
		catalog no					CUSTOMER COPY		sheet 3 of 3	

REV F - 2006-04-17

PDM: Rev:J

STATUS: Released

Printed: Aug 01, 2010



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.