



NOTE(S):


1. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY):
FOR TIN APPLICATIONS: 1393367 AND 1393366.
FOR GOLD APPLICATIONS: 1393365 AND 1393364.
FOR TERMINATION AND REELING OPTIONS
SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.
2. COMPATIBLE WIRE SIZES FOR MAT SEAL SPECIFICATION 1.19 TO 2.06 O.D.
(22-18 AWG, 0.35-0.75 mm2)
3. TPA IS SHIPPED IN IT'S PRE-LOADED POSITION.
ALL ASSEMBLIES ARE TO BE TRAY PACKAGED.
4. CUSTOMER PART NUMBER AND TRACEABILITY CODE (YY = TWO DIGIT YEAR,
JJJ = JULIAN DAY, HH = TWO DIGIT MILITARY HOUR, A = ASSEMBLY PROCESS
USED) ARE PRINTED IN THIS LOCATION.
5. PART ASSEMBLY WEIGHT WITHOUT TERMINALS AND WITH STANDARD PIN-OUT
CONFIGURATION IS 14.39 GRAMS.
6. OPTIONAL WIRESHIELD P/N 7-1419157-8 (SOLD SEPARATELY). PLEASE CONTACT
YOUR TYCO ELECTRONICS SALES REPRESENTATIVE FOR AVAILABILITY AND PRICING.




MINIMUM FEED THROUGH CONDITION
WITH 1mm CLEARANCE ALL AROUND
SHOWN WITH OPTION WIRESHIELD



OPTION "F"



ASSEMBLY PART NUMBERS					
1438464 - I	1438413 - I				
I	I	4	PERIMETER SEAL	SILICONE	GREEN
I	I	3	COVER	PA66 35% GF	BLACK
I	I	2	TPA WITH 3 SHORTING BAR POSITIONS CONFIGURATION	SPS 30% GF	RED
	I	I	PLUG WITH KEYING OPTION "B" AND 3 SHORTING BAR POSITIONS CONFIGURATION	PA66 35% GF	BLACK
I	I	I	PLUG WITH KEYING OPTION "A" AND 3 SHORTING BAR POSITIONS CONFIGURATION	PA66 35% GF	GRAY
QUANTITY	ITEM	DESCRIPTION		MATERIAL	FINISH/COLOR
THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYPHO ELECTRONICS CORPORATION IT IS HEREBY TO BE CONTROLLED AND NOT TO BE REPRODUCED OR COPIED FOR ANY OTHER ORGANIZATION SHOULD BE CONTROLLED FOR THE LATEST REVISION.					
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		 Tyco Electronics Harrisburg, PA 17105-3608	
mm		0 PLC ± 1 PLC ±0.3 2 PLC ±0.10 3 PLC ± 4 PLC ± ANGLES ±2°		NAME 24 WAY ARM PLUG ASSEMBLY UNSEALED, WITHOUT SHORTING BARS CUSTOMER SPEC.	
		DWN J MCNEAL 13MAY2003 CHK W WELLINSKY 13MAY2003 APVD W WELLINSKY 13MAY2003 PRODUCT SPEC APPLICATION SPEC WEIGHT		SIZE CAGE CODE DRAWING NO A1 00779 C=1438413	
MATERIAL		FINISH		RESTRICTED TO	
SEE CHART ABOVE		SEE NOTE 5		-	
		CUSTOMER DRAWING		SCALE 2:1 SHEET 1 OF 2 REV C	

LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

PIN-OUT CHART																									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24		
TERMINAL HOLE POSITION																								ASSEMBLY PART NUMBER	PLUG KEYING OPTION
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																									
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																									

THIS DRAWING IS UNPUBLISHED. IT IS UNPUBLISHED BY THE COMPANY FOR THE COMPANY'S PROPRIETARY INFORMATION. IT IS SUBJECT TO CHANGE AND THE COMPANY'S PROPRIETARY INFORMATION. IT IS SUBJECT TO CHANGE AND THE COMPANY'S PROPRIETARY INFORMATION. IT IS SUBJECT TO CHANGE AND THE COMPANY'S PROPRIETARY INFORMATION.

AMP 4805 REV 31MAR2000

DWN
J. MCNEAL
13MAY2003

CHK
W. WELLINSKY
13MAY2003

APVD
W. WELLINSKY
13MAY2003

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±
1 PLC ±0.3
2 PLC ±0.10
3 PLC ±
4 PLC ±
ANGLES ±3°
FINISH -

-

NAME
24 WAY ARM PLUG ASSEMBLY
UNSEALED, WITHOUT SHORTING BARS
CUSTOMER SPEC.

SIZE
A

CAGE CODE
00779

DRAWING NO
C=1438413

RESTRICTED TO
-

CUSTOMER DRAWING

SCALE
3:1

SHEET
2

OF
2

REV
C



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.