THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 - ALL RIGHTS RESERVED.

LOC	DIST
J	-

REVISIONS
変更

P	LTR	DESCRIPTION	ECN	DATE	DWN	APVD
	B	REVISED PER ECR-11-0025202		11MAR2010	HMR	TT

RECOMMENDED PANEL LAYOUT
(APRICATABLE PANEL THICKNESS : 0.8, 1.0, 1.6)
パネル加工推奨寸法図
(適用パネル厚 : 0.8, 1.0, 1.6)







6POS(X-KEY):1-2040404-2
9POS(X-KEY):1-2040404-3









1.MATERIAL:GLASS FILED THERMO PLASTIC
POLYESTER(94V-0), COLOR:BLACK
2.THE SHAPE, SIZE AND POSITION
OF THE CHARACTER SHOW THE OUTLINE.
THEY DON'T SHOW DETAILS.

1.材料:ガラス入り熱可塑性ポリエステル樹脂(94V-0), 色:黒
2.文字の形状、大きさ、および位置については、大略を示すものであり、
詳細を示すものではありません。



AS SHOWN 12POS(X-KEY) : 1-2040404-4

36	X	11	38.5	43.5	42.3	-	43.8	3-2040404-2
12	X	3	10.5	15.5	14.3	18.1	15.8	1-2040404-4
9	X	2	7.0	12.0	10.8	14.6	12.3	1-2040404-3
6	X	1	3.5	8.5	7.3	11.1	8.8	1-2040404-2
POS	KEY	n	A	B	C	D	E	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: 単位: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
一般公差 ±0.3,±5°
0 PLC ±
1 PLC ±0.1
2 PLC ±0.02
3 PLC ±0.005
4 PLC ±0.0005
ANGLES ±-

MATERIAL 材料 -
FINISH 仕上 -

DWN M.MAEBASHI 07NOV2008
CHK T.SAKAMOTO 07NOV2008
APVD A.OISHI 07NOV2008
PRODUCT SPEC 製品規格 108-78268,78298
APPLICATION SPEC 取付適用規格 114-5377
WEIGHT -

TE Connectivity

NAME 名称
DYNAMIC D1500T 3.5mmPITCH
TAB HSG (PANEL MOUNT TYPE)
6-36POS

SIZE	CAGE CODE	DRAWING NO 番号	RESTRICTED TO
A3	00779	C-2040404	-

CUSTOMER DRAWING | SCALE 尺度 2:1 | SHEET 1 OF 2 | REV B

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 - ALL RIGHTS RESERVED.

LOC	DIST
J	-

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-









RECOMMENDED PANEL LAYOUT
(APRICATABLE PANEL THICKNESS : 0.8, 1.0, 1.6)
パネル加工推奨寸法図
(適用パネル厚 : 0.8, 1.0, 1.6)



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±-
1 PLC	±0.1
2 PLC	±0.02
3 PLC	±0.005
4 PLC	±0.0005
ANGLES	±-

MATERIAL -
FINISH -

DWN	07NOV2008 M.MAEBASHI
CHK	07NOV2008 T.SAKAMOTO
APVD	07NOV2008 A.OISHI
PRODUCT SPEC	108-78268,78298
APPLICATION SPEC	114-5377
WEIGHT	-

TE Connectivity

NAME
DYNAMIC D1500T 3.5mmPITCH
TAB HSG (PANEL MOUNT TYPE)
6-36POS

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-2040404	-

CUSTOMER DRAWING | SCALE 2:1 | SHEET 2 OF 2 | REV B

Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits,General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)
Факс: 8 (812) 320-02-42
Электронная почта: org@eplast1.ru
Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.