






- 1 HOUSING: HIGH TEMPERATURE THERMOPLASTIC. COLOR - NATURAL
- 2 CONTACT: PHOSPHOR BRONZE.
- 3 CONTACT FINISH: .001269[.000050] MIN NICKEL ALL OVER. GOLD FLASH OVER NICKEL IN CONTACT AREA. .002537[.000100] MIN TIN OVER NICKEL ON SOLDER TAILS.
- 4 CONTACT FINISH: .001269[.000050] MIN NICKEL ALL OVER. .000375[.000015] MIN GOLD OVER NICKEL IN CONTACT AREA. .002537[.000100] MIN TIN OVER NICKEL ON SOLDER TAILS.
- 5 CONTACT FINISH: .001269[.000050] MIN NICKEL ALL OVER. .000757[.000030] MIN GOLD OVER NICKEL IN CONTACT AREA. .002537[.000100] MIN TIN OVER NICKEL ON SOLDER TAILS.
- 6 DISTANCE FROM CONTACT POINT TO BOTTOM OF CARD SLOT.
- 7 TE CONNECTIVITY PART NUMBER, DATE CODE AND CSA LOGO SHOULD BE MARKED ON THE SIDE OF THE HOUSING NEAR THE AMP LOGO.
- 8 CORED OR SOLID SIDE WALLS ARE AT DISCRETION OF TE CONNECTIVITY
- 9 PIN 44~49 AND PIN 104~109 ARE NOT LOADED.



SECTION L-L
SCALE 8:1

3.56 [.140]	5	1-5145154-2
3.18 [.125]	5	5145154-8
2.54 [.100]	5	5145154-4
2.54 [.100]	4	5145154-2
2.54 [.100]	3	5145154-1
W	FINISH	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm [INCHES]

0 PLC ± -

1 PLC ± -

2 PLC ± .25 [.01]

3 PLC ± .125 [.005]

4 PLC ± - ± 2°

ANGLES ± - ± 2°

MATERIAL

AL FRANTUM

AL FRANTUM

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ± -

1 PLC ± -

2 PLC ± .25 [.01]

3 PLC ± .125 [.005]

4 PLC ± - ± 2°

ANGLES ± - ± 2°

FINISH

-

DWN AL FRANTUM 20 MAY 04

CHK AL FRANTUM 20 MAY 04

APVD -

PRODUCT SPEC

108-14034

APPLICATION SPEC

114-26012

WEIGHT

-

CUSTOMER DRAWING

SCALE 4:1

SHEET 1 OF 4

REV E

NAME

CONNECTOR ASSEMBLY, 60 DUAL POSITION, 1.27 [.050] SERIES, CARD EDGE

SIZE

A1

CAGE CODE

00779

DRAWING NO

5145154


RESTRICTED TO

-


TE Connectivity

CONNECTOR ASSEMBLY, 60 DUAL POSITION, 1.27 [.050] SERIES, CARD EDGE

LOC		DIST		REVISIONS				
AA		00		REV	DATE	BY	CHKD	APPROV
				1	20 MAY 04	AL FRANTUM	AL FRANTUM	



RECOMMENDED MATING BOARD EDGE CONFIGURATION



RECOMMENDED CONNECTOR MOUNTING HOLE PATTERN
(CONNECTOR SIDE SHOWN)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
AL FRANTUM
20 MAY 04

CHK
AL FRANTUM
20 MAY 04

APVD
-

TE Connectivity

NAME

PRODUCT SPEC
108-14034

APPLICATION SPEC
114-26012

WEIGHT
-

CUSTOMER DRAWING

SIZE
A1

CAGE CODE
00779

DRAWING NO
5145154

RESTRICTED TO
-

SCALE
4:1

SHEET
2

OF
4

REV
E


LOC		DIST		REVISIONS					
AA		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
					—	SEE SHEET 1	—	—	—

D



C

B

A




SEE SHEET 4 FOR HOLE PATTERN





SECTION L-L
SCALE 8:1

SELECT LOADED TYPE AS SHOWN.

	2-5145154-1
FINISH	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN AL FRANTUM 20 MAY 04	 TE Connectivity		
		CHK AL FRANTUM 20 MAY 04			
DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD --	NAME	CONNECTOR ASSEMBLY, 60 DUAL POSITION, 1.27 [.050] SERIES, CARD EDGE	
		PRODUCT SPEC 108-14034			
	0 PLC ± 1 PLC ± 2 PLC ± .25 [.01] 3 PLC ± .125 [.005] 4 PLC ± ANGLES ± 2°	APPLICATION SPEC 114-26012	SIZE A1	CAGE CODE 00779	DRAWING NO 5145154
		FINISH -			
MATERIAL -		WEIGHT -	RESTRICTED TO -		
		CUSTOMER DRAWING			
		SCALE 4:1	SHEET 3	OF 4	REV E

LOC	DIST	REVISIONS				
AA	00	P	LTR	DESCRIPTION	DATE	DWN
				SEE SHEET 1		



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN AL FRANTUM 20 MAY 04	 TE Connectivity	
		CHK AL FRANTUM 20 MAY 04		
DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED:	PRODUCT SPEC 108-14034	NAME CONNECTOR ASSEMBLY, 06 DUAL POSITION, 1.27 [.050] SERIES, CARD EDGE	
	0 PLC ± -	APPLICATION SPEC 114-26012	SIZE	CAGE CODE
	1 PLC ± .25 [.01]	MATERIAL -	DRAWING NO	RESTRICTED TO
2 PLC ± .125 [.005]	WEIGHT -		A1 00779	5145154
3 PLC ± -	FINISH -	CUSTOMER DRAWING		
4 PLC ± 2°		SCALE	4:1	SHEET
				4 OF 4
				REV E



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.