

P	LTR	DESCRIPTION	DATE	DWN	APVD
A		FIRST RELEASE	15FEB2012	RC	EK
A1		ECR-12-016256	13SEP2012	WW	YHM
A2		ECR-12-021134	12NOV2012	W.W	YH.M
A3		ECR-13-001507	25JAN2013	W.W	YH.M

NOTE

1 SEE SHEET 2 FOR AVAILABLE CONFIGURATIONS

2 MATERIAL: HOUSING, NYLON, UL94 V0, 750°C GWT NO FLAME
EIGHT COLORS AVAILABLE, INCLUDING: NATURAL, RED, BLUE, YELLOW, BLACK, GREY, GREEN, PURPLE
WHITE VERSION IS PRELIMINARY


CONTACT, COPPER ALLOY, 0.60MM THICK

3 FINISH: OPTION 1: TIN PLATING OVER NICKEL UNDERPLATING
OPTION 2: AG PLATING OVER NICKEL UNDERPLATING

4 PCB LAYOUT AS SHOWN

5 THE PART NUMBERS SHOWING IN SHEET 2 & 3 & 4 ARE FOR NATURAL COLOR . THE PART NUMBER FOR OTHER COLOR ARE BASED ON THE NATURAL ONE: FOR THE SAME CONFIGURATION, THE PREFIX AND POSTFIX OF THE P/N ARE THE SAME, ONLY THE BASE NUMBER IS DIFFERENT ACCORDING TO DIFFERENT COLOR, DETAIL PLEASE SEE SHEET 5

6 PACKAGING: LOOSE PIECE OR TUBE. THE PART NUMBERS IN THIS DRAWING ARE WITH LOOSE PIECE PACKAGING. PLEASE CONTACT TE SALES REPRESENTATIVES FOR TUBE PACKAGING REQUIREMENT.



40.10	35.00	15
37.60	32.50	14
35.10	30.00	13
32.60	27.50	12
30.10	25.00	11
27.60	22.50	10
25.10	20.00	9
22.60	17.50	8
20.10	15.00	7
17.60	12.50	6
15.10	10.00	5
12.60	7.50	4
10.10	5.00	3
N	M	NO. OF POS.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±
1 PLC ±
2 PLC ±0.20
3 PLC ±
4 PLC ±
ANGLES ±°
FINISH

MATERIAL

DWN
WINTER WANG
CHK
HAPYE WU
APVD
YUJHONG MAO

12NOV2012
12NOV2012
12NOV2012

PRODUCT SPEC
108-106079

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

TE Connectivity

NAME
RAST 2.5 TAB HEADER ASYY
TH, VERTICAL, INTERNAL LOCKING

SIZE
A2

CAGE CODE
00779

DRAWING NO
C-1971819

RESTRICTED TO

SCALE
NTS

SHEET
1

OF
5

REV
A3

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

10	TAB CONTACT w/ AG PLATING	1	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 10P (SEE THE DETAIL LAYOUT ON SHEET 4)	10	3-1971839-0 2-1971839-0 1-1971839-0
6		1	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 9P (SEE THE DETAIL LAYOUT ON SHEET 4)	9	5-1971839-9 4-1971839-9 3-1971839-9 2-1971839-9 1-1971839-9
9					
8					
7					
6					
5		1	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 6P (SEE THE DETAIL LAYOUT ON SHEET 4)	6	4-1971839-6 3-1971839-6 2-1971839-6 1-1971839-6
4		1	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 5P (SEE THE DETAIL LAYOUT ON SHEET 4)	5	4-1971839-5 3-1971839-5 2-1971839-5 1-1971839-5
3		1	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 4P (SEE THE DETAIL LAYOUT ON SHEET 4)	4	5-1971839-4 4-1971839-4 3-1971839-4 2-1971839-4 1-1971839-4
QTY		②	QTY	①	POS.

15	TAB CONTACT w/ AG PLATING	1	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 15P (SEE THE DETAIL LAYOUT ON SHEET 4)	15	3-1971840-5 2-1971840-5 1-1971840-5
14		1	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 14P (SEE THE DETAIL LAYOUT ON SHEET 4)	14	1-1971840-4
13		1	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 13P (SEE THE DETAIL LAYOUT ON SHEET 4)	13	1-1971840-3
12		1	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 12P (SEE THE DETAIL LAYOUT ON SHEET 4)	12	1-1971840-2
11		1	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 11P (SEE THE DETAIL LAYOUT ON SHEET 4)	11	2-1971840-1 1-1971840-1
QTY		②	QTY	①	POS.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±
2 PLC ±0.20
3 PLC ±
4 PLC ±
ANGLES ±1°
FINISH

MATERIAL

-

DWN
WINTER WANG
CHK
HAPYE WU
APVD
YUJHONG MAO

12NOV2012
12NOV2012
12NOV2012

PRODUCT SPEC
-
APPLICATION SPEC
-
WEIGHT
-

CUSTOMER DRAWING

TE Connectivity

NAME
RAST 2.5 TAB HEADER ASYY
TH, VERTICAL, INTERNAL LOCKING
-

SIZE
A2

CAGE CODE
00779

DRAWING NO
C-1971819

RESTRICTED TO
-

SCALE
NTS

SHEET
2

OF
5

REV
A3

1471-9 (3/11)

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT20

BY -

ALL RIGHTS RESERVED.

LOC-

DIST-

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
		- SEE SHEET 1	-	-	-

15	TAB CONTACT w/ TIN PLATING	I	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 15P (SEE THE DETAIL LAYOUT ON SHEET 4)	15	3-1971820-5 2-1971820-5 1-1971820-5
14		I	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 14P (SEE THE DETAIL LAYOUT ON SHEET 4)	14	1-1971820-4
13		I	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 13P (SEE THE DETAIL LAYOUT ON SHEET 4)	13	1-1971820-3
12		I	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 12P (SEE THE DETAIL LAYOUT ON SHEET 4)	12	1-1971820-2
11		I	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 11P (SEE THE DETAIL LAYOUT ON SHEET 4)	11	2-1971820-1 1-1971820-1
QTY		2	QTY	1	POS.

10	TAB CONTACT w/ TIN PLATING	I	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 10P (SEE THE DETAIL LAYOUT ON SHEET 4)	10	3-1971819-0 2-1971819-0 1-1971819-0
6		I	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 9P (SEE THE DETAIL LAYOUT ON SHEET 4)	9	5-1971819-9 4-1971819-9 3-1971819-9 2-1971819-9 1-1971819-9
9					
8					
7					
6					
5		I	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 8P (SEE THE DETAIL LAYOUT ON SHEET 4)	8	3-1971819-8 2-1971819-8 1-1971819-8
4					
3					
2					
1					
6		I	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 7P (SEE THE DETAIL LAYOUT ON SHEET 4)	7	6-1971819-7 5-1971819-7 4-1971819-7 3-1971819-7 2-1971819-7 1-1971819-7
5					
4					
3					
2					
5	I	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 6P (SEE THE DETAIL LAYOUT ON SHEET 4)	6	4-1971819-6 3-1971819-6 2-1971819-6 1-1971819-6	
4					
3					
2					
1					
5	I	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 5P (SEE THE DETAIL LAYOUT ON SHEET 4)	5	4-1971819-5 3-1971819-5 2-1971819-5 1-1971819-5	
4					
3					
2					
1					
4	I	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 4P (SEE THE DETAIL LAYOUT ON SHEET 4)	4	5-1971819-4 4-1971819-4 3-1971819-4 2-1971819-4 1-1971819-4	
3					
2					
1					
0					
3	I	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 3P (SEE THE DETAIL LAYOUT ON SHEET 4)	3	1971819-3 9-1971819-3 8-1971819-3 7-1971819-3 6-1971819-3 5-1971819-3 4-1971819-3 3-1971819-3 2-1971819-3 1-1971819-3	
2					
1					
0					
0					
0					
0					
0					
0					
0					
QTY	2	QTY	1	POS.	TE PART NO. 5

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±
2 PLC ±0.20
3 PLC ±
4 PLC ±°
ANGLES ±°
FINISH

MATERIAL

-

DWN: 12NOV2012
WINTER WANG

CHK: 12NOV2012
HAPYE WU

APVD: 12NOV2012
YUJHONG MAO

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

NAME: RAST 2.5 TAB HEADER ASYY
TH, VERTICAL, INTERNAL LOCKING

SIZE: A2

CAGE CODE: 00779

DRAWING NO: 1971819


RESTRICTED TO: -

SCALE: NTS


SHEET: 3 OF 5

REV: A3


LOC	DIST	REVISIONS				
		P	LYR	DESCRIPTION	DATE	DWN
-	-	-	-	SEE SHEET 1	-	-




1-1971819-3
1-1971839-3




1-1971819-4
1-1971839-4




1-1971819-5
1-1971839-5



1-1971819-6
1-1971839-6




1-1971819-7
1-1971839-7




1-1971819-8
1-1971839-8



1-1971819-9
1-1971839-9




1-1971819-0
1-1971839-0




2-1971819-0
2-1971839-0




3-1971819-0
3-1971839-0




2-1971819-3
2-1971839-3




2-1971819-4
2-1971839-4




2-1971819-5
2-1971839-5




2-1971819-6
2-1971839-6




2-1971819-7
2-1971839-7




2-1971819-8
2-1971839-8




2-1971819-9
2-1971839-9



3-1971819-3
3-1971839-3




3-1971819-4
3-1971839-4




3-1971819-5
3-1971839-5



3-1971819-6
3-1971839-6




3-1971819-7
3-1971839-7




3-1971819-8
3-1971839-8



3-1971819-9
3-1971839-9



4-1971819-3
4-1971839-3




4-1971819-4
4-1971839-4




4-1971819-5
4-1971839-5




4-1971819-6
4-1971839-6




4-1971819-7
4-1971839-7




5-1971819-7
5-1971839-7




6-1971819-7
6-1971839-7




5-1971819-3
5-1971839-3




5-1971819-4
5-1971839-4




6-1971819-3
6-1971839-3




7-1971819-3
7-1971839-3



9-1971819-3
9-1971839-3




8-1971819-3
8-1971839-3




1971819-3
1971839-3

3 POS




1-1971820-1
1-1971840-1




2-1971820-1
2-1971840-1

4 POS



1-1971820-2
1-1971840-2


5 POS



1-1971820-3
1-1971840-3


6 POS

7 POS




1-1971820-4
1-1971840-4

8 POS




1-1971820-5
1-1971840-5

9 POS




2-1971820-5
2-1971840-5

15 POS



3-1971820-5
3-1971840-5

10 POS



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: WINTER WANG CHK: HAPYE WU APVD: YUZHONG MAO	12NOV2012 12NOV2012 12NOV2012	TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ±0.20 3 PLC ± 4 PLC ± ANGLES ±1° FINISH		NAME RAST 2.5 TAB HEADER ASYY TH, VERTICAL, INTERNAL LOCKING	
MATERIAL		WEIGHT		SIZE A1	RESTRICTED TO
CUSTOMER DRAWING		SCALE NTS		CAGE CODE 00779	DRAWING NO. 1971819
				SHEET 4	REV A3

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT20

BY -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

-

-

-

SEE SHEET 1

-

-

-

FOR ANY KEYING CONFIGURATION, THERE ARE EIGHT COLORS AVAILABLE, BESIDES THE NATURAL COLOR, THERE ARE OTHER SEVEN COLORS, INCLUDE: YELLOW, BLUE, GREY, PURPLE, RED, GREEN, BLACK. THE WHITE VERSION IS PRELIMINARY. THE P/N OF THE COLOR CONNECTOR ARE BASED ON THE NATURAL CONNECTOR, THE PREFIX AND POSTFIX ARE THE SAME FOR THE SAME KEYING CONFIGURATION, BUT THE BASE NUMBERS ARE DIFFERENT ACCORDING TO DIFFERENT COLOR.THE FOLLOWING SHOWS WHAT’S THE P/N FOR COLOR CONNECTOR

#-1971820-#

PREFIX

BASE NUMBER

POSTFIX

COLOR	PART NUMBER OF THE CONNECTOR 5				COMMENTS
	WITH TIN PLATING CONTACT		WITH AG PLATING CONTACT		
NATURAL	#-1971819-#	#-1971820-#	#-1971839-#	#-1971840-#	THE DETAIL P/N FOR DIFFERENT KEYING SEE SHEET 2 & 3 & 4
RED	#-2232161-#	#-2232162-#	#-2232163-#	#-2232164-#	THE PREFIX AND POSTFIX ARE THE SAME WITH THE P/N OF THE NATURAL CONNECTOR FOR THE SAME KEYING CONFIGURATION, JUST THE BASE NUMBERS ARE DIFFERENT BASED ON DIFFERENT COLOR. # CAN BE THE NUMBER FROM 0 TO 9.
BLUE	#-2232165-#	#-2232166-#	#-2232167-#	#-2232168-#	
YELLOW	#-2232169-#	#-2232170-#	#-2232171-#	#-2232172-#	
BALCK	#-2232173-#	#-2232174-#	#-2232175-#	#-2232176-#	
GREY	#-2232177-#	#-2232178-#	#-2232179-#	#-2232180-#	
GREEN	#-2232181-#	#-2232182-#	#-2232183-#	#-2232184-#	
PURPLE	#-2232185-#	#-2232186-#	#-2232187-#	#-2232188-#	
WHITE	#-2232281-#	#-2232282-#	#-2232283-#	#-2232284-#	

FOR EXAMPLE,IF A CONNECTOR WITH THE CONFIGURATION AS BELOW, AND WITH TIN PLATING CONTACT, IN THE SHEET 4, WE CAN FIND THE RELATED CONNECTOR P/N WITH NATURAL COLOR IS 5-1971819-4, THEN WE CAN LOOK IN THE ABOVE TABLE TO FIND THE CONNECTOR P/N WITH RED COLOR IS 5-2232161-4

4

3

2

1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC

1 PLC

2 PLC

3 PLC

4 PLC

ANGLES

FINISH

±

±

±0.20

±

±

±°

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

12NOV2012

12NOV2012

12NOV2012

108-106079

-

-

SCALE

NTS

SHEET

5

OF

5

REV

A3

TE

TE Connectivity

NAME

RAST 2.5 TAB HEADER ASYY TH, VERTICAL, INTERNAL LOCKING

-

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A2

00779

©1971819

-

1471-9 (3/11)



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.