



D




C

B

A





SECTION A-A



NOTE

- SEE SHEET 2 FOR AVAILABLE CONFIGURATIONS
- MATERIAL: HOUSING, NYLON, UL94 V0, 750°C GWT NO FLAME
EIGHT COLORS AVAILABLE, INCLUDING: NATURAL, RED, BLUE, YELLOW, BLACK, GREY, GREEN, PURPLE
WHITE VERSION IS PRELIMINARY
CONTACT, COPPER ALLOY, 0.60MM THICK
- FINISH: OPTION 1: TIN PLATING OVER NICKEL UNDERPLATING
OPTION 2: AG PLATING OVER NICKEL UNDERPLATING
- PCB LAYOUT AS SHOWN
- THE PART NUMBERS SHOWING IN SHEET 2 & 3 & 4 ARE FOR NATURAL COLOR. THE PART NUMBER FOR OTHER COLOR ARE BASED ON THE NATURAL ONE: FOR THE SAME CONFIGURATION, THE PREFIX AND POSTFIX OF THE P/N ARE THE SAME, ONLY THE BASE NUMBER IS DIFFERENT ACCORDING TO DIFFERENT COLOR, DETAIL PLEASE SEE SHEET 5
- PACKAGING: LOOSE PIECE OR TUBE. THE PART NUMBERS IN THIS DRAWING ARE WITH LOOSE PIECE PACKAGING. PLEASE CONTACT TE SALES REPRESENTATIVES FOR TUBE PACKAGING REQUIREMENT.



N	M	NO. OF POS.
40.10	35.00	15
37.60	32.50	14
35.10	30.00	13
32.60	27.50	12
30.10	25.00	11
27.60	22.50	10
25.10	20.00	9
22.60	17.50	8
20.10	15.00	7
17.60	12.50	6
15.10	10.00	5
12.60	7.50	4
10.10	5.00	3

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN WINTER WANG CHK HAPYE WU APVD YUJHONG MAO	12NOV2012 12NOV2012 12NOV2012	TE Connectivity		
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME RAST 2.5 TAB HEADER ASYY TH, VERTICAL, INTERNAL LOCKING		
0 PLC 1 PLC 2 PLC 3 PLC 4 PLC ANGLES FINISH		± ± ±0.20 ± ± ±° ±°		PRODUCT SPEC 108-106079		
MATERIAL		WEIGHT		SIZE A2		
		CUSTOMER DRAWING		CAGE CODE 00779		
				DRAWING NO C-1971819		
				RESTRICTED TO		
				SCALE NTS		
				SHEET 1		
				OF 5		
				REV A3		

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

-

-

SEE SHEET 1

-

-

-

10

6

9

8

7

6

5

4

3

QTY

TAB CONTACT
w/ AG PLATING

1

1

1

1

1

1

1

1

1

QTY

RAST 2.5 TAB HEADER HOUSING,
INTERNAL LOCKING, 10P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
INTERNAL LOCKING, 9P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
INTERNAL LOCKING, 8P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
INTERNAL LOCKING, 7P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
INTERNAL LOCKING, 6P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
INTERNAL LOCKING, 5P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
INTERNAL LOCKING, 4P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
INTERNAL LOCKING, 3P
(SEE THE DETAIL LAYOUT ON SHEET 4)

10

9

8

7

6

5

4

3

QTY

3-1971839-0

2-1971839-0

1-1971839-0

5-1971839-9

4-1971839-9

3-1971839-9

2-1971839-9

1-1971839-9

3-1971839-8

2-1971839-8

1-1971839-8

6-1971839-7

5-1971839-7

4-1971839-7

3-1971839-7

2-1971839-7

1-1971839-7

4-1971839-6

3-1971839-6

2-1971839-6

1-1971839-6

4-1971839-5

3-1971839-5

2-1971839-5

1-1971839-5

5-1971839-4

4-1971839-4

3-1971839-4

2-1971839-4

1-1971839-4

1971839-3

9-1971839-3

8-1971839-3

7-1971839-3

6-1971839-3

5-1971839-3

4-1971839-3

3-1971839-3

2-1971839-3

1-1971839-3

TE PART NO. 5

15

14

13

12

11

QTY

TAB CONTACT
w/ AG PLATING

1

1

1

1

1

QTY

RAST 2.5 TAB HEADER HOUSING,
INTERNAL LOCKING, 15P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
INTERNAL LOCKING, 14P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
INTERNAL LOCKING, 13P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
INTERNAL LOCKING, 12P
(SEE THE DETAIL LAYOUT ON SHEET 4)

RAST 2.5 TAB HEADER HOUSING,
INTERNAL LOCKING, 11P
(SEE THE DETAIL LAYOUT ON SHEET 4)

15

14

13

12

11

QTY

3-1971840-5

2-1971840-5

1-1971840-5

1-1971840-4

1-1971840-3

1-1971840-2

2-1971840-1

1-1971840-1

TE PART NO. 5

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±
2 PLC ±0.20
3 PLC ±
4 PLC ±
ANGLES ±1°
FINISH

MATERIAL

-

DWN 12NOV2012
CHK WINTER WANG
HAPYE WU
APVD YUJHONG MAO

PRODUCT SPEC

-

APPLICATION SPEC

-

WEIGHT

-

CUSTOMER DRAWING

NAME RAST 2.5 TAB HEADER ASYY
TH, VERTICAL, INTERNAL LOCKING

SIZE A2

CAGE CODE 00779

DRAWING NO C-1971819

RESTRICTED TO -

SCALE NTS

SHEET 2 OF 5

REV A3

1471-9 (3/11)

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT20

BY -

ALL RIGHTS RESERVED.

LOC-

DIST-

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
		- SEE SHEET 1	-	-	-

10	TAB CONTACT w/ TIN PLATING	1	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 10P (SEE THE DETAIL LAYOUT ON SHEET 4)	10	3-1971819-0
6		1	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 9P (SEE THE DETAIL LAYOUT ON SHEET 4)	9	2-1971819-0
9					1-1971819-0
					5-1971819-9
					4-1971819-9
					3-1971819-9
8		1	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 8P (SEE THE DETAIL LAYOUT ON SHEET 4)	8	2-1971819-9
					1-1971819-9
					3-1971819-8
7		1	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 7P (SEE THE DETAIL LAYOUT ON SHEET 4)	7	2-1971819-8
					1-1971819-8
					6-1971819-7
					5-1971819-7
6		1	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 6P (SEE THE DETAIL LAYOUT ON SHEET 4)	6	4-1971819-7
					3-1971819-7
	2-1971819-7				
	1-1971819-7				
5	1	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 5P (SEE THE DETAIL LAYOUT ON SHEET 4)	5	4-1971819-6	
				3-1971819-6	
				2-1971819-6	
				1-1971819-6	
4	1	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 4P (SEE THE DETAIL LAYOUT ON SHEET 4)	4	4-1971819-5	
				3-1971819-5	
				2-1971819-5	
				1-1971819-5	
3	1	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 3P (SEE THE DETAIL LAYOUT ON SHEET 4)	3	5-1971819-4	
				4-1971819-4	
				3-1971819-4	
				2-1971819-4	
				1-1971819-4	
				1971819-3	
				9-1971819-3	
				8-1971819-3	
				7-1971819-3	
				6-1971819-3	
5-1971819-3					
4-1971819-3					
3-1971819-3					
2-1971819-3					
1-1971819-3					
QTY	②	QTY	①	POS.	TE PART NO. 5

15	TAB CONTACT w/ TIN PLATING	1	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 15P (SEE THE DETAIL LAYOUT ON SHEET 4)	15	3-1971820-5
14		1	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 14P (SEE THE DETAIL LAYOUT ON SHEET 4)	14	2-1971820-5
13					1-1971820-5
12					1-1971820-4
11					1-1971820-3
12	1	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 12P (SEE THE DETAIL LAYOUT ON SHEET 4)	12	1-1971820-2	
				2-1971820-1	
11	1	RAST 2.5 TAB HEADER HOUSING, INTERNAL LOCKING, 11P (SEE THE DETAIL LAYOUT ON SHEET 4)	11	1-1971820-1	
				1-1971820-1	
QTY	②	QTY	①	POS.	TE PART NO. 5

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±

1 PLC ±

2 PLC ±0.20

3 PLC ±

4 PLC ±

ANGLES ±°

FINISH

MATERIAL

-

DWN12NOV2012
WINTER WANG

CHK12NOV2012
HAPYE WU

APVD12NOV2012
YUJHONG MAO

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

NAME

RAST 2.5 TAB HEADER ASYY
TH, VERTICAL, INTERNAL LOCKING

SIZEA2

CAGE CODE00779

DRAWING NO©1971819

RESTRICTED TO

SCALENTS

SHEET3

OF5

REVA3

TE Connectivity

TE

1471-9 (3/11)


1

2


3

4


LOC		DIST		REVISONS			
P	LYR	DESCRIPTION			DATE	DWN	APVD
		SEE SHEET 1			-	-	-




1-1971819-3
1-1971839-3




1-1971819-4
1-1971839-4



1-1971819-5
1-1971839-5



1-1971819-6
1-1971839-6




1-1971819-7
1-1971839-7




1-1971819-8
1-1971839-8




1-1971819-9
1-1971839-9




1-1971819-0
1-1971839-0




2-1971819-0
2-1971839-0




3-1971819-0
3-1971839-0




2-1971819-3
2-1971839-3




2-1971819-4
2-1971839-4



2-1971819-5
2-1971839-5




2-1971819-6
2-1971839-6




2-1971819-7
2-1971839-7




2-1971819-8
2-1971839-8




2-1971819-9
2-1971839-9



3-1971819-3
3-1971839-3




3-1971819-4
3-1971839-4




3-1971819-5
3-1971839-5




3-1971819-6
3-1971839-6




3-1971819-7
3-1971839-7




3-1971819-8
3-1971839-8



3-1971819-9
3-1971839-9



4-1971819-3
4-1971839-3



4-1971819-4
4-1971839-4




4-1971819-5
4-1971839-5




4-1971819-6
4-1971839-6




4-1971819-7
4-1971839-7




5-1971819-7
5-1971839-7




6-1971819-7
6-1971839-7




5-1971819-3
5-1971839-3



5-1971819-4
5-1971839-4




6-1971819-3
6-1971839-3




7-1971819-3
7-1971839-3



9-1971819-3
9-1971839-3




8-1971819-3
8-1971839-3




1971819-3
1971839-3

3 POS




1-1971820-1
1-1971840-1




2-1971820-1
2-1971840-1

4 POS



1-1971820-2
1-1971840-2


5 POS



1-1971820-3
1-1971840-3


6 POS

7 POS




1-1971820-4
1-1971840-4

8 POS




1-1971820-5
1-1971840-5

9 POS



2-1971820-5
2-1971840-5

15 POS




3-1971820-5
3-1971840-5

10 POS

NO CONTACT LOADED

KEYING GROOVE

PICTORIAL VIEW KEY



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: WINTER WANG	12NOV2012	 TE Connectivity		
DIMENSIONS:		CHK: HAPYE WU	12NOV2012			
mm		APVD: YUZHONG MAO	12NOV2012	NAME: RAST 2.5 TAB HEADER ASYY TH, VERTICAL, INTERNAL LOCKING		
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		SIZE: A1		
		0 PLC ±		CAGE CODE: 00779		
		1 PLC ±		DRAWING NO: 1971819		
		2 PLC ±0.20		RESTRICTED TO:		
		3 PLC ±		CUSTOMER DRAWING		
4 PLC ±		APPLICATION SPEC		SCALE: NTS		
ANGLES ±1°		WEIGHT: -		SHEET: 4 OF 5		
FINISH: -		CUSTOMER DRAWING		REV: A3		

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT20

BY -

ALL RIGHTS RESERVED.

LOC-

DIST-

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

FOR ANY KEYING CONFIGURATION, THERE ARE EIGHT COLORS AVAILABLE, BESIDES THE NATURAL COLOR, THERE ARE OTHER SEVEN COLORS, INCLUDE: YELLOW, BLUE, GREY, PURPLE, RED, GREEN, BLACK. THE WHITE VERSION IS PRELIMINARY. THE P/N OF THE COLOR CONNECTOR ARE BASED ON THE NATURAL CONNECTOR, THE PREFIX AND POSTFIX ARE THE SAME FOR THE SAME KEYING CONFIGURATION, BUT THE BASE NUMBERS ARE DIFFERENT ACCORDING TO DIFFERENT COLOR.THE FOLLOWING SHOWS WHAT’S THE P/N FOR COLOR CONNECTOR

#-1971820-#

PREFIX

BASE NUMBER

POSTFIX

COLOR	PART NUMBER OF THE CONNECTOR 				COMMENTS
	WITH TIN PLATING CONTACT		WITH AG PLATING CONTACT		
NATURAL	#-1971819-#	#-1971820-#	#-1971839-#	#-1971840-#	THE DETAIL P/N FOR DIFFERENT KEYING SEE SHEET 2 & 3 & 4
RED	#-2232161-#	#-2232162-#	#-2232163-#	#-2232164-#	THE PREFIX AND POSTFIX ARE THE SAME WITH THE P/N OF THE NATURAL CONNECTOR FOR THE SAME KEYING CONFIGURATION, JUST THE BASE NUMBERS ARE DIFFERENT BASED ON DIFFERENT COLOR. # CAN BE THE NUMBER FROM 0 TO 9.
BLUE	#-2232165-#	#-2232166-#	#-2232167-#	#-2232168-#	
YELLOW	#-2232169-#	#-2232170-#	#-2232171-#	#-2232172-#	
BALCK	#-2232173-#	#-2232174-#	#-2232175-#	#-2232176-#	
GREY	#-2232177-#	#-2232178-#	#-2232179-#	#-2232180-#	
GREEN	#-2232181-#	#-2232182-#	#-2232183-#	#-2232184-#	
PURPLE	#-2232185-#	#-2232186-#	#-2232187-#	#-2232188-#	
WHITE	#-2232281-#	#-2232282-#	#-2232283-#	#-2232284-#	


FOR EXAMPLE,IF A CONNECTOR WITH THE CONFIGURATION AS BELOW, AND WITH TIN PLATING CONTACT, IN THE SHEET 4, WE CAN FIND THE RELATED CONNECTOR P/N WITH NATURAL COLOR IS 5-1971819-4, THEN WE CAN LOOK IN THE ABOVE TABLE TO FIND THE CONNECTOR P/N WITH RED COLOR IS 5-2232161-4

4321

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±

1 PLC ±

2 PLC ±0.20

3 PLC ±

4 PLC ±

ANGLES ±°

FINISH

MATERIAL

-

DWN WINTER WANG 12NOV2012

CHK HAPYE WU 12NOV2012

APVD YUJHONG MAO 12NOV2012

PRODUCT SPEC 108-106079

APPLICATION SPEC -

WEIGHT -

CUSTOMER DRAWING

TE Connectivity

NAME RAST 2.5 TAB HEADER ASYY TH, VERTICAL, INTERNAL LOCKING

SIZE A2

CAGE CODE 100779

DRAWING NO 1971819

RESTRICTED TO -

SCALE NTS SHEET 5 OF 5 REV A3

1471-9 (3/11)



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.