




VERSION WITHOUT RIBS



NOTES :

1- MATERIAL:

-HOUSING: LCP FIBER GLASS FILLED 94-V-0 COLOR BLACK.

-TERMINAL: COPPER ALLOY PLATED WITH:

BASE FINISH: NICKEL

CONTACT SURFACE FINISH:

GOLD

OR

GOLD FLASH OVER PALLADIUM NICKEL

EXCEEDS PRODUCT REQUIREMENTS BASED ON PS-95522-002

2- PC BOARD THICKNESS : 1.57

3- JACK FOR MATING WITH IEC 60603-7 AND TIA-1096-A PLUGS
90075 MOLEX SERIES .

4- PRODUCT SPECIFICATION PS-95522-002.


5- APPLICATION SPECIFICATION AS-85513-001

6- PACKAGING SPECIFICATION PK-95022. (SHT.1 TRAY PACKAGING)
PK-95022. (SHT.2 TUBE PACKAGING)

7- FOR ILLUSTRATION PURPOSES A 4 CIRCUIT IS SHOWN.

8- MANUFACTURING I.D. CAN BE EITHER MG, MXF OR MXI.

LAST INSPECTION NUMBER: 19



CORRECTED PRODUCT SPEC		QUALITY SYMBOLS	DESCRIPTION
EC NO.	REV		
IPG2013-0619	1	▽=0	
DRWN:DBYRNES	2	▽=0	
CHKD:MAHER	3		
APPR:STGRIFFIN	4		
	5		
	6		
	7		
	8		
	9		
	10		
	11		
	12		
	13		
	14		
	15		
	16		
	17		
	18		
	19		
	20		
	21		
	22		
	23		
	24		
	25		
	26		
	27		
	28		
	29		
	30		
	31		
	32		
	33		
	34		
	35		
	36		
	37		
	38		
	39		
	40		
	41		
	42		
	43		
	44		
	45		
	46		
	47		
	48		
	49		
	50		
	51		
	52		
	53		
	54		
	55		
	56		
	57		
	58		
	59		
	60		
	61		
	62		
	63		
	64		
	65		
	66		
	67		
	68		
	69		
	70		
	71		
	72		
	73		
	74		
	75		
	76		
	77		
	78		
	79		
	80		
	81		
	82		
	83		
	84		
	85		
	86		
	87		
	88		
	89		
	90		
	91		
	92		
	93		
	94		
	95		
	96		
	97		
	98		
	99		
	100		

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.25	± .014
1 PLACE	± 0.35	± ---

ANGULAR ± 2 °

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE

MM ONLY

DRAWN BY	DATE
KNOLLER	04/08/27
CHECKED BY	DATE
FCARABET	04/08/30
APPROVED BY	DATE
KNOLLER	04/08/30

MATERIAL NO.

SEE CHART SHT. 2

SIZE

A3

SCALE

1:1

DESIGN UNITS

METRIC

THIRD ANGLE PROJECTION

HIGH PROFILE
TOP ENTRY JACK



MOLEX INCORPORATED

MATERIAL NO.

SEE CHART SHT. 2

SIZE


A3

DOCUMENT NO.

SD-95522-001


SHEET NO.

1 OF 2



MOUNTING HOLE PATTERNS
(SEE FROM COMPONENT SIDE)
ALL DIMENSIONS REF DIMENSIONS

PART NUMBERS FOR JACK WITH RIBS										
	TYPE	PACKA- GING	POS. 4	TOOLED	POS. 6	TOOLED	POS. 6	TOOLED	POS. 8	TOOLED
			4 CKTS.		4 CKTS.		6 CKTS.		8 CKTS.	
		TRAY	95522-2447	X	95522-2647	X	95522-2667	X	95522-2887	X
		TUBE					95522-2617 SEE NOTE 8 SH.1	X		

PART NUMBERS FOR JACK WITHOUT RIBS										
	TYPE	PACKA- GING	POS. 4	TOOLED	POS. 6	TOOLED	POS. 6	TOOLED	POS. 8	TOOLED
			4 CKTS.		4 CKTS.		6 CKTS.		8 CKTS.	
		TRAY	95522-2441	X	95522-2641	X	95522-2661	X	95522-2881	
		TUBE					95522-2611	X		

DIM. \ TYPE	POS. 4	POS. 6		POS. 8
	4 CTKS.	4 CTKS.	6 CTKS.	8 CTKS.
A	11.18	13.21	13.21	15.24
B	7.62	10.16	10.16	11.43
C (WITH RIBS)	14.00	16.00	16.00	18.00
D	3.81	3.81	6.35	8.89
H	7.82	9.88	9.88	11.94
J	5.64	6.70	6.70	6.30
K	3.07	4.06	4.06	4.06

REMOVED PLATING OPTIONS EC NO: IPG2012-0698 DRWN:DBYRNES 2012/04/02 CHKD:MSHAHAN 2012/04/17 APPR:EFOLAN 2012/06/28	QUALITY SYMBOLS ▽=0 C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION			
		DESCRIPTION REV	DRAWN BY KNOLLER	DATE 04/08/27	CHECKED BY FCARABET	DATE 04/08/30	APPROVED BY KNOLLER				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		ANGULAR ± 2 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.			
				SEE CHART		SD-95522-001					
				SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		2 OF 2			



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.