

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0512333011](#)
Status: **Active**
Description: CRC™ Shielded Rectangular I/O Receptacle Housing for Male Terminal, Signal, 30 Circuits, Polarization Type Standard

Documents:
[Drawing \(PDF\)](#) [Product Specification PS-51238-018 \(PDF\)](#)
[Product Specification PS-51238-010 \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)

Agency Certification

CSA	LR19980
TUV	R72081037
UL	E29179

General

Product Family	I/O Connectors
Series	51233
Application	Panel-Mount, Wire-to-Wire
Component Type	Housing
Product Name	CRC™
Type	N/A

Physical

Boot Color	N/A
Circuits (Loaded)	N/A
Circuits (maximum)	30
Color - Resin	Black
Durability (mating cycles max)	100
Flammability	94V-0
Gender	Receptacle
Keying to Mating Part	Yes
Lock to Mating Part	Yes
Material - Metal	Stainless Steel
Material - Plating Mating	n/a
Material - Resin	Polyester
Number of Rows	6
Orientation	Vertical
PCB Locator	No
Packaging Type	Tray
Panel Mount	Front, Rear
Pitch - Mating Interface (in)	0.118 In
Pitch - Mating Interface (mm)	3.00 mm
Pitch - Term. Interface (in)	0.118 In
Pitch - Term. Interface (mm)	3.00 mm
Polarized to Mating Part	Yes
Polarized to PCB	N/A
Ports	1
Surface Mount Compatible (SMC)	No
Temperature Range - Operating	-40°C to +105°C
Termination Interface: Style	N/A
Waterproof / Dustproof	No

Electrical

Current - Maximum per Contact	3A
Shielded	No
Voltage - Maximum	250V AC (RMS)/DC



image - Reference only

Series

EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Contains SVHC: No
Halogen-Free
Status
Not Halogen-Free

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[51233Series](#)

Mates With
51239-300X plug housing|54332-300X plug assembly set

Use With
56116, 56117, 56118 and 56119 male terminal|56377-300* receptacle shell

Material Info





Reference - Drawing Numbers

Product Specification
Sales Drawing

PS-51238-010, PS-51238-018, RPS-51238-001
SD-51233-009


This document was generated on 04/12/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION



嵌合図
CROSS-SECTION VIEW OF MATED CONNECTOR

EC NO. DRWN: CHK: APPR:		EC NO. DRWN: CHK: APPR:		EC NO. DRWN: CHK: APPR:		REVISED 01/10/04 EC NO. J2002-0786 DRWN: S. AKIYAMA CHK: J. MIYAZAWA APPR: Y. ITO	RELEASED 01/02/16 EC NO. JD2001-1040 DRWN: S. AKIYAMA CHK: J. MIYAZAWA APPR: H. IKESUGI	DESCRIPTION	MATERIAL 材料	注記参照 SEE NOTES		GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差		SCALE 2-1	DESIGN UNITS ☒ mm ☐ INCH	 THIRD ANGLE PROJECTION	☐ mm ☐ INCH ☐ mm ONLY	SHEET NO. REVISE ON CAD ONLY						
A		0		#		#		#		#		10 UNDER 未満		±0.2	DRAWN BY & DATE S. Akizawa 01/25		TITLE: COMPACT ROBOT CONN. (CRC) REC. PIN HS'G ASS'Y		MATERIAL NO. SEE CHART		DRAWING NO. SD-51233-009		SHEET NO. 2 OF 4	
#		#		#		#		#		#		10 OVER 30 UNDER 以上 未満		±0.25	CHECKED BY & DATE J. Miyazawa / Y. Ito		MOLEX INCORPORATED		DRAWING NO. SD-51233-009		SHEET NO. 2 OF 4			
#		#		#		#		#		#		30 OVER 以上		±0.3	APPROVED BY & DATE S. Akizawa		MATERIAL NO. SEE CHART		DRAWING NO. SD-51233-009		SHEET NO. 2 OF 4			
#		#		#		#		#		#		ANGLE 角度		±3°	CAD FILE NAME 51233009.S02		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.		DRAWING NO. SD-51233-009		SIZE B			
#		#		#		#		#		#		INS. RANGE 被覆外径		#	#		EN-02J(097) MXJ-54		DRAWING NO. SD-51233-009		SIZE B			



嵌合図 (中継タイプ)
CROSS-SECTION VIEW OF MATED CONNECTOR
(WIRE TO WIRE TYPE)

EC NO. DRWN: CHK's APPR:			EC NO. DRWN: CHK's APPR:			EC NO. DRWN: CHK's APPR:			REVISED '01/10/04 EC NO. J2002-0786 DRWN: S.AKIYAMA CHK's: J.MIYAZAWA APPR: YO.ITO	RELEASED '01/02/16 EC NO. JD2001-1040 DRWN: S.AKIYAMA CHK's: J.MIYAZAWA APPR: H.IKESUGI	DESCRIPTION	MATERIAL 材料 注記参照 SEE NOTES	GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差		SCALE 2-1	DESIGN UNITS ☒ mm ☐ INCH	 THIRD ANGLE PROJECTION	☐ mm INCH ☐ mm ONLY ☒ mm ONLY	REVISE ON CAD ONLY					
												FINISH 仕上り		10 UNDER 未満	±0.2	DRAWN BY & DATE S. Akiyama 01/25		TITLE: COMPACT ROBOT CONN. (CRC) REC. PIN HS'G ASS'Y						
												10 OVER 30 UNDER 以上 未満		±0.25	CHECKED BY & DATE J. Miyazawa / Y. Ito									
												30 OVER 以上		±0.3	APPROVED BY & DATE H. Ikesugi		MOLEX INCORPORATED							
												WIRE RANGE 適用電線範囲		ANGLE 角度	±3°	CAD FILE NAME 51233009.S03		MATERIAL NO. SEE CHART	DRAWING NO. SD-51233-009	SHEET NO. 3 OF 4				
												INS. RANGE 被覆外径		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.										SIZE B

DWG. NO.
SD-51233-009

F

D

A

C

B

DO NOT SCALE DRAWING

8 7 6 5 4 3 2 1

F


E

D

C

B

A



嵌合図 (中継タイプ)
CROSS-SECTION VIEW OF MATED CONNECTOR
(WIRE TO WIRE TYPE)

EC NO. DRWN: CHK: APPR:		EC NO. DRWN: CHK: APPR:		EC NO. DRWN: CHK: APPR:		REVISED 01/10/04 EC NO. J2002-0786 DRWN: S.AKIYAMA CHK: J.MIYAZAWA APPR: Y.O.ITO	EC NO. J2001-1040 DRWN: S.AKIYAMA CHK: J.MIYAZAWA APPR: H.IKESUGI	DESCRIPTION MATERIAL 材料 FINISH 仕上げ WIRE RANGE 適用電線範囲 INS. RANGE 被覆外径	注記参照 SEE NOTES —#— —#— —#—	GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差 10 UNDER 未満 10 OVER 30 UNDER 以上 未満 30 OVER 以上 ANGLE 角度	±0.2 ±0.25 ±0.3 ±3°	SCALE 2-1 DRAWN BY & DATE S. Akiyama 11/01/25 CHECKED BY & DATE J. Miyazawa / Y. Ito APPROVED BY & DATE H. Ikesugi CAD FILE NAME 51233009.S04	DESIGN UNITS mm mm INCH THIRD ANGLE PROJECTION TITLE: COMPACT ROBOT CONN. (CRC) REC. PIN HS'G ASS'Y MOLEX INCORPORATED MATERIAL NO. SEE CHART DRAWING NO. SD-51233-009 SHEET NO. 4 OF 4	DIMENSIONS: mm mm INCH INCH mm ONLY SHT REV REVISE ON CAD ONLY
----------------------------------	--	----------------------------------	--	----------------------------------	--	--	--	--	--	---	------------------------------	--	--	---

8 7 6 5 4 3 2 1



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.